Regional Workshop on Dissemination and Effective Utilization of Patent Information

Analysis of PI database provided by ASEAN IP offices

2018/10/17 Society of Asia Patent Information TETSUO ITO

Contents

- 1. Overview of PATENTSCOPE (PS)
 - 1)Data Coverage
 - 2)Search and Display
 - 3) Publications Without IPC Symbols
 - 4) Missing Applicant Names and Abstract Data
- 2. Original Language Extraction Method
- **3**. Issues of the Database of Each IPO in ASEAN
- 4. Overview of ASEAN PATENTSCOPE (ASE-PS)
- 5. Summary

ASEAN Intellectual Property Databases

		ID	MY	PH	SG	TH	VN
Patent/	National Patent Office	0	0	0	0	0	0
Utility	PATENTSCOPE	0	0	0	0	0	0
model	ASEAN PatentScope	0	0	0	0	0	0
niodei	FOPISER	—	—	—	0	0	0
	National Patent Office	0	0	0	0	0	0
	DesignView	—	—	0	—	—	—
Design	ASEAN DesignView	0	0	0	0	0	0
	Global Design	0	—	—	—	—	—
	Hague Express	Δ	—	—	Δ	—	—
	National Patent Office	0	0	—	0	0	0
	TMview	—	0	0	—	—	—
Trademark	ASEAN TMview	0	0	0	0	0	0
Trademark	Global Brand	0	0	0	0	0	0
	Madrid Monitor	Δ	—	Δ	Δ	Δ	Δ
	FOPISER	_	_	_	_	0	0

ID:Indonesia, MY:Malaysia, PH:Philippines, SG:Singapore, TH:Thailand, VN::Vietnam

Δ : Insufficient Coverage

ASEAN Intellectual Property Databases

PATENTSCOPE(WIPO):

https://patentscope.wipo.int/search/en/structuredSearch.jsf ASEAN PATENTSCOPE(AWGIPC):

http://ipsearch.aseanip.org/wopublish-search/public/ FOPISER(JPO):

https://www.foreignsearch.jpo.go.jp/

DesignView(EUIPO):

https://www.tmdn.org/tmdsview-web/welcome ASEAN DesignView(EUIPO):

http://www.asean-designview.org/tmdsview-web/welcome Global Design(WIPO):

http://www.wipo.int/designdb/en/index.jsp

Hague Express(WIPO):

http://www.wipo.int/designdb/hague/en/ (WIPO) TMview(EUIPO):

https://www.tmdn.org/tmview/bookmark?q=ipvalue&lang=en# ASEAN TMview(EUIPO):

http://www.asean-tmview.org/tmview/welcome Global Brand Database(WIPO):

http://www.wipo.int/branddb/en/index.jsp Madrid Monitor(WIPO):

http://www.wipo.int/madrid/monitor/en/index.jsps

Overview of PATENTSCOPE (PS)

The patent information of each IPO in ASEAN region were included in PATENTSCOPE (PS). In particular, the number of those of Singapore (SG) and Vietnam (VN) has increased, and the patent information of Brunei (BN), Indonesia (IN), Cambodia (KH), Malaysia (MY), Philippines (PH) and Thailand (TH) have been stored into it in August 2017. This enables users to conduct a patent search across the ASEAN states, and they are now able to conduct a patent search mostly without accessing to the database of each IP office.

Details on specific features (User's Guide, etc.) are contained in the JETRO's report issued in March 2018. https://www.jetro.go.jp/ext_images/world/asia/asean/ip/pdf/ search_ip_communique_asean2017.pdf

Now, I will explain how to utilize PATENTSCOPE and its issues when searching for patent information of IPOs in ASEAN, by making a comparison among the databases of these IPOs.

Overview of PATENTSCOPE (PS)

PATENTSCOPE (PS) contains patent information of each IPO in ASEAN in original (local) language in addition to those in English. Hence, you are required to conduct a patent search in original (local) language other than in English.


Among the ASEAN states, patent information of Indonesia (ID), Thailand (TH) and Vietnam (VN) can be searched and displayed in the original (local) language.

In August 2017, ASEAN PATENTSCOPE (ASE-PS) that only includes patent information of ASEAN states was released separately from the patent information of ASEAN being stored in PS. Nevertheless, PS is much easier to use than ASE-PS.

PS allows you to use a command to conduct a highly advanced search. Currently, commercial DBs do not contain sufficient patent information of ASEAN IPOs. Thus, PS can be a very useful tool for individuals conducting a patent search.

However, PS has different types of issues. So I will explain the issues and give you some tips to supplement the missing data of patent information by utilizing the database of each IPO in ASEAN.


1) PATENTSCOPE Data Coverage




Application Date

Application information : As of 2018/6/30

PATENTSCOPE Data Coverage



PATENTSCOPE Data Coverage



2002

200 -200

2000 2001

Application Date

200 -200

Application information : As of 2018/6/30

2)Search and Display Fields Search

	NTE	LLECTUAL PROPERTY ORGANIZAT	TION			
1	Brov	1			Cross country search is pos	ssible
e 🕨 IP Se	ervice	S • PATENTSCOPE				
d Combir	natio	n				
		Front Page	-	=		0
AND	-	Country	-	=	VN	0
AND	-	Application Number	-	=		1
AND	-	Publication Date	-	=	[2000 TO 2016]	0
AND	-	English Title	-	=		0
AND	-	English Abstract	-	=		0
AND	-	Applicant Name	-) =		0
AND	-	International Class	-	=	B32B*	0
AND	-	Inventor Name	-	=		0
AND	-	Office Code	-	=		?
AND	-	English Description	-	=		?
AND	-	English Claims	-	=		(?)
AND		Inventor Name	-		Is Empty: N/A Yes No	
AND		Licensing availability		=		

Operators and parentheses such as AND, OR, NOT, and NEAR can be used in the same field.
Input within the field up to 100 bytes, including operator and space

9

Reset

Q Search

Advanced Search

WORLD INTELLECTUAL PROPERTY ORGANIZATION			
Q Search Browse [®] Translate ♥ News	2	•	0
Home PATENTSCOPE			
Advanced Search			2
Search For: MULTI*") or (FILM NEAR5 LAMINA*) or (LAMINA* NEAR5 FILM) or (FILM NEAR5 "MULTI* LAPIS*") or (FILM NEAR5 "LAPIS* MULTI*") or (FILM NEAR5 MULTILAPIS*) or "FILM NEAR5 "MULTI* LAPIS*") or (EN_ALLTXT:((film NEAR5 lamina*) or (lamina* NEAR5 film)) or IQ:(B32B27* or "B32B 27*")) and CTR:ID	^ ?		
Language: English V Stem: Office: + All			
Instant Help Tooltip Help Extract notation fluctuation with Stem ON	h	Rese	ŧ

Search expression example : Extraction of multilayer films in Indonesia ID_ALLTXT:((FILM NEAR5 LAMINA*) or (LAMINA* NEAR5 FILM) or (FILM NEAR5 "MULTI* LAPIS*") or (FILM NEAR5 "LAPIS* MULTI*") or (FILM NEAR5 MULTILAPIS*) or (FILM NEAR5 "MULTI* LAPIS*")) or ((EN_ALLTXT:((film NEAR5 lamina*) or (lamina* NEAR5 film)) or IC:(B32B27* or "B32B 27*")) and CTR:ID)

> PS includes Indonesian and Thai information with English translations, so search for English terms with the OR operator.

Search Fields

OF: CTR:	Office Code country	NPCC: DS:	National Phase Office Code Designated State
LGF:	Filling Language	LGP:	Publication Language
ALLNUM:	All Numbers and IDs		
AN:	Application Number	AD:	Application Date
WO:	WIPO Publication Number	DP:	Publication Date
GN:	Grant Number		
NP:	Prior Number	PI:	Prior All Data
	AN: Prior PCT Application Numb	er	
	WO: Prior PCT WO Number		
PCN:	Prior Country	PD:	Prior Date
NPA:	National Phase All Date	NPAN:	National Phase Application Number
PN:	National Publicaton Number		
NPED:	National Phase Entry Date	NPET:	National Phase Entry Type
ALLNAME			
PA:	Applicant Name	PAF:	Main Applicant Name
PAA:	Applicant All Data		
AAD:	Applicant Address	AADC:	Applicant Address Country
ANA:	Applicant Nationality	ARE:	Applicant Residence
IN:	Inventor Name	INF:	Main Inventor Name
INA:	Inventor All Date	IADC:	Inventor Nationality

Search Fields

EN_TI: EN_CL: EN_ALLTX	English Title English Claims T: English Text	EN_AB: EN_DE: FP:	English Abstract English Description Front Page
IC:	International Class	ICF:	Main International Class
IC_EX:	Exact IPC code		
ICI:	International Inventive	ICN:	International N-Inventive
IPE:	International Preliminary Examin	nation	
ISA:	International Search Authority	ISR:	International Search Report
RPA:	Legal Representative All Date		
RP:	Legal Representative Name	RPF:	Main Legal Rep Name
RCN:	Legal Representative Country	RAD:	Legal Representative Address
LI:	Licensing availability		
SIS:	Supplementary Internatinal Sea	rch	
TPO:	Thied Party Observation		
	Chaminal		

CHEM: Chemical

Original language search can not be done with Field Search, but can be done with Advanced Search.

ID_ALLTXT:(multilapis or multilapisan) and IC:B32B* (ALLTXT=TI+AB)

Search results

Refine Search	T:((FILM NEAR5 LAMINA*) or (LAMINA* NEA	AR5 FILM) or (FILM NEAR5 "MULTI* LAPIS*") or (FILM	✓ Search ARSS ♣		
		Filters	•		
Sort by: Relevance 👻	View Simple List Length 10	0 Machine translation			
	Title	Wipo Translate	Ctr PubDate		
Int.Class	Appl.No		Inventor		
1. 051.4637 FILM MULTI LAPI		Google Translate	ID 06.10.2011		
B32B 27/00 (W00201102224	Infiana Bing/Microsoft Translate	SCHUHMANN, Michael		
dengan pengaruh air dan resist tersaponifikasi sebagian denga tersaponifikasi sebagian dan se	n ketebalan lapisan <10 ⊡m, dan sedikitnya s edikitnya satu bahan yang miningkatkan kelan	ermopla Baidu Translate It dari sedikitnya sa utkan sedara pertaman, yang peruasarkan sedikitnya sat satu lapisan larut air dingin berdasarkan sedikitnya satu utan dalam air, dipilih dari kelompok yang terdiri dari poli dapat dibilas yang dihasilkan dari film multi lapis tersebu	sedikitnya polivinil asetat imer yang dapat terbiodegradasi,		
2. 2018/02453 FILM MULTI-LA PENGEMAS, DAN KANTUNG		NAKAN SEBAGAI MATERI PENGEMAS, TAS	ID 09.03.2018		
	PID201701163	DIC Corporation	Hiroaki MATSUBARA		
Film multi-lapisan meliputi lapisan segel berbasis-resin poliolefin sebagai lapisan permukaan dan le efin siklik yang secara langsung ditempatkan pada lapisan segel. Kandungan resin poliolefin siklik dari komponen resin dari lapisan resin berbasis-resin poliolefin siklik setidaknya 95% berdasarkan massa, dan setidaknya 40% berdasarkan massa dari resin poliolefin siklik adalah resin poliolefin siklik yang memiliki suhu transisi gelas sebesar 130°C atau kurang. Film multi-lapisan memberikan kekuatan segel yang sesuai dan daya adsorpsi yang sangat rendah.					
3. 051.5350 FILM MULTI-LAPI	SAN DAN KANTONG YANG DIBENTUK DA	RI FILM	ID 22.12.2011		
B32B 27/32 (W00201103090	OTSUKA PHARMACEUTICAL FACTORY, INC.	MORI, Toshifumi		
lapisan antara tersebut dikonfig yang memiliki densitas 0,910-0, linier yang dipolimerisasi meng sedikitnya satu lapisan yang me	jurasi dari satu hingga tiga lapisan. Film multi ,930g/cm ³ , 5-15 % berat dari polietilena densi gunakan katalis situs tunggal dan memiliki dei	r dan lapisan paling dalam dilaminasi dengan lapisan an - <mark>lapisan</mark> dicirikan dengan lapisan antara yang terususn d itas-tinggi yang memiliki densitas 0,950-0,970g/cm ³ , da nsitas 0,900-0,910g/cm ³ . Film multi-lapisan juga dicirika n paling luar dan lapisan paling dalam, dan lapisan paling	dai 0-55% berat dari polietilena linier n 35-85 % berat dari polietilena an dengan lapisan antara berisi		

Translation of search results

Refine Search ID_ALLTXT:((FILM NEAR5 LAN	/INA*) or (LAMINA* NE	AR5 FILM) or (FILM NEAR	5 "MULTI* LAPIS*") or (FILM	<i>.</i> // Q	Search Search
		Filters			•
Sort by: Relevance View Simple	- List Length	en 💌			
	Title			Ctr	PubDate
Int.Class A	ppl.No	Aj	oplicant		Inventor
1. 051.4637 FILM MULTI- LAYER CAN BE rinsed				ID	06.10.2011
B32B 27/00 (?) W00201102224		Infiana Germany GmbH &	k Co. KG	SCHUHN	MANN, Michael
can be milled with water and resistant to the effects of partly with a layer thickness <10 □m, and at least one ingredient that miningkatkan solubility in water, select on the packaging that can be rinsed generated from 2. 2018/02453 FILM MULTI - LAYER , FILM laminat STAND	e layer of cold water sol ted from the group cons the film multi -layer it.	uble by at least one at leas isting of a biodegradable p JSE AS packaging, packa	st polyvinyl acetate tersaponifika olymer, surfactants, and fillers	asi portion	and at least one
PID201701163		DIC Corporation		Hiroaki N	IATSUBARA
Film multi - layer covering seal layer polyolefin-based resin as a surface layer and a layer of resin-base Cyclic polyolefin resin content of the resin component of the resin layer cyclic polyolefin-based resins at least 95% by mass, and at least 40% by mass of the cyclic polyolefin resin is a cyclic polyolefin resin which has a glass transition temperature of 130 ° C or less. Film multi - layer provides an appropriate seal strength and a very low adsorption capacity.					
3. 051.5350 FILM MULTI - LAYER AND BAGS ARE	FORMED FROM FILM			ID	22.12.2011
B32B 27/32 (?) W00201103090		OTSUKA PHARMACEUT	ICAL FACTORY, INC.	MORI, To	oshifumi

Can be translated into 108 languages

Filters

Refine Sea	arch	CTR:ID a	and DP:	[2010 TO 2017] 🥒	1	Search expression		م ر	earch
						Filters			
Count	ries	IPC	;	Inventor		Applicant		Pub I	Date
Name 🗘	No 🗘	Name 🗘	No 🗘	Name 🗘	No 🗘	Name 🗢	No 🗘	Date 🗘	No 🗘
Indonesia	54760	A61K	6647	WANG, Ye-Kui	127	QUALCOMM INCORPORATED	1222	2010	4774
	\nearrow	A61P	3218	KARCZEWICZ, Marta	116	HONDA MOTOR CO., LTD.	862	2011	5674
resu	ult	C07D	2819	LEE, Tammy	96	BASF SE	616	2012	5592
		C12N	1670	DONDERICI, Burkay	84	UNILEVER N.V.	564	2013	4588
		H04W	1627	HAN, Woo-Jin	82	NESTEC S.A.	562	2014	5646
		C07C	1505	GAAL, Peter	78	HALLIBURTON ENERGY SERVICES, INC.	557	2015	6133
		A01N	1454	MONTOJO, Juan	74	KAO CORPORATION	438	2016	7453
		A23L	1449	CHEN, Ying	72	NIPPON STEEL & SUMITOMO METAL CORPORATION	426	2017	14900
		E21B	1251	LUO, Tao	69	NOVARTIS AG	368		
		B01D	1238	BHUSHAN Naga	68	UNICHARM CORPORATION	361		

Applicant names not aggregated

HONDA MOTOR \neq HONDA GIKEN UNICHARM \neq UNI-CHARM

Notes on Simple Analysis

UNILEVER N.V. (Notation fluctuation in simple analysis)

UNILEVER NV UNILEVER N.V. UNILEVER N. V. UNILEVER, N. V. UNILEVER N.V Unilever N.V. Unilever NV UNILEVER N.V.UNILEVER N.V. UNILEVER N. V.UNILEVER N. V.

PS recognizes a slight difference; for example, whether "n.v." representing Deutch legal entity has a dot or not, it has one-byte or two-byte dot, it has a company name in upper or lower case character, etc. and displays the results automatically.

In a patent search, PS recognize the words UNILEVER and Unilever are the same. When you search for "UNILEVER" without n.v., PS also extracts its associated company names with PLC, INC, LTD, LIMITED in other countries.

3) Publications Without IPC Symbols

Search in Field Search

guage:	Engl		: +	= All			
ND ND		International Class Licensing availability	*	_	Is Empty: O N/A O Yes No		
AND	Ť	English Claims	-	=		(?)	
AND	-	English Description	*	=	Extraction of Publications without	IPC syn	۱b
ND	-	Office Code	-	=		9	
ND	-	Inventor Name	-	=		0	
ND	-	International Class	-	=		0	
ND	-	Applicant Name	-	=	QUALCOMM	1	
AND	-	English Abstract	-	=		1	
AND	-	English Title	-	=		1	
AND	-	Publication Date	-	=	[2000 TO 2016]	0	
AND	-	Application Number	-	=		0	
AND	-	WIPO Publication Number	-	=		0	
		Front Page		=		?	

Search in Advanced Search

OF:ID!IC:[* TO *] AND PA:QUALCOMM AND DP:[2000 TO 2016]

Publications Without IPC Symbols

ID MY PH SG TH VN 107441 16987 103596 90922 PD:2000-2016 76937 53382 (CTR) 683 IPC missing data 9221 37752 71 38529 6633 35.1%) 0.1% 37.2% missing data rate 12.0% 0.7% 12.4%

Confirm September 1, 2018

Missing in Malaysia and Singapore is big.

••• Trend similar to JETRO report

	BR	IN	MX	BN	KH
PD:2000-2016	336711	417321	227988	893	10 (CTR)
IPC missing data	26170	4279	5520	235	10
missing data rate	7.8%	1.0%	2.4%	26.3%	100.0%

Confirmation of Publications without IPC Symbols

Refine Search								
Instant Help 🗹								
*		Analysis						
	ate Desc 🔻 View Simple	List Length 10 ▼ Machine translation						
	4 1 14 -		Ctr PubDate					
Int.Class	Appl.No	Applicant						
1. 2016/06934 M RESIDU	ETODE DAN PERALATAN UNI	TUK ENKODING BLOK RESIDU, DAN METODE DAN PERALATAN UNTUK DEKODING BLOK	ID 30.12.2016					
	P00201501864	SAMSUNG ELECTRONICS CO., LTD.	CHEON, Min- SuKR					
memi unit pita frekuens	Disaji predil IPC is blank g; membangkitkan suatu blok residu yang berdasarkan pada suatu perbedaan antara blok prediksi dan blok yang sekarang;							
2. 2016/06939 S	ISTEM ANGKUTAN MONOREL		ID 30.12.2016					
	P00201502014	CHOW, Brian	CHOW, Brian					
Suatu monorel pengalihan massa menggunakan suatu struktur rel batang-l yang memiliki suatu bagian f lensa atas yang terpisah dari suatu bagian flensa bawah, bagian-bagian flensa tersebut yang disambungkan oleh suatu bagian pelat vertikal. Suatu rangka dari suatu kendaraan memiliki sepasang roda penyangga yang kontak dengan rel tersebut pada suatu sisi pertama di suatu perpotongan bagian pelat dengan bagian flensa bawah. Suatu roda ketiga kontak dengan bagian flensa atas pada suatu sisi kedua yang berlawanan dari rel tersebut. Kendaraan bergerak sepanjang rel tersebut yang membentuk suatu lintasan sejalur semi kontinu. Sejumlah lintasan yang demikian diposisikan sejajar untuk menambah suatu koridor transportasi dengan sejumlah jalan umum di mana kendaraan boleh bergerak ke arah yang berlawanan saling melintas satu dengan yang lainnya. Rel-rel tersebut cukup fleksibel hingga memungkinkan suatu kendaraan bergerak dari satu lintasan sejalur semi								

kontinu ke suatu lintasan sejalur semi kontinu yang berdampingan

Missing IPC data(PS)

Application Numb	per: P00201506988 Application Date: 10.04.2014
Publication Numb	per: 2016/06793 Publication Date: 23.12.2016
Publication Kind :	A
Prior PCT appl.: A	App IPC is blank 2014033643 ; Publication Number: Click to see the data
Applicants:	QUALCOMMINCORPORATED
Inventors:	HORN, Gavin, Bernard PRAKASH, Rajat
Agents:	DAMNJANOVIC, Jelena Annisa Am Badar, SH., LL.M.
Priority Data: Title: Abstract:	Priority Data, Title, Abstract are not included.


Missing IPC data(ID E-Status)


NOMOR PERMOHONAN		INGKAT-PAKET UN JI BANYAK PEMBA	
TANGGAL PENERIMAAN	STATUS		GAMBAR
28 Oct 2015	(PA) Pelayanan Tekr	nis	
	Rincian status		
			No Image Available
	NOMOR PENGUMUMAN	TANGGAL PENGUMUMAN	
DOWNLOAD	2016/06793	23 Dec 2016	
Publikasi A			
	NOMOR PATEN	TANGGAL PEMBERIAN	
Publikasi B	-	-	
Abstrak	ditransmisikan dipisahkan o untuk aliran pertama dikirim kumpulan pertama dari pem simpul-simpul jaringan lain	leh simpul jaringan pertama ke dalam b n dari simpul jaringan pertama ke simpu bawa-pembawa sambil paket-paket dar untuk ditransmisikan ke simpul jaringar kumpulan pembawa ditentukan oleh ku	I jaringan kedua yang menggunakan ta untuk aliran-aliran lain diteruskan ke n kedua menggunakan kumpulan
Prioritas	NOMOR	TANGGAL	KEWARGANEGARAAN
	14/249,050	09 Apr 2014	WS US
	61/811,637	12 Apr 2013	us
IPC	-		
	IPC is blan	k	


Although IPC symbol is missing in PS, it is assigned in ID E-Status

		Application Num	ber: P00201401911 Application Date: 02.04.201	4
NOMOR PATEN	PENGIDENTIFIKAS		ber: 2016/00475 Publication Date: 12.02.2016	
IDP000050971	PENYAMPAIAN IN	Publication Kind	IPC is blank	
		Applicants: Inventors:		
TANGGAL PEMBERIAN	STATUS	inventors:	SONG, Osok GRIOT, Miguel	
04 May 2018	(PA) Diberi Paten	Agents:	NADIA AM BADAR	
	Rincian status	Priority Data: Title:		
	NOMOR PENGUMUMAN	Abstract:	PATENTSCPE	
DOWNLOAD	2016/00475	12 Feb 2010		_
Por Publikasi A				
Publikasi B	NOMOR PERMOHONAN P00201401911	TANGGAL PENERIMAAN		
Abstrak	P00201401911	02 Apr 2014		
ABAUMA	Application Number		nasi layanan pesan dirutekan melalui domain- konfigurasi dengan indikasi yang mengindikasikan	
		tuk dimintakan melalui d	omain IP atau bahwa layanan pesan tidak	
			yampaikan informasi layanan pesan berdasarkan silkan indikasi dan mengirimkan indikasi tersebut	
	ke terminal akses. Dalam beberapa ka berdasarkan domain yang dipilih untu		ampaian informasi layanan pesan dipilih J	
Prioritas	NOMOR	TANGGAL	KEWARGANEGARAAN	
	61/232.733	10 Aug 2009	_ US	
	12/251.670	Aug 2010	us	
	Assigned IPC			
IPC			ID E-Status	
IFU	H04L 12/58			22


Indonesia








Malaysia




ASEAN countries have not joined the Strasbourg Treaty (No obligation to assign IPC)

Number of IPC Assignments (Horizontal axis: Application year)



ASEAN countries have not joined the Strasbourg treaty (No obligation to grant IPC)

Number of IPC Assignments (Horizontal axis: Application year) JETRO report(2017)



ASEAN countries have not joined the Strasbourg Treaty (No obligation to assign IPC)

Search comparison by IPC

<u>3D printer B29C67 or "B29C 67"</u>						
	ID	MY	PH	SG	ΤH	VN
National P. O.	20	35	64	157	66	48
PATENTSCOPE	15	42	6	86	35	19

Polymer laminate		B32B27 or "B32B 27" ID MY PH SG TH VN FOLL FILE 2001 2001 700 210					
	ID	MY	PH	SG	TH	N	
National P. O.	531	545	399	933	723	342	
PATENTSCOPE	326	417	90	306	586	240	

The TH of PS is extracted with the following search expression 3D printer


IC:("B29C 67//0" or "B29C 67//2") and CTR:TH 35 cases (IC:("B29C 67/*") and CTR:TH 0 cases)

Polymer laminate

IC:("B32B 27//0" or "B32B 27//1" or "B32B 27//2" or "B32B 27//3" or "B32B 27//4") and CTR:TH 586 cases (IC:("B32B 27/*") and CTR:TH 0 cases)

"//"s between Main groups and Subgroups of IPC of Vietnam are not so many

"//" between the main group and subgroup



IPC fault


		Requ	est number: 1701005343	Date of request: 15 Mar 2559	Application Date: 15 Sep 2560
Filing No.:	TH 1701004518	Post:	# 178480	Date Posted: 26 Jul 2561	Book published:
PCT Filing No.: IPC Classes:	B32B 27/0	Pater	nt Number:	Date of registration:	Documentation: Download File
Applicant: Inventor: Title:	เดอะ โคคา-โคลา คัมปะนี นายคริสโตเฟอร์ ซี. คเจอร์ล็อก (เสีย นโธนี และ โธมัส เอช. มิลตัน นายลอ พรีฟอร์มสำหรับการเตรียมภาชน ผลิตและการใช้อย่างเดียวกัน	งเฟย ช่าง	² DIP(TH)	normal	IPC / ID B32B 27/32
Abstract:	SEAN PATENTSCOPE				
Filing No.:	TH 1701005343			Application Date: 15.03.20	016
PCT Filing No.: IPC Classes: Applicant Fault Inventor: Title: Abstract:	B32B 27/3 อชี คอร์ปอเรชั้น อูจิ เคนโต ซาโตห์ โยชิทา <i>เ ะ</i> มัดเ ฟิล์มปิดผนึก และฟิล์มอัดช้อน ฟิล์มปิดผนึกที่ใช้เป็นฟิล์มปิ ฟินเรชิน (a1) และ สารกันฝ้า, และ ข่ มากกว่าของใชคลิกโพลิโอล์ฟินเรชิ แสดงคุณสมบัติการกันฝ้าแบบที่ควร ระงับการชะของส่วนประกอบต่างๆ ข	Publication Ki IPC: Applicants: Inventors: Agents: Priority Data:	ind : A B32B 27//3 ดีไอซี คอร์ปอเรชั่น ชาโตห์ โยชิทากะ โชอูจิ เคนโต มัตสึบาระ ฮิโรอากิ	Fault ลสิทธิ์, นางสาวปรับโยชน์ ศรีก์	าจจาภรณ์, นายรุทร นพคุณ TENTSCPE

IPC examples

Layered products essentially comprising synthetic resin

Thai or Vietnamese patents in PATENTSCOPE

B32B27/00 B32B27/02 B32B27/04 B32B27/06 B32B27/08 B32B27/10 B32B27/12 B32B27/14 B32B27/16 B32B27/18 B32B27/20 B32B27/22 B32B27/24 B32B27/26 B32B27/28 B32B27/30 B32B27/32 B32B27/34 B32B27/36 B32B27/38 B32B27/40 B32B27/42



4) Missing Applicant Names and Abstract Data (PS)

Country:(OF)

	ID	MY	PH	SG	ΤН	VN
Publication Date 2000 TO 2016	90125	110852	50704	113113	97161	53396
Applicant not recorded	41 47	278	41	3	950	11522
Unrecorded rate	4.6%	0.3%	0.1%	0.0%	1.0%	21.6%
Abstract not recorded	9299	6857	8482	62947	7910	6533
Unrecorded rate	10.3%	6.2%	16.7%	55.6%	8.1%	12.2%

Singapore P.O. DB(IP2SG)

The number of abstracts not contained in PS is large.

It seems that many abstracts are filed in PDF.

Missing Applicant Names and Abstract Data (IPLib)

Bibliographic Description	Claims Drawings Legal status			IPLib(VN)
1-2016-04102 - Bibliographic				
(11) Publication Number	50179			
(21) Application Number	1-2016-04102	(51)	/ IPC	G06F 3/033
(22) Filing Date	27/10/2016	(43)	PubA	26/12/2016 345
Substantive Exam Re				
(75 Applicant Name	Lê Quốc Hưng (VN) 16 đường 23, tổ 1, khu phố 6, phường Phước Long B, quận 9, thà THIẾT BI ĐIỀU KHIỀN BẰNG HƯỚNG CỦA VÂT THỂ	nh phố	Hồ Chí Minh	
(57 Abstract	Sáng chế đề cập tới thiết bị điều khiến bằng hướ xác, dễ lắp đặt và sử dụng, cung cấp dữ liệu đầu Bao gồm bộ phận phát tia sáng (100) có các khe phát ra các chùm tia sáng song song (102) theo phận cụm cảm biến tia sáng, xử lý và phát tín hi và cuối (201b) đặt theo trục thẳng của mặt phẳr sáng (100) phát ra, từ đó bộ xử lý trong bộ phận điểm cảm biến ánh sáng của cảm biến đầu và cả các khe, thời gian phát tia sáng giữa các khe để phẳng của bộ phận (200) và phát tín hiệu này ch	vào cách trục ệu dũ ng đế n (200 m biế tính đ	cho các điều khiến của đều nhau (101), tuần thắng của mặt phẳng v r liệu đã xử lý (200) có cảm biến tia sáng phù)) dựa vào chênh lệch t ến cuối, khoảng cách cá được góc nghiêng theo	các ứng dụng điện toán. tự theo thời gian cố định và cách đều nhau; bộ các cảm biến đầu (201a) hợp do bộ phận phát tia thời gian giữa các thời ác cảm biến, khoảng cách trục thắng của mặt

VN (IPLib) includes IPC, Applicant, Title, Abstract.

Missing Applicant Names and Abstract Data (PS)

CTR:VN!VN_AB:[* TO *] AND DP:[2000 TO 2016]

	Title		Ctr PubDate
Int.Class	Appl.No	Applicant	Inventor
1. 50179 Thiết bị điều khiến bảng hướ	ng của vật thể		VN 26.12.2016
	1201604102		
khiên của các ứng dụng điện toán. Bao c song (102) theo trục thẳng của mặt phẳn và cuối (201b) đặt theo trục thẳng của m chênh lệch thời gian giữa các thời điểm (ằng hướng của vật thể có thời gian đáp ứng nhanh, chính xác, c ồm bộ phận phát tia sáng (100) có các khe cách đều nhau (101 g và cách đều nhau; bộ phận cụm cảm biến tia sáng, xử lý và p ặt phẳng để cảm biến tia sáng phù hợp do bộ phận phát tia sán cảm biến ánh sáng của cảm biến đầu và cảm biến cuối, khoảng iêng theo trục thắng của mặt phẳng của bộ phận (200) và phát t	I), tuần tự theo thời gian cô định phát ra các chi hát tín hiệu dữ liệu đã xử lý (200) có các cảm b g (100) phát ra, từ đó bộ xử lý trong bộ phận (2 cách các cảm biến, khoảng cách các khe, thời	ùm tia sáng song viến đầu (201a) v00) dựa vào gian phát tia
2. 3281 Hào kỹ thuật đấu nối			VN 26.12.2016
	2201600380		
nhu cầu cần sử dụng. Mỗi đốt hào bao g hào kỹ thuật được thiết kế để lỗ chờ để c được bố trí ở các vị trí khác nhau với nhi	ác đốt hào được liên kết với nhau bằng khớp nối, hào có thể mớ ồm phần thân hào cố định và phía trên được đậy bằng tấm nắp Iấu nối và phân phối các hệ thống hạ tầng kỹ thuật. Tùy thuộc v ều hình dáng, kích thước đa dạng.	có thể tháo lắp ra được. Điểm khác biệt ở chỗ	trên thân đốt
National Biblio. Data			
		Per	rmaLink 📾
Application Number: 1201604102 Publication Number: 50179 Public Publication Kind : A Applicants: Inventors: Priority Data: Title: Abstract:		is empty	

Missing Abstract Data

Nat	tional Biblio. Data								
Pu Pu Pri IPC Ap	blication Number: blication Kind : A ior PCT appl.: App C: H(pplicants: CH ventors: CH	1200000818 Applic 5245 Publication E Vication Number:PC 04R 25/00 @ 1UNG - YU LIN 1UNG - YU LIN	0ate: 26.02.2001			Click to see t	he data	TSCPE)
Pri Titi Ab	iority Data: 98	& LE 100529.2 16.02 400 Drawings Leg	Missing A	bst	ract da	ata			
1-2000-00818 -Biblio	graphic:							IPLib(VN	
(11) Registration Number	1-0003485-00	0							
(15) Registration Da	te 21/04/2003			(51) ⁷	IPC		H04R 25/0	0	
(21) Application Number	1-2000-00818			(22)	Filing Da	te	14/09/2000)	
(86) PCT Number	PCT/US99/02	446 05/02/1999		(87)	Internatio App.No	onal	WO99/419	46 19/08/1999	
(30) Priority Number		16/02/1998 CN							
(45) PubB Date	25/06/2003 1	83		(43)	PubA		26/02/2001	155	
(76) Right Holder Name	CHUNG - YU 29. Tunnel 152	LIN (US) 2, Kuang Hwa 1 st	. Rd., Kaohsiung	, Taiv	/an				
(74) Agency Name	Công ty TNH								33
(54) Title (57) Abstract	TAI NGHE K	Missing	Abstract of	lata	ا بل	MÁT TÍNH N	IANG DAN	THINH	55

2. Original language extraction method (Extract original language from two languages)

When searching for patent information of Indonesia (ID), Thailand (TH) and Vietnam (VN), you are required to conduct a search in the original (local) language.

 Translation tools, such as "Google Translation" Basically, those tools give one translation candidate

② When utilizing the PS translate function
 When searching for an English term
 ⇒ Search result is translated into the original language for display
 When extracting a title of the invention, or a highlighted technical term in the abstract

 \Rightarrow You must search for a term given by PS for verification

If you check "Stem" box before you search the PS database, it recognizes inflection of a word.

Utilizing "Google Translate"

English	Japanese	Indonesian	Detect language	*	+	₽	Japanese	English	Spanish	Ŧ
lapis n	apis apis apisan apisan					×	multilay multi lay multi-lay multilay multi lay multi lay multi lay	yer yered er yer yer		
LAMIN Iamina LAMIN Iamina	asi NASINYA	L.					LAMINA laminate THE LA laminati	e MINAT ion	ION	
۰ 💷	*			1	30/500	00				

Generally, translation errors of long sentences can be improved by inserting line feeds or spaces between words. However, in case of the Thai language, it is difficult for a searcher to break the sentence into words if he/she does not understand the language.

Extraction of different notations by PATENTSCOPE

Google translation laminate 🗭 laminasi

Search by ID_AB:*laminasi*

		Title	Ctr PubDate
Int.Class	Appl.No	Applicant	Inventor
1. 2017/06447	WADAH MAMPU	DELAMINASI	ID 16.06.2017
B65D 1/02	P00201604136	KYORAKU CO., LTD.	TARUNO, Shinsuke

Wadah mampu-delaminasi yang sangat baik dalam produktivitas akan disediakan. Menurut aspek pertama dari invensi ini, wadah mampu-delaminasi, terdiri dari: bodi wadah memiliki selubung terluar dan kantong dalam, kantong mendelaminasi bagian dal-am dari selubung terluar dan menjadi menyusut dengan penurunan isi, dimana bodi wadah termasuk tonjolan segel bawah yang menonjol dari permukaan bawah dari bagian penyimpanan untuk menyimpan isi, dan tonjolan segel bawah adalah bagian penyegelan, dalam cetak tiup menggunakan parison terlaminasi silinder dilengkapi dengan lapisan luar yang merupakan selubung terluar dan lapisan dalam yang merupakan kantong dalam, parison laminasi dan dibengkokkan.

2. 2018/00111 METODE PEMBUATAN KONTAINER YANG DIDELAMINASI DAN METODE PEMERIKSAAN KEBOCORAN UDARA UNTUK KONTAINER YANG DIDELAMINASI						
B65D 1/00 © P00201702588	Kyoraku Co., Ltd.	Kousuke AIHARA				

Suatu metode pembuatan kontainer yang dapat didelaminasi diberikan yang mampu mendelaminasi secara merata kantong dalam dari selubung luar. Sesuai dengan aspek pertama dari invensi ini, suatu metode pembuatan kontainer yang dapat didelaminasi diberikan yang meliputi: formasi bodi kontainer, membentuk suatu bodi kontainer yang memiliki selubung luar dan kantong dalam; dan mendelaminasi pendahuluan seluruh keliling, mendelaminasi pendahuluan kantong dalam dari selubung luar in an seluruh keliling dari bagian penyimpanan bodi kontainer dengan memutar bodi kontainer sambil menekan bagian penyimpanan dengan suatu mekanisme penekanan dari sebelah luar untuk kompresi atau dengan memindahkan mekanisme penekanan sepanjang keliling luar bodi kontainer.

Indonesian	Google translation	
laminasi	\Rightarrow laminate	
pelaminasi	\Rightarrow lamination	
terlaminasi	\Rightarrow laminated ID ALLTXT:*lamina*	1210 cases
melaminasi	\Rightarrow laminate	1210 (0303)
	⇒ belamination Translation	
didelaminasi	\Rightarrow diaminated \checkmark Error	26
	\Rightarrow lamination	36

English information of Indonesia and Thailand

		Title			Ctr PubDate	
Int.Class	Appl.No		Applicant	ID	Inventor	
1. 2017/09609 INDI	KASI PENGOLAHAN PARALI	EL DALAM PENGKODE VIDEO			ID 01.09.2017	
H04N 19/00	P00201602595	QUALCOMM INCORPORATE	D		WANG, Ye-Kui	
In an example, a method of decoding video data includes decoding, from a video parameter set (VPS) of a multi-layer bitstream, data that indicates at least one of a tile configuration for layers of the multi-layer bitstream or a parallel processing configuration for layers of the multi-layer bitstream. The method also includes decoding the multi-layer bitstream in accordance with the data decoded from the VPS.						
2. 2017/08902 TAB	UNG MULTI LAPISAN DAN P	ROSES PEMBUATANNYA WADAH BER	SEKAT		ID 18.08.2017	
	P00201601775					
layer. The vessel is formed using a blow-molding process in which a multiple layer parison is blow molded to form the vessel. The multiple layer parison is formed in an extrusion process in which a number of extruders are arranged to co-extrude associated inner and outer parisons to establish the multiple layer parison.						
Int.Class	Appl.No	Applicant		Inventor		
1. 20953 เครื่องส่าเร ืจ	จผลิตสนามแม่เหล็กเพื่อใช้ในการ	รรักษาโรด	TH	08.10.1996	TH	
A61N 02//0	9201001915	นิชอนเคนโคโซซินเคนดิวไค โก,แอลทีดี.	Nagatani, Kazuhiro			
The therapeutic apparatus generating the magnetic field comprises of the multi-layer silicon-metal cores, consisting of multi-layer silicon-metal cores and one opened end. The multi-layer cores are coiled in wherethe alternated current is fed to generate the alternated magnetic field from the end of the pin of the surface of the multi-layer metal core. The multi-layer metal core also consists of the protruded component, of which the thinner than multi-layer metal and narrow than the end of the pin of the surface of the multi-layer metal core. The multi-layer metal core of the therapeutic apparatus generating the magnetic field generally consists of themulti-layer silicon-metal sheet. Its opened end is placed in multi-layer form. The alternated magnetic field isgenerated from the opened end surface by the coil coiled around the metal core placed in multi-layer form atpredetermined round . When the round of the coil or the layer of the multi-layer metal coil is increased tomagnify the intensity of the magnetic field will end up with the larger body of the generator. Furthermore, if the only round of the coil is changed, it results in abnormal increase of the temperature. If the silicon-metal coil is increased only, it results in the increase in the weight of metal coil.						
2. 24194 "วัสดุเฉลือบ	มแบบหลายแผ่นชั้นของโพลิเมอร์		ТН	19.03.1997		
		และกรรมวธการผลต	10	10.00.1001		
B32B 27//3	9501002758	และกรรมวธการผลต แลนิทซ์ ใชฟราย	นายไพโซล เอนซ์	13.03.1337		

and a pressure-sensitive adhesive. The polymer coating is made by reacting a hydroxyl-group-containing polyurethane polymer and a low-molecular linear polyisocyanate with catalytic organic tin additives and colorants. The multi-layer material is tear and weather-resistant. A transparent reactive coating, e.g. a toner or ink-receptive coating or a metal coating may be applied to the opposite side of the polymer-coated substrate. Such multi-layer materials are suitable for stretching over large areas of frames in model aircraft construction or as image and printing substrates for copiers using ordinary paper or as an advertising material.


3. Issues of the Database of Each IPO in ASEAN

PATENTSCOPE (PS) only includes the information concerning patents and utility models, whereas the database of each IPO in ASEAN includes the information concerning designs and trademarks besides patents and utility models.


Now, I will explain the issues of the database of each IPO in ASEAN.

1)E-Status(Indonesia)


2018/4/17 renewal



Patent Search Fields(ID)




Coverage Indonesian Design database




Indonesian Design database

(Period from application to registration)




E-Status Design Database(Indonesia)



Application Year

Indonesian Design database

(Period from application to registration)



2)MyIPO(Malaysia)

Application Number		Invention Title	multilayer
Abstract	laminate	Although it is an AND o	peration between fields,
		TI: multilayer and AB: la	iminate ⇒ error
Applicant		TI: multilayer and AP: N	ITTO \Rightarrow error
Ament Name		AB: multilayer and AP: I	NITTO \Rightarrow Searchable
Agent Name		TI:multilayer and IPC:"	B32B 27" \Rightarrow Searchable
Legal Status		Patent No	
-		Within the field	
Divisional Application		"Multilayer laminate" is	an AND operation.
		What is the OR operation	on?
Date of Filing		Date of End of Protection	
Date of Grant	, , ,	e search (01/01/2017 TC	
	31/12/2017) can not be	done.	
Date open to public (18 months publication)		Date of Lapsing	
	Search << Back to Simple	e Search	

3)IPOPHL(Philippines)

IPOPHL PATENT SEARCH

INTELLECTUAL PROPERTY OFFICE OF THE PHILIPPINES

OLD FILE NO. NEW FILE NO. INVENTOR APPLICANT/ASSIGNEE	PH Invention Utility Model Industrial Design Any		LOCARNO	ADVANCE USERs <locarno code="">/<locarno code="" subclass=""></locarno></locarno>
TITLE]]	<section code="">/<class code="">/<subclass code>/<ecoup code="">/<subgroup code=""></subgroup></ecoup></subclass </class></section>
	rch available perations availa	ble	Multiple IPC, LOC	CARNO can not be used.
DOCUMENTS FOUND:	SEARCH			

Search result list (IPOPHL)


FILE NO:	PH/1/1999/1271
OLD FILE NO:	11999001271
FILING DATE:	5/28/1999
PUBLICATION DATE:	3/4/2002
ISSUED DATE:	
TITLE:	RESIN-COATED COMPOSITE FOIL, PRODUCTION THEREOF, AND PRODUCTIONS OF MULTILAYER COPPER-CLAD LAMINATE AND MULTILAYER PRINTED WIRING BOARD USING THE RESIN-COATED COMPOSITE FOIL
ABSTRACT:	
OWNER/S:	MITSUI MINING AND SMELTING CO., LTD.`
INVENTOR/S:	
STATUS:	Forfeited (for non revival after substantive withdrawal)
LINK/S:	BD - Bibliographic Data AB - Abstract CL - Claims DE - Description DR - Drawing
FILE NO:	PH/1/2014/502042
OLD FILE NO:	12014502042 Can see Claims and Description fields
FILING DATE:	9/15/2014
PUBLICATION DATE:	11/24/2014
ISSUED DATE:	
TITLE:	LAMINATE INSPECTION METHOD, LAMINATE INSPECTION APPARATUS, AND LAMINATE MANUFACTURING APPARATUS
ABSTRACT:	When irradiating a light on a first surface of a flat cable with reinforcing plates, on a side of a second surface of the flat cable with reinforcing plates, to properly form shadows of conductors and a reinforcing plate, a light having a first light intensity is irradiated on the first surface, and to properly form shadows of edges of a window portion of the flat cable with reinforcing plates, a light having a second light intensity is irradiated on the first surface irradiated is captured from
OWNER/S:	TOTOKU ELECTRIC CO., LTD.
INVENTOR/S:	KIUCHI Kazuaki KOAIZAWA Hisashi KAISE Tomio TAKAGI Toshihide
STATUS:	To check for filing
LINK/S:	Can not read claims or descriptions without a link

4)IP2SG(Singapore)

Application No.		
Filing Date From	То	(dd/mm/yyyy)
Applicant / Proprietor Name		
Agent Name		
Case No.		
Additional Information for Patent		
Publication No.		Able to perform AND, OR
Title	tel tel tel tel	operation in the same field
Inventor		
International Patent Classification	B32B 27	
Application Status Click <u>here</u> for Glossary of IP Status and Case Status.	 All Status Abandoned Abandoned (Extension of Time Possible) Lapsed Lapsed (Restoration Pending) Patent In Force Pending (Published) Refused (Extension of Time Pending) Revoked Withdrawn 	 Abandoned (Extension of Time Pending) Expired Lapsed (Late Renewal Possible) Lapsed (Restoration Possible) Pending (Not Published) Refused Refused (Extension of Time Possible) Surrendered

Abstract, Claim, Description are filed in PDF.

5)DIP(Thailand)



6)IPLib(Vietnam)

SEARCH QUERY CREATION FOR PATENT Field Name IPC IPC <t< th=""><th colspan="4">NATIONAL OFFICE OF II Industrial Property I Wed, 05/09/2018</th><th></th><th></th><th></th></t<>	NATIONAL OFFICE OF II Industrial Property I Wed, 05/09/2018						
IPC ■ ■ B29C67/00 B29C67/02 AND Filing Date ■ ● 01/01/2000 AND Filing Date ● 01/01/2000 • Able to perform OR search for multiple AND Filing Date ● ○ 01/01/2000 • Able to perform OR search for multiple AND Filing Date < ○ ○ ○ ○ AND Filing Date << ○ ○ ○ ○ AND Filing Date << ○ ○ ○ ○ AND Filing Date << ○ ○ ○ ○ ○ AND Filing Date << ○ ○ ○ ○ ○ ○ AND Filing Date << ○ ○ ○ ○ ○ AND	SEARCH	QUI	ERY CREATION FOR PATENT				
AND Filing Date Search for multiple AND Filing Date Search for multiple AND Filing Date Search for multiple 1/01/2000 1/01/200 1/01/2000 1/01/2000 1/01/2000 1/01/2000			Field Name				Expression
AND V The of Abstract text V - V		> >	Filing Date	~	>= 🗸	01/01/2000 • Able Numb • Unat	pers, IPC, Terms in the same field ble to perform AND search in the

DigiPat(Vietnam)

Tìm đơn giản | Tìm nâng cao | Hướng dẫn



noip Cục sở hữu trí tuệ việt nam

Vietnam DigiPat - Thư viện số về Bằng độc quyền Sáng chế/Giải pháp hữu ích của Việt Nam

Tìm kiếm nâng cao

		Tên trường				Biểu thức		
		IPC	▼ = ▼					
Và	•	Tên sáng chế	▼ = ▼	C10L 5/02	earch for registere	ed patents		
Và	T	Mô tả	▼ = ▼	Mô tả				
Và	•	Tóm tắt	T - T					_
		Dữ liệu thư mục	Bå	n mô tả	Yêu cầu bảo hộ	Hình vẽ	Tài liệu gốc	
Và	-	tới hốc khuôn ở nhi tại thời điểm khi họ độ phân huỳ củach trong hốc khuôn đủ huy, và giảm áp su 2. Phương pháp theo phản ứng toá nhiệt 3. Phương pháp theo suất cao trong hốc 4. Phương pháp theo khuôn tới nhiệt độ	quá trình v chất đéo n ệt độ cao h p chất đạt hợp chất đ át tạo bọt t i để ngăn k ất trong hố điểm 1, khá khuôn tới n điểm 1, khá làm cho bề	và các chất phụ óng chảy rất đồ lơn nhiệt độ phâ tới nhiệt độ đủ ở léo và giữ nhiệt rong hợp chất d hông cho chất đ c khuôn sau khi ác biệt ở chỗ, th nhiệt độ thấp hơ mặt có độ cứng	gia i COMMINIATION ng nhac và được chuyện thả n huỷ của chất tạo bọt kết l để chất tạo bọt trong hợp ch độ trong hợp chất déo và gi léo cho tới khi đạt được mức léo bị giãn nở hoặc chỉ giãn đạt được mức độ phân huỳ ành phần chất déo chứa các	Chi Claiming tor noc knoon, khác biế nộp với các chất phụ gia đi lất dẻo bị phân huỷ và trướ ữ nhiệt độ trong hợp chất c độ phân huỷ mong muốn nở tới một mức độ không c mong muốn để hợp chất c c chất phụ gia điều chinh sự n công đoạn làm nguội bề n ất tạo bọt trước khi bắt đầu n công đoạn làm nguội bề n nấm chất dẻo được lấy ra k	ều chỉnh sự phân huỷ tuỳ c ớc thời điểm bắt đầu phân dẻo trong hốc khuôn cao h của chất tạo bọt, và giữ áy đáng kể, khi chất tạo bọt p dẻo giãn nở. ự phân huy chất tạo bọt ho mặt sản phẩm chất dẻo tro chỏi hốc khuôn mà không c	g chất déo này chọn và huỷ. ơn nhiệt o suất hân bá học ới áp rá học. ong hốc

4. Overview of ASEAN PATENTSCOPE (AWGIPC)

2017/8/27releace

	ASEAN PATE	INTSCOP	E		Abo	out English 🔽
						Patents
SEARCH	ADVANCED SEARCH	USER SELECTIO	N (0)			
						+/- Fields
	Original Filing #	+				
	Publication Nu	mber				
	Filing Date	(ууууММо [©]	id)			
	Pub. Date	<mark>(ууууММ</mark> о [©]	ld)			
	Concordance T	erms 遅んでくだ	ສນ	\checkmark		
					Searc	h Reset
T						₫ 📰 🎟
	Showing	g 1 to 20 of 503315 🖡	• •	1 2 3 4 5 6 7 8 9 10 🗎 🔛		

Features of ASEAN PATENTSCOPE (ASE-PS)

- ASE-PS contains patent information of 8 ASEAN States (BN, ID, KH, MY, PH, SG, TH and VN) only
- It enables users to conduct a patent search across the ASEAN States.
- It enables users to perform AND, OR operations in the same field.
 "(multilayer OR laminate) AND film"
- •Combination search, which is available in PATETSCOPE, is not available
- •IPC also has some restrictions, such as not being able to search the main group
- Claims and Description search fields are displayed, however, those data are missing.
- ASE-PS deletes last search expression each time you conduct a search.

ASEAN PATENTSCOPE Select search fields

SEARCH ADVANCED SEARCH		USER SELECTION (0)	
			Search Reset +/- Fields
TEXT FIELDS	DATE FIELDS	NUMBER FIELDS	
Abstract Englis	sh	Abstract Bilingual	Abstract
☑ Original Filing	#	Applicant Address	Applicant Address Bilingual
Applicant Cou	ntry	Applicant	Applicant Bilingual
Application Su	ьтуре	Application Type	Applicant Residence
Citation Categ	ory	Citation Claim	Citation Description
Claim Descript	tion	Claim Language	Claims
CPC Classes		Description	🗆 File Type
Inventor Addre	ess	Inventor Address Bilingual	Inventor Country
Inventor		Inventor Bilingual	Inventor Residence
IPC Classes		IPC Technology Field	IPC Technology Sector
Office Code		Pub. Kind Code	Priority Details
PCT Pub. Country		Representative Address	Representative Country
Representative	e Name	Representative Residence	Status Code
Status		🗆 Internal Status	□ Title
Title English		Title Bilingual	Identifier
		-	

ASEAN PATENTSCOPE Search Results





Original Filing #: PCT Filing #:	ID P00201602789 PCT/FR2014/052929	Publication Number: Filing Date :	2017/09579 - 2017.09.01 2014.11.17		
IPC Classes:	C08F 20/06, C08K 5/375, C08F 2/38, C08K 3/32	Reg. #:	-		
Applicant:	COATEX				
Inventor:	SUAU, Jean-Marc				
Title:	METODE UNTUK MEMPOLIMERASI ASAM POLIMER YANG DIPEROLEH DAN PENGG METHOD FOR POLYMERISING METH(ACF AND USES THEREOF	UNAANNYA	-		
Abstract:	lnvensi ini berkaitan dengan metode baru dalam larutan, polimer yang memiliki ber (PI) 2 hingga 5 dengan polimerisasi radika	at molekul kurang dar	· · · · · ·		
	The present invention relates to a novel n acrylic acid in a solution, said polymer hav polydispersity index (PDI) of 2 to 5 by radi	ving a molecular weigh			

ASEAN PATENTSCOPE Search Results

T		Showing 1 to 20 of 130 🔣 1 2 3 4 5 6 7 🕅									
DRAWING	TITLE	ORIGINAL FILING #	FILING DATE	REG. #		PUB. DATE	IPC CLASSES	APPLICANT	INVENTOR	APPLICATION SUBTYPE	STATUS
	METODE UNTUK MEMPOLIMERASI ASAM MET (AKRILAT) DALAM SUATU LARUTAN, LARUTAN POLIMER YANG DIPEROLEH DAN PENGGUNAANNYA	P00201602789	2014.11.17			2017.09.01	C08F238 C08K332 C08F2006 C08K5375	COATEX	SUAU, Jean-Marc	PCT National Phase Non UMKM	Published
	METODE POLIMERISASIAN LARUTAN ASAM (MET) AKRILAT	P00201603397	2014.11.26			2017.08.25	C08F2006 C08F2202	COATEX	SUAU, Jean-Marc	PCT National Phase Non UMKM	Published
	PROSES UNTUK PEMBUATAN KOPOLIMER ETILENA DALAM REAKTOR TUBULAR	P00201607337	2015.03.26			2017.08.04	B01J1918 C08F201 C08F21002	SAUDI BASIC INDUSTRIES CORPORATION SABIC GLOBAL TECHNOLOGIES B.V.	SLOTS, Sjors BODEGOM VAN, Robert Cornelis KAN VAN, Joannes Augustinus Maria	PCT National Phase Non UMKM	Published

Table View

Bilingual Notation (ASEAN PATENTSCOPE)

	Original Filing #:	ID PID201707917	Publication	2018/05664 - 2018.05.25				
o o			Number:					
HOC-R1 R2-COH	PCT Filing #:	PCT/KR2015/012288	Filing Date :	2015.11.16				
R4	IPC Classes:	A45D 34/04, C07C 29/00, C08G 18/32, C08J 9/22, C08L 75/04	Reg. #:	-				
	Applicant:	LG HOUSEHOLD & HEALTH CARE LTD.						
R ₃	Inventor:	KANG, Sung-Soo KIM, Kyong-Seob PARK, Sang-Wook SHIN, Se-Ra LEE, Sang-Hyub BUSA POLIURETAN YANG LEMBUT MENGGUNAKAN HIDROKARBON POLIOL, DAN KANDUNGAN KOSMETIK YANG						
	Title:							
		SAMA						
		SOFT POLYURETHANE FOAM USING HYDROCARBON POLYOL, AND COSMETIC COMPRISING SAME						
	Abstract:	Invensi saat ini memberikan suatu komposisi untuk busa uretan yang lembut untuk membuat busa uretana yang						
		lembut, yang terdiri dari poliol, dan busa ureta	, ,	0 00 , 0				
		poliol adalah satu yang dipilih dari diantara po), ¹ idrokarbon, minyak	, ,				
		minyak sayur, atau campuran poliol hidrok	Indonasion	dari minyak nabati dan asam dimer yang				
		berasal dari minyak sayur. Invensi saat ini	Indonesian	untuk impregnasi komposisi kosmetik, yang				
		dapat mengendalikan polaritas bahan imp	0 0	komposisi kosmetik hidrofilik, dan				
		komposisi busa uretana menggunakan impreg	gnasi untuk pembuatan y	yang sama.				
		The present invention provides a composition	for a soft urethane foam	n to prepare a soft urethane foam, comprising a				
		polyol, and a foamed soft urethane foam usin						
		hydrocarbon polyol, a vegetable oil, and a veg		acid or a mixture of a hydrocarbon polyol with				
		any one selected from among a vegetable oil		er acid. The present invention provides				
		an impregnation material for impregnation of	English	can control the polarity of the				
			rophilic cosmetic compo	sition, and an impregnation-use urethane foam				
		composition for preparing the same.		-				

Bilingual notations are provided by Indonesia and Thailand only

5. Benefits of PATENTSCOPE (when compared with National Patent Office databases)

①Cross country search available

(2)Compound search available

A long sentence (exceeds 1000 bytes) search expression is also available

③ PS can translate in 108 languages (Instantaneous)

④Simple analysis of search results is also available (although Applicant Names are not aggregated)

ISSUES OF PATENTSCOPE (PS) (when compared PS with the databases of IPOs in ASEAN)

- (1) PS includes Patent Publications whose IPC codes are totally missing. Although the databases of IPOs in ASEAN include the similar cases, the number of those of PS is a little larger than those of their databases.
- (2) Regarding the simple analysis of search results on PS, you must be careful as Applicant Names and Inventor Names are analyzed without being aggregated by name.
- ③ In PS, Main groups and Subgroups of IPC of Thailand (TH) are separated by "//" instead of "/". Also, there are a few cases where "//" appears between these groups of IPC of Vietnam (VN).
- ④ The "bibliographic data and abstracts" of ASEAN are included in PS, and "claims" and "complete specifications" are not included in it yet. In some countries including Singapore, Thailand and Vietnam, claims are made available to the public online or in Patent Publications in a PDF file.

SUMMARY

PATENTSCOPE (PS)

- Search and display O
- Able to read claims ×

ASEAN PATENTSCOPE (ASE-PS)

- Search and display Δ
- Able to read claims ×

Databases of IPOs in ASEAN

	ID	MY	PH	SG	TH	VN	
Search and display	Δ	Δ	Δ	Δ	Δ	Δ	
Able to read claims	×	×	Δ	Ο	0	Ο	

A searcher needs to conduct a search using PS and the databases of IPOs in ASEAN in combination.

Survey report on industrial property database of intellectual property office of each country of ASEAN (JETRO report) (only Japanese)

	Country	URL
	Indonesia	https://www.jetro.go.jp/ext_images/world/asia/idn/ip/pdf/search_ip_co mmunique2017.pdf
	Philippines	https://www.jetro.go.jp/ext_images/world/asia/ph/ip/pdf/search_ip_com munique2017.pdf
	Vietnam	https://www.jetro.go.jp/ext_images/world/asia/vn/ip/pdf/search_ip_com munique2017.pdf
	Thailand	https://www.jetro.go.jp/ext_images/world/asia/th/ip/pdf/search_ip_com munique2017.pdf
	Malaysia	https://www.jetro.go.jp/ext_images/world/asia/my/ip/pdf/search_ip_co mmunique2017.pdf
CW	Singapore	<u>https://www.jetro.go.jp/ext_images/world/asia/sg/ip/pdf/search_ip_com</u> <u>munique2017.pdf</u>
	Common to all countries	https://www.jetro.go.jp/ext_images/world/asia/asean/ip/pdf/search_ip_ communique_asean2017.pdf 2018/3 release 61