

SECTION B — PERFORMING OPERATIONS; TRANSPORTING

B63 SHIPS OR OTHER WATERBORNE VESSELS; RELATED EQUIPMENT

B63B SHIPS OR OTHER WATERBORNE VESSELS; EQUIPMENT FOR SHIPPING (arrangements of vessel ventilation, heating, cooling, or air-conditioning B63J 2/00; floating substructures as supports of dredgers or soil-shifting machines E02F 9/06) [2]

Subclass index

HULLS

Study; general characteristics.....	9/00, 1/00
General; adjustable keels; protection.....	3/00, 41/00, 59/00
Particular types.....	5/00, 7/00
Subdivision; cleaning of tanks.....	11/00, 57/00
SUPERSTRUCTURES; HULL OR SUPERSTRUCTURE OPENINGS.....	15/00, 19/00
EMPTYING, BALLASTING; STABILITY; SAFETY.....	13/00, 29/16, 39/00, 43/00
MOORING, SHIFTING; HANDLING LIFEBOATS.....	21/00, 23/00
ACCOMMODATION FOR CARGO OR PERSONS.....	25/00, 27/00, 29/00
ARRANGEMENTS OR ADAPTATIONS OF SIGNALLING OR LIGHTING DEVICES OR OF NAUTICAL INSTRUMENTS.....	45/00, 49/00
DETAILS AND ACCESSORIES FOR SHIPS.....	17/00
CONSTRUCTION, MAINTENANCE, CONVERSION, NOT OTHERWISE PROVIDED FOR.....	9/00
PARTICULAR KINDS OF SHIPS OR FLOATING STRUCTURES NOT OTHERWISE PROVIDED FOR.....	35/00, 38/00
BUOYS; MARKING NAVIGATION ROUTES.....	22/00, 51/00

1/00 Hydrodynamic or hydrostatic features of hulls or of hydrofoils (hulls peculiar to submarines B63B 3/13; keels B63B 3/38)	3/08	• • with detachably-connected sub-units
1/02 • deriving lift mainly from water displacement (B63B 1/16 takes precedence)	3/09	• Hulls constructed of non-magnetic metal
1/04 • • with single hull	3/10	• Armoured hulls
1/06 • • • Shape of fore part	3/12	• Frameless hulls
1/08 • • • Shape of aft part	3/13	• Hulls built to withstand hydrostatic pressure when fully submerged, e.g. submarine hulls
1/10 • • with multiple hulls	3/14	• Hull parts (hull armour B63B 3/10)
1/12 • • • the hulls being interconnected rigidly	3/16	• • Shells (ports or closures therefor B63B 19/00)
1/14 • • • the hulls being interconnected resiliently	3/18	• • • characterised by being formed predominantly of parts that may be developed into plane surfaces
1/16 • deriving additional lift from hydrodynamic forces	3/20	• • • of double type
1/18 • • of hydroplane type	3/22	• • • with corrugations
1/20 • • • having more than one planing surface (B63B 1/22 takes precedence)	3/24	• • • Means for diminishing external ridges or protrusions
1/22 • • • with adjustable planing surfaces	3/26	• • Frames
1/24 • • of hydrofoil type	3/28	• • • of transverse type; Stringers
1/26 • • • having more than one hydrofoil (B63B 1/28 takes precedence)	3/30	• • • • Bilge knees; Beam knees
1/28 • • • with movable hydrofoils	3/32	• • • Web frames; Web beams
1/30 • • • • retracting or folding	3/34	• • • of longitudinal type; Bulkhead connections
1/32 • Other means for varying the inherent hydrodynamic characteristics of hulls	3/36	• • • Combined frame systems
1/34 • • by reducing surface friction	3/38	• • Keels (movable keels B63B 41/00)
1/36 • • • using mechanical means	3/40	• • Stern posts; Stern frames
1/38 • • • using air bubbles or air layers	3/42	• • Shaft brackets
1/40 • • by diminishing wave resistance	3/44	• • Bilge keels (stabilising aspect B63B 39/06)
3/00 Constructions of hulls (non-metallic hulls B63B 5/00)	3/46	• • Stems
3/02 • Hulls assembled from prefabricated sub-units	3/48	• • Decks (planking B63B 5/06)
3/04 • • with permanently-connected sub-units	3/50	• • • of vaulted type
3/06 • • • the sub-units being substantially identical	3/52	• • • Pillars; Deck girders
	3/54	• • • Hatch openings
	3/56	• • Bulkheads; Bulkhead reinforcements (arrangements of watertight doors B63B 43/24)

- 3/58 • • • with flat plating
- 3/60 • • • with curved or corrugated plating
- 3/62 • • Double bottoms; Tank tops
- 3/64 • • • Keelsons
- 3/66 • • Gratings
- 3/68 • • Panellings; Linings, e.g. for insulating purposes
- 3/70 • • Reinforcements for carrying localised loads, e.g. propulsion plant, guns

- 5/00 Hulls characterised by their construction of non-metallic material**
- 5/02 • made predominantly of wood
- 5/04 • • Carcasses
- 5/06 • • Decks; Shells
- 5/08 • • • with single-layer planking
- 5/10 • • • with multiple-layer planking
- 5/12 • made predominantly of wood with metal reinforcement, i.e. composite construction
- 5/14 • made predominantly of concrete, e.g. reinforced
- 5/16 • • monolithic
- 5/18 • • built-up from elements
- 5/20 • • • in combination with elements of other materials
- 5/22 • • with reinforcing members external to shell
- 5/24 • made predominantly of plastics

- 7/00 Collapsible, foldable, inflatable, or like vessels**
(foldable pontoons B63B 35/36)
- 7/02 • comprising only rigid parts
- 7/04 • • sectionalised
- 7/06 • having parts of non-rigid material
- 7/08 • • inflatable (inflatable buoys B63B 22/22; inflatable life-rafts B63C 9/04)

- 9/00 Methods of designing, building, maintaining, converting, refitting, repairing, or determining properties of, vessels, not otherwise provided for**
(shuttering for building concrete vessels E04G) [2]
- 9/02 • using towing tanks or model basins for designing
- 9/04 • Rebuilding ships, e.g. increasing tonnage
- 9/06 • Methods of building hulls [2]
- 9/08 • Determining vessel properties with respect to stability or balance [2]

- 11/00 Interior subdivision of hulls** (bulkhead space construction B63B 3/56)
- 11/02 • Arrangement of bulkheads, e.g. defining cargo spaces
- 11/04 • Constructional features of bunkers or ballast tanks, e.g. with elastic walls
- 11/06 • Propeller-shaft tunnels

- 13/00 Conduits for emptying or ballasting; Self-bailing equipment; Scuppers**
- 13/02 • Ports for passing water through vessels' sides

- 15/00 Superstructures; Arrangements or adaptations of masts**
- 15/02 • Staying of masts or of other superstructures

- 17/00 Vessels parts, details, or accessories, not otherwise provided for**
- 17/02 • Awnings
- 17/04 • Stanchions; Guard-rails
- 17/06 • Refuse discharge, e.g. for ash

- 19/00 Arrangements or adaptations of ports, doors, windows, port-holes, or other openings or covers**
(scuppers B63B 13/00; arrangements of watertight doors in bulkheads B63B 43/24)
- 19/02 • Windows specially adapted for ships or other waterborne vessels, e.g. clear-view screens or portholes
- 19/04 • Air-catching equipment related to windows or port-holes
- 19/06 • • readily detachable
- 19/08 • Ports or like openings in vessels' sides (ports for passing water through vessels' sides B63B 13/02)
- 19/10 • • Coal ports
- 19/12 • Hatches; Hatchways (hatch coamings B63B 3/54)
- 19/14 • • Hatch covers
- 19/16 • • • with detachable boards
- 19/18 • • • slidable
- 19/19 • • • foldable [3]
- 19/197 • • • • actuated by fluid pressure [3]
- 19/203 • • • • actuated by cables or the like [3]
- 19/21 • • • of roll-up type [3]
- 19/22 • • Hatch beams
- 19/24 • • Hatch fastenings, e.g. cleats
- 19/26 • • Gaskets; Draining means
- 19/28 • • Other safety devices

- 21/00 Tying-up; Shifting, towing, or pushing equipment; Anchoring** (dynamic anchoring B63H 25/00) [4]
- 21/02 • Magnetic mooring equipment
- 21/04 • Fastening or guiding equipment for chains, ropes, hawsers, or the like
- 21/06 • • Bollards
- 21/08 • • Clamping devices
- 21/10 • • Fairleads
- 21/12 • • Rat guards
- 21/14 • • Hawse-holes; Hawse-pipes; Hawse-hole closures
- 21/16 • using winches
- 21/18 • Stoppers for anchor chains
- 21/20 • Adaptations of chains, ropes, hawsers, or the like, or of parts thereof
- 21/22 • Handling or lashing anchors
- 21/24 • Anchors
- 21/26 • • securing to bed
- 21/27 • • • by suction [2]
- 21/28 • • • driven-in by explosive charge
- 21/29 • • • by weight, e.g. flukeless weight anchors [2]
- 21/30 • • rigid when in use [3]
- 21/32 • • • with one fluke
- 21/34 • • • with two or more flukes
- 21/36 • • • • foldable
- 21/38 • • • pivoting when in use [3]
- 21/40 • • • with one fluke
- 21/42 • • • • of ploughshare type
- 21/44 • • • with two or more flukes
- 21/46 • • with variable, e.g. sliding, connection to chain [2]
- 21/48 • • Sea-anchors; Drogues
- 21/50 • Anchoring arrangements for special vessels, e.g. for floating drilling platforms or dredgers
- 21/54 • Boat-hooks or the like
- 21/56 • Towing or pushing equipment (tugs B63B 35/66)
- 21/58 • • Adaptations of hooks for towing; Towing-hook mountings
- 21/60 • • • Quick releases
- 21/62 • • characterised by moving of more than one vessel

- 21/64 • • Equipment for towing or pushing vessels by vehicles or beings moving forward on ground-based paths along water-way (boat-hooks or the like B63B 21/54) [2]
- 21/66 • • Equipment specially adapted for towing underwater objects or vessels, e.g. fairings for tow-cables [3]
- 22/00 Buoys** (means for indicating the location of underwater objects B63C 7/26; life-buoys, e.g. rings, B63C 9/08) [4]
- 22/02 • specially adapted for mooring a vessel [4]
- 22/04 • Anchoring arrangements [4]
- 22/06 • • with means to cause the buoy to surface in response to a transmitted signal [4]
- 22/08 • • having means to release or urge to the surface a buoy on submergence thereof, e.g. to mark location of a sunken object [4]
- 22/10 • • • Water soluble or water weakened means, i.e. buoy released by buoy-to-object securing means being destroyed on contact with water [4]
- 22/12 • • • the surfacing of the buoy being assisted by a gas released or generated on submergence of the buoy [4]
- 22/14 • • • Buoy-to-object securing means responsive to hydrostatic pressure [4]
- 22/16 • specially adapted for marking a navigational route [4]
- 22/18 • having means to control attitude or position, e.g. reaction surfaces or tether [4]
- 22/20 • • Ballast means [4]
- 22/22 • Inflatable buoys with gas generating means (B63B 22/12 takes precedence) [4]
- 22/24 • container type, i.e. having provision for the storage of material [4]
- 22/26 • • having means to selectively release contents, e.g. swivel couplings [4]
- 22/28 • • submerged when not in use [4]
- 23/00 Equipment for handling lifeboats or the like**
- 23/02 • Davits, i.e. devices having arms for lowering boats by cables or the like
- 23/04 • • with arms pivoting on substantially-horizontal axes, e.g. gravity type
- 23/06 • • • with actual pivots
- 23/08 • • • • the arms being articulated
- 23/10 • • • • with positive drive of the arms
- 23/12 • • • • with simulated pivots
- 23/14 • • • • using linkages
- 23/16 • • • • using guide tracks
- 23/18 • • with arms pivoting on substantially-vertical axes
- 23/20 • • • Davits with single arms
- 23/22 • • • • Slings or the like therefor
- 23/24 • • • Slewing equipment therefor
- 23/26 • • with rectilinear translation of boat before lowering
- 23/28 • Devices for projecting or releasing boats for free fall
- 23/30 • Devices for guiding boats to water surface
- 23/32 • • Rigid guides, e.g. having arms pivoted near waterline
- 23/34 • • Guiding means for lowering by cables, e.g. for listing ships
- 23/36 • • • Skid fenders
- 23/38 • Transport of boats to davits or the like
- 23/40 • Use of lowering or hoisting gear
- 23/42 • • with braking equipment
- 23/44 • • • on the ship
- 23/46 • • • in the boat
- 23/48 • • using winches for boat handling
- 23/50 • • • with tensioning gear
- 23/52 • • • with control of winches from boat
- 23/54 • • with trimming equipment
- 23/56 • • • controlled from boat
- 23/58 • • with tackle-engaging or release gear
- 23/60 • • Additional connections between boat and davit
- 23/62 • Fastening or storing of boats on deck
- 23/64 • • Lashings; Covers
- 23/66 • • Blocks; Chocks
- 23/68 • • • for stacking boats
- 23/70 • Condition-responsive handling equipment, e.g. automatic release of boat from lowering tackle upon contact with water [4]
- 25/00 Load-accommodating arrangements, e.g. stowing or trimming; Vessels characterised thereby** (fishing vessel fish holds B63B 35/24; trimming otherwise than by cargo division. e.g. by use of ballast, B63B 43/06, B63B 43/08)
- 25/02 • for bulk goods
- 25/04 • • solid
- 25/06 • • • for cereals
- 25/08 • • fluid
- 25/10 • • • open to ambient air
- 25/12 • • • closed
- 25/14 • • • • pressurised
- 25/16 • • • • heat-insulated
- 25/18 • Detachable decks
- 25/20 • • for motor vehicles or the like
- 25/22 • for palletised articles
- 25/24 • Means for preventing unwanted cargo movement, e.g. dunnage
- 25/26 • for frozen goods
- 25/28 • for deck loads
- 27/00 Arrangement of ship-based loading or unloading equipment for cargo or passengers** (self-discharging barges or lighters B63B 35/30; floating cranes B66C 23/52) [3]
- Note(s)**
- Groups B63B 27/30-B63B 27/36 take precedence over groups B63B 27/04-B63B 27/28.
- 27/04 • of derricks [3]
- 27/08 • of winches [3]
- 27/10 • of cranes [3]
- 27/12 • • of gantry type [3]
- 27/14 • of ramps, gangways or outboard ladders [3]
- 27/16 • of lifts or hoists [3]
- 27/18 • of cableways, e.g. with breeches-buoys [3]
- 27/22 • of conveyors, e.g. of endless-belt or screw-type [3, 6]
- 27/24 • of pipe-lines [3]
- 27/25 • • for fluidised bulk material [3]
- 27/26 • of devices with throwing action [3]
- 27/28 • of chutes [3]
- 27/30 • for transfer at sea between ships or between ships and off-shore structures [3]
- 27/32 • • using cableways [3]
- 27/34 • • using pipe-lines [3]
- 27/36 • for floating cargo [3]
- 29/00 Accommodation for crew or passengers not otherwise provided for**

B63B

- 29/02 • Cabins or other living spaces; Construction or arrangement thereof
- 29/04 • • Furniture specially adapted for vessels
- 29/06 • • • Fastening to floors
- 29/08 • • • Storm guards on tables, e.g. fiddles
- 29/10 • • • Berths; Mounting ladders therefor
- 29/12 • • • Self-levelling mountings
- 29/14 • • Closet or like flushing arrangements; Washing or bathing facilities peculiar to ships
- 29/16 • Soil-water discharges
- 29/18 • Arrangements or adaptations of swimming pools
- 29/20 • Arrangements or adaptations of ladders (mounting ladders for berths B63B 29/10)
- 29/22 • Galleys [2]

35/00 Vessels or like floating structures adapted for special purposes (vessels characterised by load-accommodating arrangements B63B 25/00; mine-laying or mine-sweeping vessels, submarines, aircraft carriers or other vessels characterised by their offensive or defensive arrangements B63G) [5]

- 35/03 • Pipe-laying vessels [5]
- 35/04 • Cable-laying vessels [5]
- 35/06 • • for moving cable-ends from ship to shore [5]
- 35/08 • Ice-breakers [5]
- 35/10 • • having forced pitching or rolling equipment [5]
- 35/12 • • having ice-cutters [5]
- 35/14 • Fishing vessels [5]
- 35/16 • • Trawlers [5]
- 35/18 • • • adapted to dragging nets aboard [5]
- 35/20 • • • adapted to hoisting nets aboard [5]
- 35/22 • • Whale catchers; Whale factory vessels [5]
- 35/24 • • Fish holds [5]
- 35/26 • • • for live fish [5]
- 35/28 • Barges or lighters [5]
- 35/30 • • self-discharging [5]
- 35/32 • for collecting pollution from open water [5]

Note(s)

If the apparatus for collecting pollution from open water is of interest apart from ship construction aspects, it is also classified in group E02B 15/00.

- 35/34 • Pontoons [5]
- 35/36 • • foldable [5]
- 35/38 • • Rigidly-interconnected pontoons [5]
- 35/40 • for transporting marine vessels [5]
- 35/42 • • with adjustable draught [5]
- 35/44 • Floating buildings, stores, drilling platforms, or workshops, e.g. carrying water-oil separating devices [5]
- 35/50 • Vessels or floating structures for aircraft (aircraft carriers B63G 11/00) [5]
- 35/52 • • Nets, slipways or the like, for recovering aircraft from the water [5]
- 35/53 • • Floating runways [3, 5]
- 35/54 • Ferries [5]
- 35/56 • Lightships (marking of navigational route with anchored lightships B63B 51/02) [5]
- 35/58 • Rafts, i.e. free floating waterborne vessels, of shallow draft, with little or no freeboard, and having a platform or floor for supporting a user (life-rafts or the like B63C 9/02) [4, 5]
- 35/607 • • having a platform or floor below the level of the buoyancy means, e.g. suspended basket type [4, 5]
- 35/613 • • with tubular shaped flotation members [4, 5]

- 35/62 • • formed from logs or the like [4, 5]
- 35/66 • Tugs [5]
- 35/68 • • for towing [5]
- 35/70 • • for pushing [5]
- 35/71 • Canoes, kayaks or the like [4, 5]
- 35/73 • Other vessels or like floating structures for pleasure or sport [5]
- 35/74 • • Body supporting buoyant devices with seat [4, 5]
- 35/76 • • • Ring-shaped buoyant members (ring-shaped life-buoys B63C 9/08) [4, 5]
- 35/78 • • • U-shaped buoyant members [4, 5]
- 35/79 • • Surf-boards, e.g. sailboards [5]
- 35/81 • • Water skis; Water sledges [5]
- 35/83 • • Water shoes; Bog shoes [5]
- 35/85 • • Accessories not otherwise provided for, e.g. sticks for water skiing [5]

38/00 Vessels or like floating structures not otherwise provided for [5]

39/00 Equipment to decrease pitch, roll, or like unwanted vessel movements; Apparatus for indicating vessel attitude

- 39/02 • to decrease vessel movements by displacement of masses [2]
- 39/03 • • by transferring liquids [2]
- 39/04 • to decrease vessel movements by using gyroscopes directly
- 39/06 • to decrease vessel movements by using foils acting on ambient water (constructional aspects of bilge keels B63B 3/44)
- 39/08 • to decrease vessel movements by using auxiliary jets or propellers (using auxiliary jets or propellers for steering or dynamic anchoring B63H 25/00)
- 39/10 • to decrease vessel movements by damping the waves, e.g. by pouring oil on water [2]
- 39/12 • for indicating draught or load
- 39/14 • for indicating inclination or duration of roll

41/00 Drop keels, e.g. centre boards or side boards

43/00 Improving safety of vessels, e.g. damage control, not otherwise provided for

- 43/02 • reducing risk of capsizing or sinking (by means of watertight doors in bulkheads B63B 43/24)
- 43/04 • • by improving stability
- 43/06 • • • using ballast tanks
- 43/08 • • • by transfer of solid ballast
- 43/10 • • by improving buoyancy
- 43/12 • • • using inboard air containers
- 43/14 • • • using outboard floating members
- 43/16 • • • Temporary equipment for stopping leaks, e.g. collision mats
- 43/18 • preventing collision; reducing collision damage
- 43/20 • • Feelers
- 43/24 • Arrangements of watertight doors in bulkheads
- 43/26 • • of sliding type
- 43/28 • • • with mechanical drive
- 43/30 • • • with fluid drive
- 43/32 • • of non-sliding type

45/00 Arrangements or adaptations of signalling or lighting devices (life-buoys, life-belts, life-jackets, life-suits or the like, characterised by signalling means B63C 9/20) [4]

- 45/02 • the devices being intended to illuminate the way ahead or other areas of environments

45/04	• the devices being intended to indicate the vessel or parts thereof	57/04	• by ventilating
45/06	• the devices being intended to illuminate vessels' decks or interior	59/00	Hull protection specially adapted for vessels; Cleaning devices specially adapted for vessels
45/08	• the devices being acoustic	59/02	• Fenders integral with waterborne vessels or specially adapted therefor; Rubbing-strakes (skid fenders for lifeboats B63B 23/36)
49/00	Arrangements of nautical instruments or navigational aids	59/04	• Preventing hull fouling [3]
51/00	Marking of navigational routes otherwise than with buoys [4]	59/06	• Cleaning devices for hulls [3]
51/02	• with anchored lightships; by use of lighthouses [4]	59/08	• • of underwater surfaces while afloat (B63B 59/10 takes precedence) [3]
51/04	• with free-floating flares	59/10	• • using trolleys or the like driven along the surface [3]
57/00	Tank cleaning specially adapted for vessels	69/00	Equipment for shipping not otherwise provided for [2013.01]
57/02	• by washing		

B63C LAUNCHING, HAULING-OUT, OR DRY-DOCKING OF VESSELS; LIFE-SAVING IN WATER; EQUIPMENT FOR DWELLING OR WORKING UNDER WATER; MEANS FOR SALVAGING OR SEARCHING FOR UNDERWATER OBJECTS (floating nets, floating slipways, or the like for recovering aircraft from the water B63B 35/52)

Subclass index

LANDING, LAUNCHING

Dry-docking; storing on land; launching or hauling-out.....	1/00, 15/00, 3/00
Transporting overland.....	13/00
Slipway and dry-dock equipment.....	5/00
SALVAGE, SEARCHING UNDER WATER; LIFE-SAVING.....	7/00, 11/00, 9/00
WORKING UNDER WATER.....	11/00

1/00	Dry-docking of vessels or flying-boats (storing of vessels on land otherwise than by dry-docking B63C 15/00; mooring of vessels B63B 21/00; hydraulic-engineering aspects E02B)	7/02	• in which the lifting is done by hauling
1/02	• Floating dry-docks (ship transporters with adjustable draught B63B 35/42)	7/04	• • using pontoons or the like
1/04	• • self-docking	7/06	• in which lifting action is generated in, or adjacent to, vessels or objects
1/06	• • Arrangements of pumping or filling equipment for raising or lowering docks	7/08	• • using rigid floats
1/08	• Dry docks (locks E02C 1/00) [2]	7/10	• • using inflatable floats external to vessels or objects
1/10	• Centring devices	7/12	• • by bringing air or floating bodies or material into vessels or objects
1/12	• Docks adapted for special vessels, e.g. submarines	7/14	• using freezing for closing holes or for strengthening the vessel or the like
3/00	Launching or hauling-out, e.g. by landborne slipways; Slipways (ship-borne guides for handling lifeboats or the like B63B 23/30; cranes, winches, or the like B66; ship-lifting for adapting to different water levels E02C)	7/16	• Apparatus engaging vessels or objects
3/02	• by longitudinal movement of vessel	7/18	• • using nets
3/04	• by sideways movement of vessel	7/20	• • using grabs
3/06	• by vertical movement of vessel, e.g. by crane	7/22	• • using electromagnets or suction devices
3/08	• Tracks on slipways	7/24	• Apparatus for passing chains or the like under vessels or objects
3/10	• using releasing devices	7/26	• Means for indicating the location of underwater objects, e.g. sunken vessels (means for searching for underwater objects B63C 11/48; buoys in general B63B 22/00)
3/12	• using cradles (vehicles in general for transporting boats or the like B60P)	7/28	• Refloating stranded vessels
3/14	• using braking means	7/30	• Floatable safes (safes in general E05G)
5/00	Equipment usable both on slipways and in dry docks	9/00	Life-saving in water (life-saving in general A62B; arrangement or adaptation of signalling or lighting devices for ships, other waterborne vessels or for equipment for shipping B63B 45/00; rescue equipment specially adapted for submarine personnel B63G 8/40)
5/02	• Stagings; Scaffolding; Shores or struts	9/01	• Air-sea rescue devices, i.e. equipment carried by, and capable of being dropped from, an aircraft (inflatable vessels B63B 7/00; inflatable buoys B63B 22/22) [5]
5/04	• • Bilge or keel blocks		
7/00	Salvaging of disabled, stranded, or sunken vessels; Salvaging of vessel parts or furnishings, e.g. of safes; Salvaging of other underwater objects (means for searching for underwater objects B63C 11/48)		

B63C

- 9/02 • Lifeboats, life-rafts or the like, specially adapted for life-saving (B63C 9/01 takes precedence; floatable furniture B63C 9/30; boats in general B63B; inflatable vessels B63B 7/00; equipment for handling lifeboats or the like B63B 23/00; rafts B63B 35/58) [4, 5]
- 9/03 • • enclosed [5]
- 9/04 • • Life-rafts
- 9/05 • Shark screens, e.g. buoyant means combined with means to surround or otherwise enclose the user (B63C 9/06 takes precedence) [5]
- 9/06 • Floatable closed containers with accommodation for one or more persons inside (B63C 9/01 takes precedence) [5]
- 9/08 • Life-buoys, e.g. rings; Life-belts, jackets, suits, or the like (B63C 9/01 takes precedence; equipment for swimming A63B, e.g. swimming aids A63B 31/00) [5]
- 9/087 • • Body suits, i.e. substantially covering the user's body (diving suits B63C 11/04, B63C 11/10) [5]
- 9/093 • • • using solid buoyant material [5]
- 9/105 • • • having gas-filled compartments (connection of valves to inflatable elastic bodies B60C 29/00) [5]
- 9/11 • • covering the torso, e.g. harnesses [5]
- 9/115 • • • using solid buoyant material [5]
- 9/125 • • • having gas-filled compartments (connection of valves to inflatable elastic bodies B60C 29/00) [5]
- 9/13 • • attachable to a body member, e.g. arm, neck, head or waist [5]
- 9/135 • • • using solid buoyant material [5]
- 9/15 • • • having gas-filled compartments (connection of valves to inflatable elastic bodies B60C 29/00) [5]
- 9/18 • • Inflatable equipment characterised by the gas-generating device [5]
- 9/19 • • • Arrangements for puncturing gas-generating cartridges [5]
- 9/20 • • characterised by signalling means, e.g. lights (arrangement or adaptation of signalling or lighting devices for ships or other waterborne vessels B63B 45/00)
- 9/22 • Devices for holding or launching life-buoys, inflatable life-rafts, or other floatable life-saving equipment (equipment for handling life-boats or the like B63B 23/00)
- 9/23 • • Containers for inflatable life-saving equipment [5]
- 9/26 • Cast or life lines; Attachments thereto; Containers therefor (adaptations of aerial cableways to shipboard use B63B 27/18; guns for line-throwing F41F; line-carrying missiles F42B 12/68)
- 9/28 • Adaptations of vessel parts or furnishings to life-saving purposes
- 9/30 • • Floatable furniture
- 9/32 • Equipment adapted to use on ice

- 11/00 Equipment for dwelling or working under water; Means for searching for underwater objects** (composition of chemical substances for use in breathing apparatus A62D 9/00; swimming aids or equipment A63B 31/00-A63B 35/00; submarines B63G 8/00)
- 11/02 • Divers' equipment
- 11/04 • • Resilient suits
- 11/06 • • • with rigid helmet
- 11/08 • • • Control of air pressure within suit, e.g. for controlling buoyancy
- 11/10 • • Rigid suits
- 11/12 • • Diving masks
- 11/14 • • • with forced air supply
- 11/16 • • • with air supply by suction from diver, e.g. snorkels
- 11/18 • • Air supply (for diving masks B63C 11/14, B63C 11/16; respiratory apparatus in general A62B)
 - 11/20 • • • from water surface
 - 11/22 • • • carried by diver
 - 11/24 • • • • in closed circulation
- 11/26 • • Communication means (electric communication in general H04)
 - 11/28 • • Heating, e.g. of divers' suits, of breathing air
 - 11/30 • • Ballast
 - 11/32 • • Decompression arrangements; Exercise equipment
 - 11/34 • • Diving chambers with mechanical link, e.g. cable, to a base (manipulators B25J; diving chambers without mechanical link to a base B63G 8/00; caissons adapted to laying foundations E02D 23/00-E02D 27/00)
 - 11/36 • • • of closed type
 - 11/38 • • • with entrance above water surface
 - 11/40 • • • adapted to specific work
 - 11/42 • • • with independent propulsion or directional control
 - 11/44 • • of open type, e.g. diving-bells
- 11/46 • Divers' sleds or like craft, i.e. craft on which man in diving-suit rides
- 11/48 • Means for searching for underwater objects (means for indicating the location of sunken objects B63C 7/26; locating by use of the reflection or reradiation of radio or other waves G01S)
 - 11/49 • • Floating structures with underwater viewing devices, e.g. with windows [5]
 - 11/50 • • using grapnels
 - 11/52 • Tools specially adapted for working underwater, not otherwise provided for [3]
- 13/00 Equipment forming part of, or attachable to, vessels, facilitating transport over land** (harnesses attachable to vessels for personal carrying A45F; amphibious craft, land vehicles convertible for use on water B60F; land vehicles for carrying boats B60P)
- 15/00 Storing of vessels on land otherwise than by dry-docking**

B63G OFFENSIVE OR DEFENSIVE ARRANGEMENTS ON VESSELS; MINE-LAYING; MINE-SWEEPING; SUBMARINES; AIRCRAFT CARRIERS (means of attack or defence in general, e.g. turrets, F41H)

Subclass index

OFFENSIVE OR DEFENSIVE INSTALLATIONS OR ARRANGEMENTS
Guns, missile launchers..... 1/00

Launching torpedoes; defence against torpedoes.....	5/00, 9/00
Defence or attack against sub- marines, by depth charges or otherwise.....	6/00, 9/00
Mines: laying; sweeping; other defence.....	6/00, 7/00, 9/00
Other defensive or offensive arrangements.....	13/00
Ammunition handling or storing.....	3/00
SUBMARINES; AIRCRAFT CARRIERS.....	8/00, 11/00

1/00 Arrangements of guns or missile launchers; Vessels characterised thereby (submarines B63G 8/00; guns, missile launchers F41)	8/24	• • Automatic depth adjustment; Safety equipment for increasing buoyancy, e.g. detachable ballast, floating bodies
3/00 Arrangements of ammunition stores or handlers (specially for submarines B63G 8/00; feeding ammunition missiles or projectiles to guns in general F41A 9/00); Vessels characterised thereby (general cargo aspects B63B)	8/26 8/28 8/30 8/32	• • Trimming equipment • Arrangement of offensive or defensive equipment • • of artillery or missile-launching means • • of torpedo-launching means (torpedo-launching means <u>per se</u> F41F 3/00); of torpedo stores or handlers [2]
3/02 • for torpedoes	8/33	• • of mine-laying means (mine-laying vessels other than submarines B63G 6/00) [2]
3/04 • for missiles	8/34	• • Camouflage (for other vessels B63G 13/02; in general F41H 3/00)
3/06 • for mines or depth charges	8/36	• Adaptations of ventilation, cooling, heating, or air-conditioning (reconditioning air in sealed chambers A62B 11/00; for vessels in general B63J 2/00; air-conditioning in general F24F)
5/00 Vessels characterised by adaptation to torpedo-launching (submarines B63G 8/00; torpedo-launching <u>per se</u> F41F 3/00)	8/38	• Arrangement of visual or electronic watch equipment, e.g. of periscopes, of radar
6/00 Laying of mines or depth charges; Vessels characterised thereby (arrangements on submarines for mine-laying B63G 8/33) [2]	8/39	• Arrangements of sonic watch equipment, e.g. low-frequency, sonar
7/00 Mine-sweeping; Vessels characterised thereby	8/40	• Rescue equipment for personnel (life-saving in water, not specially adapted for submarine personnel B63C)
7/02 • Mine-sweeping means; Means for destroying mines	8/41	• • Capsules, chambers, water-tight boats, or the like, detachable from the submarine [2]
7/04 • • by means of cables	8/42	• Towed underwater vessels [2]
7/06 • • of electromagnetic type	9/00 Other offensive or defensive arrangements on vessels against submarines, torpedoes, or mines	
7/08 • • of acoustic type	9/02	• Means for protecting vessels against torpedo attack (armoured hulls B63B 3/10)
8/00 Underwater vessels, e.g. submarines (submarine hulls B63B 3/13; diving chambers with mechanical link, e.g. cable, to a base B63C 11/34; divers' sleds B63C 11/46; torpedoes F42B 19/00)	9/04	• • Nets or the like (net barriers for harbour defence F41H 11/00)
8/04 • Superstructure	9/06	• for degaussing vessels (demagnetising in general H01F 13/00)
8/06 • • Conning-towers	11/00 Aircraft carriers, i.e. warships equipped with a flight deck on which airplanes can be launched and landed and with a hangar deck for servicing airplanes (other vessels or floating structures for aircraft B63B 35/50; aircraft-carrier-deck installations B64F 1/00)	
8/08 • Propulsion (nuclear propulsion B63H 21/18; submerged exhausting apparatus F01N 13/12; propulsion power plants or units <u>per se</u> , <u>see</u> the relevant classes)	13/00 Other offensive or defensive arrangements on vessels; Vessels characterised thereby	
8/10 • • using steam plant	13/02	• Camouflage (for submarines B63G 8/34; in general F41H 3/00) [2]
8/12 • • using internal-combustion engines		
8/14 • Control of attitude or depth (of torpedoes F42B 19/00)		
8/16 • • by direct use of propellers or jets		
8/18 • • by hydroplanes		
8/20 • • Steering equipment (B63G 8/16, B63G 8/18 take precedence; steering of vessels in general B63H 25/00) [2]		
8/22 • • Adjustment of buoyancy by water ballasting; Emptying equipment for ballast tanks (stabilising vessels using ballast tanks B63B 43/06)		
B63H MARINE PROPULSION OR STEERING (propulsion of air-cushion vehicles B60V 1/14; peculiar to submarines, other than nuclear propulsion, B63G; peculiar to torpedoes F42B 19/00)		

Subclass index

PROPULSIVE ELEMENTS; ARRANGEMENTS THEREOF

Acting directly on water: elements; arrangements.....	1/00, 3/00, 5/00
Arrangements of means acting directly on air.....	7/00

Acted on by wind propulsive devices.....	9/00
PARTICULAR MEANS	
by reaction; by muscle power; by anchored cable; wind motors driving water-engaging devices.....	11/00, 16/00, 15/00, 13/00
Other.....	19/00
OUTBOARD PROPULSION UNITS.....	20/00
PROPULSION POWER PLANT.....	21/00
TRANSMISSION FROM POWER PLANT TO PROPULSIVE ELEMENTS.....	23/00
STEERING, DYNAMIC ANCHORING.....	25/00

-
- | | | |
|---|---|--|
| 1/00 Propulsive elements directly acting on water (jet propulsion B63H 11/00; attachment of propellers on shafts B63H 23/34) | 5/03 | • • movably mounted with respect to the hull, e.g. having means to reposition paddle wheel assembly, or to retract paddle or to change paddle attitude [4] |
| 1/02 • of rotary type (endless-track type B63H 1/34) | 5/04 | • • with stationary water-guiding elements |
| 1/04 • • with rotation axis substantially at right angles to propulsive direction, e.g. paddle wheels | 5/07 | • of propellers (forming part of outboard propulsion units B63H 20/00) [6] |
| 1/06 • • • with adjustable vanes or blades | 5/08 | • • of more than one propeller |
| 1/08 • • • • with cyclic adjustment | 5/10 | • • • of coaxial type, e.g. of counter-rotative type |
| 1/10 • • • • with blades extending axially from a disc-shaped rotary body | 5/125 | • • movably mounted with respect to hull, e.g. adjustable in direction (movably mounted for steering purposes only B63H 25/42) [6] |
| 1/12 • • with rotation axis substantially in propulsive direction | 5/14 | • • characterised by being mounted in non-rotating ducts or rings, e.g. adjustable for steering purposes (shrouding ring attached to blades B63H 1/16; jet propulsion B63H 11/00) |
| 1/14 • • • Propellers (pitch changing B63H 3/00) | 5/15 | • • • Nozzles, e.g. Kort-type [4] |
| 1/15 • • • • having vibration damping means (anti-vibration mounting of propulsion plant B63H 21/30; means for damping vibration in general F16F) [4] | 5/16 | • • characterised by being mounted in recesses; with stationary water-guiding elements; Means to prevent fouling of the propeller, e.g. guards, cages or screens (anti-fouling paints C09D 5/16) |
| 1/16 • • • • having a shrouding ring attached to blades | 5/18 | • • of emergency propellers, e.g. arranged at the side of the vessel |
| 1/18 • • • • with means for diminishing cavitation, e.g. supercavitation | 5/20 | • • • movable from a working position to a non-working position [4] |
| 1/20 • • • • Hubs; Blade connections | 7/00 Arrangements of propulsive devices directly acting on air (jet propulsion B63H 11/00) | |
| 1/22 • • • • • the blades being foldable | 7/02 | • using propellers (air-screws of aircraft type B64C) |
| 1/24 • • • • • automatically foldable or unfoldable | 9/00 Propulsive devices directly acted on by wind; Arrangements thereof (air-driven propellers driving underwater propulsive elements B63H 13/00) | |
| 1/26 • • • • Blades | 9/02 | • using Magnus effect |
| 1/28 • • • • Other means for improving propeller efficiency (water-guiding elements formed by shape of hull B63H 5/00) | 9/04 | • using sails or like wind-catching surfaces (sailing sledges or ice boats B62B 15/00) |
| 1/30 • of non-rotary type | 9/06 | • • Construction or types of sails; Arrangements thereof on vessels |
| 1/32 • • Flaps, pistons, or the like, reciprocating in propulsive direction | 9/08 | • • Connections of sails to masts, spars, or the like |
| 1/34 • • of endless-track type | 9/10 | • • • Spars; Running rigging, e.g. reefing equipment (staying of masts B63B 15/02) |
| 1/36 • • Swinging flaps, e.g. fishtail type [4] | 11/00 Effecting propulsion by jets, i.e. reaction principle (steering by jet action B63H 25/46; power plant <u>per se</u> , <u>see</u> the relevant classes) | |
| 1/37 • • Moving-wave propellers, i.e. wherein the propelling means comprise a flexible undulating structure [4] | 11/01 | • having means to prevent foreign material from clogging fluid passageway [4] |
| 1/38 • characterised solely by flotation properties, e.g. drums | 11/02 | • the propulsive medium being ambient water |
| 3/00 Propeller-blade pitch changing | 11/04 | • • by means of pumps |
| 3/02 • actuated by control element coaxial with propeller shaft, e.g. the control element being rotary | 11/06 | • • • of reciprocating type |
| 3/04 • • the control element being reciprocatable | 11/08 | • • • of rotary type |
| 3/06 • characterised by use of non-mechanical actuating means, e.g. electrical | 11/09 | • • • by means of pressure pulses applied to a column of liquid, e.g. by ignition of an air/gas or vapour mixture [4] |
| 3/08 • • fluid | 11/10 | • • having means for deflecting jet or influencing cross-section thereof |
| 3/10 • characterised by having pitch control conjoint with propulsion-plant control | | |
| 3/12 • the pitch being adjustable only when propeller is stationary | | |
| 5/00 Arrangements on vessels of propulsion elements directly acting on water | | |
| 5/02 • of paddle wheels, e.g. of stern wheels | | |

- 11/103 • • • having means to increase efficiency of propulsive fluid, e.g. discharge pipe provided with means to improve the fluid flow [4]
- 11/107 • • • Direction control of propulsive fluid [4]
- 11/11 • • • • with bucket or clamshell-type reversing means [4]
- 11/113 • • • • Pivoted outlet [4]
- 11/117 • • • • Pivoted vane [4]
- 11/12 • the propulsive medium being steam or other gas
- 11/14 • • the gas being produced by combustion
- 11/16 • • the gas being produced by other chemical processes
- 13/00 Effecting propulsion by wind motors driving water-engaging propulsive elements**
- 15/00 Effecting propulsion by use of vessel-mounted driving mechanisms co-operating with anchored chains or the like**
- 16/00 Effecting propulsion by muscle power** (swimming frameworks with swimmer-operated driving mechanisms A63B 35/00; land-based training equipment for rowing or sculling A63B 69/06)
- 16/02 • Movable thwarts; Foot-rests
- 16/04 • Oars; Sculls; Paddles; Poles
- 16/06 • Rowlocks; Mountings therefor
- 16/067 • • Rowlocks mounted on a structure extending beyond the gunwale of the vessel [4]
- 16/073 • • having oar shaft restraining means [4]
- 16/08 • Other apparatus for converting muscle power into propulsive effort (general features of propulsion elements, see the relevant groups)
- 16/10 • • for bow-facing rowing
- 16/16 • • using reciprocating pull cable, i.e. a strand-like member movable alternately backward and forward [4]
- 16/18 • • using sliding handle or pedal, i.e. the motive force being transmitted to a propelling means by means of a lever operated by the hand or foot of the occupant [4]
- 16/20 • • using rotary cranking arm [4]
- 19/00 Effecting propulsion of vessels, not otherwise provided for**
- 19/02 • by using energy derived from movement of ambient water, e.g. from rolling or pitching of vessels
- 19/04 • • propelled by water current
- 19/06 • by discharging gas into ambient water (with jet action B63H 11/12; for reducing surface friction B63B 1/38)
- 19/08 • by direct engagement with water-bed or ground
- 20/00 Outboard propulsion units, i.e. propulsion units having a substantially vertical power leg mounted outboard of a hull and terminating in a propulsion element, e.g. "outboard motors", Z-drives** (power plants per se, see the relevant classes); **Arrangements thereof on vessels [6]**
- 20/02 • Mounting of propulsion units (B63H 20/08 takes precedence) [6]
- 20/04 • • in a well [6]
- 20/06 • • on an intermediate support [6]
- 20/08 • Means enabling movement of the position of the propulsion element, e.g. for trim, tilt, or steering (transmissions allowing movement of the propulsion element B63H 20/14); Control of trim or tilt (initiating means for steering B63H 25/02) [6]
- 20/10 • • Means enabling trim or tilt, or lifting of the propulsion element when an obstruction is hit; Control of trim or tilt [6]
- 20/12 • • Means enabling steering [6]
- 20/14 • Transmission between propulsion power unit and propulsion element [6]
- 20/16 • • allowing movement of the propulsion element in a horizontal plane only, e.g. for steering [6]
- 20/18 • • allowing movement of the propulsion element about a longitudinal axis, e.g. the through transom shaft (B63H 20/22 takes precedence) [6]
- 20/20 • • with provision for reverse drive [6]
- 20/22 • • allowing movement of the propulsion element about at least a horizontal axis without disconnection of the drive, e.g. using universal joints [6]
- 20/24 • Exhaust gas outlets [6]
- 20/26 • • passing through the propeller or its hub [6]
- 20/28 • Cooling-water intakes [6]
- 20/30 • • for flushing [6]
- 20/32 • Housings [6]
- 20/34 • • comprising stabilising fins [6]
- 20/36 • Transporting or testing stands; Protection of power legs [6]
- 21/00 Use of propulsion power plant or units on vessels** (use of outboard propulsion units B63H 20/00; hull reinforcements for carrying propulsion power plant or units B63B 3/70; propulsion power plant or units per se, see the relevant classes) [6]
- Note(s)**
- This group covers:
- arrangements of propulsion power plant or units on vessels;
 - to some extent, adaptations of such plant or units to facilitate such arrangements.
- 21/02 • the vessels being steam-driven (B63H 21/18 takes precedence)
- 21/04 • • relating to positive-displacement steam engines
- 21/06 • • relating to steam turbines
- 21/08 • • relating to steam boilers
- 21/10 • • relating to condensers or engine-cooling fluid heat-exchangers
- 21/12 • the vessels being motor-driven (B63H 21/175, B63H 21/18 take precedence) [4]
- 21/14 • • relating to internal-combustion engines
- 21/16 • • relating to gas turbines
- 21/165 • • by hydraulic fluid motor, i.e. wherein a liquid under pressure is utilised to rotate the propelling means [4]
- 21/17 • • by electric motor (electrically-propelled vehicles B60L) [4]
- 21/175 • the vessel being powered by land vehicle supported by vessel [4]
- 21/18 • the vessels being powered by nuclear energy
- 21/20 • the vessels being powered by combinations of different types of propulsion units
- 21/21 • Control means for engine or transmission, specially adapted for use on marine vessels [4]
- 21/22 • the propulsion power units being controlled from exterior of engine room, e.g. from navigation bridge; Arrangements of order telegraphs (order telegraphs per se G08B 9/00)

B63H

- 21/30 • Mounting of propulsion plant or unit, e.g. for anti-vibration purposes (hull reinforcements therefor B63B 3/70; vibration-dampers, suppression of vibration in systems F16F; engine beds F16M)
- 21/32 • Arrangements of propulsion power-unit exhaust uptakes; Funnels peculiar to vessels (engine exhausts in general F01N; flue devices for furnaces in general F23J)
- 21/34 • • having exhaust-gas deflecting means
- 21/36 • Covers or casing arranged to protect plant or unit from marine environment (hull construction B63B 3/00) [4]
- 21/38 • Apparatus or methods specially adapted for use on marine vessels, for handling power plant or unit liquids, e.g. lubricants, coolants, fuels or the like [4]
- 23/00 Transmitting power from propulsion power plant to propulsive elements** (changing pitch of propellers B63H 3/00; adaptation of transmission to allow adjustment in direction of propellers B63H 5/125; transmission between wind motors and propulsive elements B63H 13/00, in outboard propulsion units B63H 20/14; adaptation of transmission to allow adjustment of location of propellers B63H 20/08; for vehicles in general B60K; driving auxiliary machinery B63J; transmission elements *per se* F16)
- 23/02 • with mechanical gearing
- 23/04 • • the main transmitting element, e.g. shaft, being substantially vertical
- 23/06 • • for transmitting drive from a single propulsion power unit
- 23/08 • • • with provision for reversing drive
- 23/10 • • for transmitting drive from more than one propulsion power unit (for synchronisation of propulsive elements B63H 23/28)
- 23/12 • • • allowing combined use of the propulsion power units
- 23/14 • • • • with unidirectional drive or where reversal is immaterial
- 23/16 • • • • characterised by provision of reverse drive
- 23/18 • • • for alternative use of the propulsion power units
- 23/20 • • • • with separate forward and astern propulsion power units, e.g. turbines
- 23/22 • with non-mechanical gearing
- 23/24 • • electric
- 23/26 • • fluid
- 23/28 • with synchronisation of propulsive elements
- 23/30 • characterised by use of clutches
- 23/32 • Other parts
- 23/34 • • Propeller shafts; Paddle-wheel shafts; Attachment of propellers on shafts (shafts in general F16C; attachment of a member on a shaft in general F16D 1/06)
- 23/35 • • • Shaft braking or locking, i.e. means to slow or stop the rotation of the propeller shaft or to prevent the shaft from initial rotation [4]
- 23/36 • • Shaft tubes (propeller-shaft tunnels B63B 11/06; shaft-tube seals F16J)
- 25/00 Steering; Slowing-down otherwise than by use of propulsive elements** (using adjustably-mounted propeller ducts or rings for steering B63H 5/14; using movably-installed outboard propulsion units B63H 20/00); **Dynamic anchoring, i.e. positioning vessels by means of main or auxiliary propulsive elements** (anchoring, other than dynamic, B63B 21/00; equipment to decrease pitch, roll, or like unwanted vessel movements by auxiliary jets or propellers B63B 39/08)
- 25/02 • Initiating means for steering
- 25/04 • • automatic, e.g. reacting to compass
- 25/06 • Steering by rudders (by rudders carrying propellers B63H 25/42)
- 25/08 • • Steering gear
- 25/10 • • • with mechanical transmission
- 25/12 • • • with fluid transmission
- 25/14 • • • power assisted; power driven, i.e. using steering engine
- 25/16 • • • • with alternative muscle or power-operated steering
- 25/18 • • • • Transmitting of movement of initiating means to steering engine
- 25/20 • • • • • by mechanical means
- 25/22 • • • • • by fluid means
- 25/24 • • • • • by electrical means
- 25/26 • • • • Steering engines
- 25/28 • • • • • of fluid type
- 25/30 • • • • • hydraulic
- 25/32 • • • • • steam
- 25/34 • • • • Transmitting of movement of engine to rudder, e.g. using quadrants, brakes
- 25/36 • • Rudder-position indicators
- 25/38 • • Rudders (stern posts B63B 3/40)
- 25/40 • • • using Magnus effect
- 25/42 • Steering or dynamic anchoring by propulsive elements (by jets B63H 25/46); Steering or dynamic anchoring by propellers used therefor only; Steering or dynamic anchoring by rudders carrying propellers [2]
- 25/44 • Steering or slowing-down by extensible flaps or the like
- 25/46 • Steering or dynamic anchoring by jets [2]
- 25/48 • Steering or slowing-down by deflection of propeller slip-stream otherwise than by rudder
- 25/50 • Slowing-down means not otherwise provided for
- 25/52 • Parts for steering not otherwise provided for

B63J AUXILIARIES ON VESSELS

Note(s)

In this subclass, the following term is used with the meaning indicated:

- "auxiliaries" means only apparatus specially arranged for rendering vessels, in general, habitable or operative, in so far as such apparatus is not specifically provided for in another subclass of class B63.

1/00 Arrangements of installations for producing fresh water, e.g. by evaporation and condensation of sea water

2/00 Arrangements of ventilation, heating, cooling, or air-conditioning (for vehicles in general B60H; ventilating

- for cleaning tanks B63B 57/04; for underwater vessels, e.g. submarines, B63G 8/36)
- 2/02 • Ventilation; Air-conditioning
 - 2/04 • • of living spaces
 - 2/06 • • of engine rooms
 - 2/08 • • of holds (heating or cooling of liquid-freight-carrying tanks B63J 2/14; arrangements for stowing frozen goods in vessels B63B 25/26)
 - 2/10 • • Ventilating-shafts; Air-scoops (for port-holes B63B 19/04)
 - 2/12 • Heating; Cooling
- 2/14 • • of liquid-freight-carrying tanks
 - 3/00 Driving of auxiliaries** (transmission elements per se F16)
 - 3/02 • from propulsion power plant
 - 3/04 • from power plant other than propulsion power plant
 - 4/00 Arrangements of installations for treating waste-water or sewage** (soil-water discharges B63B 29/16) [3]
 - 99/00 Subject matter not provided for in other groups of this subclass [2009.01]**