SECTION D — TEXTILES; PAPER

D05 SEWING; EMBROIDERING; TUFTING

D05B SEWING (appliances for the tailoring trade A41H; sewing tables A47B 29/00; sewing in bookbinding B42B 2/00; sewing machines modified for knitting D04B 39/08)

Note(s)

In this subclass, the groups designating sewing apparatus or machines <u>cover</u> also sewing processes dependent on their use, and the thread seams produced thereby.

Subclass index

TO THE OF MAN CHANGE

| TYPES OF MACHINES | |
|---|----------------------------|
| General types for making thread seams without lateral movement | 1/00 |
| Special-purpose or automatic machines | |
| with lateral movement of needle or work | 3/00 |
| for sewing quilts or mattresses, sacks, leather goods | 11/00, 13/00, 15/00 |
| for temporarily connecting articles | 5/00 |
| linking machines; hem-stitch machines; for making thread and welded seams | 7/00, 9/00, 17/00 |
| programme-controlled | |
| Other types of sewing machines | |
| Combination of machines; machines incorporating devices for other purposes than sewing | 25/00, 81/00 |
| THE WORK; MACHINE ELEMENTS RELATING THERETO | |
| For feeding, pressing, holding, supplying, or removing the work | |
| Devices for slitting, grooving, or cutting the work | |
| Work-piece carriers, work- collecting devices | |
| Other elements relating to the work | 35/00 |
| SEWING-THREAD; MACHINE ELEMENTS RELATING THERETO | |
| Needle thread | |
| spool-pin assemblies | 43/00 |
| measuring length of thread used; regulating tension; severing thread | |
| take-up, needle-thread guard, break detectors, thread laying; needle holders | 49/00, 51/00, 53/00, 55/00 |
| Lower thread | |
| loop takers; loop manipulators; tension; severing thread | 57/00, 61/00, 63/00, 65/00 |
| bobbin winding or changing | 59/00 |
| Lubricating, waxing, or colouring thread | 67/00 |
| OTHER ELEMENTS OF SEWING MACHINES; ACCESSORIES | |
| Driving or control; lubricating or cooling; lighting equipment | 69/00, 71/00, 79/00 |
| Accessories | |
| guards for operator | 83/00 |
| casings; frames or tables; covers or portable enclosures | 73/00, 75/00, 77/00 |
| HAND SEWING | |
| Tools and accessories; stitches or stitch seams | 91/00, 93/00 |
| Preparatory or finishing operations | |
| Hand-sewing processes and apparatus for other special work, or not otherwise provided for | |
| NEEDLES; NEEDLE-THREADING DEVICES; SEAM-RIPPING | 85/00, 87/00, 89/00 |
| | |

| 1/00 | General types of sewing apparatus or machines |
|------|---|
| | without mechanism for lateral movement of the |
| | needle or the work or both |
| | |

- 1/02 for making single-thread seams
- 1/04 • Running-stitch seams
- 1/06 • Single chain-stitch seams
- 1/08 for making multi-thread seams
- 1/10 • Double chain-stitch seams

- 1/12 Lock-stitch seams
- 1/14 • Combined or alternative chain-stitch and lockstitch seams
- 1/16 Pseudo-lock-stitch seams in which the thread loops do not positively interlock (shoe or welt sewing machines D05B 15/02)
- 1/18 • Seams for protecting or securing edges (zig-zag sewing machines D05B 3/02, D05B 3/04)

IPC (2014.01), Section D

| 1/20 | • • Overedge seams | 19/02 | Sewing machines having electronic memory or |
|--------------|--|----------|--|
| 1/22 | combined with joining or securing seams | | micro-processor control unit [6] |
| 1/24 | for making blind-stitch seams | 19/04 | characterised by memory aspects [6] |
| 1/26 | for making fluid-tight seams (sewing machines for | 19/06 | Physical exchange of memory [6] |
| | concurrently making thread and welded seams D05B 17/00) | 19/08 | Arrangements for inputting stitch or pattern data to memory [6] |
| | , | 19/10 | • • Arrangements for selecting combinations of stitch or pattern data from memory [6] |
| Special-p | ourpose or automatic sewing apparatus or machines | 19/12 | • characterised by control of operation of machine [6] |
| 3/00 | Sewing apparatus or machines with mechanism for | 19/14 | Control of needle movement, e.g. varying |
| | lateral movement of the needle or the work or both | 13/14 | amplitude or period of needle movement [6] |
| | for making ornamental pattern seams, for sewing | 19/16 | • • Control of workpiece movement, e.g. |
| | buttonholes, for reinforcing openings, or for fastening articles, e.g. buttons, by sewing | -5, -5 | modulation of travel of feed dog [6] |
| | (programme-controlled sewing machines D05B 19/00; | | _ |
| | with devices for automatically controlling movement of | 21/00 | Sewing machines with devices for automatically |
| | work-carrier D05B 21/00) [6] | | controlling movement of work-carrier relative to |
| 3/02 | with mechanisms for needle-bar movement | | stitch-forming mechanism in order to obtain particular configuration of seam, e.g. programme- |
| 3/04 | with mechanisms for work feed | | controlled for sewing collars, for attaching pockets |
| 3/06 | for sewing buttonholes (buttonholes A41F 1/02) | | |
| 3/08 | for buttonholes with eyelet ends | 23/00 | Sewing apparatus or machines not otherwise |
| 3/10 | for making piped openings | | provided for (for making zip closures A44B 19/00) |
| 3/12 | for fastening articles by sewing | | |
| 3/14 | perforated or press buttons | | |
| 3/16 | shank buttons | 25/00 | Sewing units consisting of combinations of several |
| 3/18 | hooks or eyelets | 23,00 | sewing machines |
| 3/20 | labels (labelling fabrics otherwise than by sewing | | S |
| | B65C 5/00; labels or securing means therefor, in | | |
| | general G09F 3/00) | | nachine elements for feeding, positioning, handling, or |
| 3/22 | Article-, e.g. button-, feed mechanisms therefor | treating | <u>the work</u> |
| 3/24 | formed by general-purpose sewing machines | 27/00 | Work-feeding means for sewing machines |
| | modified by attachments, e.g. by detachable devices | 27/00 | with feed dogs having horizontal and vertical |
| 5/00 | Sewing machines for temporarily connecting articles, | 27702 | movements |
| 3/00 | e.g. pairs of socks | 27/04 | arranged above the workpieces |
| | e.g. panto or social | 27/04 | arranged above and below the workpieces |
| 7/00 | Linking machines, e.g. for joining knitted fabrics | 27/08 | with differential feed motions |
| 0./00 | TT ALL THE STATE OF THE STATE O | 27/10 | with rotary circular feed members |
| 9/00 | Hem-stitch sewing machines | 27/12 | rotating continuously |
| 11/00 | Machines for sewing quilts or mattresses (control of | 27/14 | rotating discontinuously |
| | workpiece-holding frames, or of sewing machines, in | 27/16 | with differential feed motions |
| | order to obtain particular seam configuration | 27/18 | Feed cups |
| | D05B 21/00) | 27/20 | constituted by sewing needles |
| 12/00 | Maddan for a damada | 27/22 | with means for setting length of stitch |
| 13/00 | Machines for sewing sacks | 27/24 | Feed-dog lifting and lowering devices |
| 13/02 | for closing filled bags or sacks (combined with bag- or sack-filling apparatus B65B) | 27/26 | in machines for sewing leather |
| | or sack-minig apparatus boob) | 27,20 | in macinites for selfing reducer |
| 15/00 | Machines for sewing leather goods (making pseudo- | 29/00 | Pressers or presser feet for sewing machines (for |
| | lock-stitch seams D05B 1/16) | | feeding D05B 27/04) |
| 15/02 | Shoe sewing machines | 29/02 | Presser-control devices |
| 15/04 | for lock-stitch work (D05B 15/08 takes | 29/04 | Pressers in machines for sewing leather |
| | precedence) | 29/06 | Presser feet |
| 15/06 | Welt sewing machines | 29/08 | comprising relatively-movable parts |
| 15/08 | for lock-stitch work | 29/10 | with rollers |
| 15/10 | Lining sewing machines | 29/12 | Presser-foot attachment |
| 17/00 | Sewing machines for concurrently making thread and welded seams (for making non-welded fluid-tight | 31/00 | Workpiece holders or hold-downs in machines for sewing leather |
| | seams D05B 1/26) | 31/02 | Welt guides |
| 19/00 | Programme-controlled sewing machines (with devices for automatically controlling movement of work-carrier | 33/00 | Devices incorporated in sewing machines for supplying or removing the work |
| | D05B 21/00; devices for stopping drive when sewing tools have reached a predetermined position D05B 69/22) | 33/02 | and connected, for synchronous operation, with the work-feeding devices of the sewing machine |

| 35/00 | Work-feeding or work-handling elements for sewing machines, not otherwise provided for | 55/06 | Needle guides; Needle protectors (finger-protecting devices D05B 83/00) |
|----------------|--|---------------------|---|
| 35/02 | for facilitating seaming; Hem-turning elements; | 55/08 | Driving arrangements for curved needles |
| 557 62 | Hemmers | 55/10 | Needle bars for multiple-needle sewing machines |
| 35/04 | with movable tools | 55/12 | with provision for varying the distance between |
| 35/06 | for attaching bands, ribbons, strips, or tapes or for | 33/12 | the needles |
| | binding | 55/14 | Needle-bar drives |
| 35/08 | for ruching, gathering, casing, or filling lace, ribbons, | 55/16 | with provision for disengaging individual needle |
| | or bindings; Pleating devices; Cuttlers; Gathering feet; Crimpers; Curlers; Rufflers | 337 13 | bars |
| 35/10 | Edge guides | 57/00 | Loop takers, e.g. loopers, for sewing machines |
| 35/12 | Indicators for positioning work, e.g. with graduated | 57/02 | for chain-stitch sewing machines, e.g. oscillating |
| | scales | 57/04 | • • rotary |
| 2= /00 | 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 57/06 | for overedge-stitch sewing machines |
| 37/00 | Devices incorporated in sewing machines for slitting, | 57/08 | for lock-stitch sewing machines |
| | grooving, or cutting (severing sewing-threads D05B 65/00) | 57/10 | • • Shuttles |
| 37/02 | Slitting or grooving devices | 57/12 | • • oscillating |
| 37/04 | Cutting devices | 57/14 | • with rotary hooks |
| 37/04 | with oscillating tools | 57/16 | • with bobbin casings guided in tracks |
| 37/08 | with rotatable tools | 57/18 | • with bobbin casings held by removable caps |
| 37/10 | with heated tools | 57/20 | • with bobbin casings held by magnetic forces |
| 37710 | with ficultations | 57/22 | with spool-size bobbin for lower thread |
| 39/00 | Workpiece carriers for sewing machines (for | 57/24 | with lower-thread packages mounted for |
| | automatically controlling movement of work-carrier to | | controlled sliding movements |
| | obtain particular configuration of seam D05B 21/00; in general A41H 15/00) | 57/26 | Bobbin holders or casings; Bobbin holder or case guards; Bobbin discharge devices |
| | | 57/28 | Applications of bobbins for storing the lower thread |
| 41/00 | Work-collecting devices for sewing machines | 57/30 | Driving-gear for loop takers |
| | | 57/32 | in chain-stitch sewing machines |
| Sewing-r | nachine elements for supplying, handling, or treating | 57/34 | in overedge-stitch sewing machines |
| thread m | | 57/36 | in lock-stitch sewing machines |
| | | 57/38 | • • Shuttle drives |
| 43/00 | Spool-pin assemblies incorporated in sewing machines | 59/00 | Applications of bobbin-winding or -changing device in sewing machines; Indicating or control devices |
| 45/00 | Applications of measuring devices for determining | | associated therewith |
| | the length of threads used in sewing machines | 59/02 | • Devices for determining or indicating the length of |
| | (measuring devices in embroidery machines D05C, in general G01B) | 59/04 | thread still on the bobbinDevices for changing the bobbin |
| 47/00 | Needle-thread tensioning devices for sewing machines; Applications of tensometers in sewing machines | 61/00 | Loop holders; Loop spreaders for sewing machines Stitch-forming fingers for sewing machines |
| 47/02 | Manually-controlled tensioning devices | 63/00 | Devices associated with the loop-taker thread of |
| 47/04 | Automatically-controlled tensioning devices | 05/ 00 | sewing machines, e.g. for tensioning |
| 47/06 | Applications of tensometers (application of tension | 63/02 | Loop-taker thread take-up levers |
| , | indicators in handling thin or filamentary material | 63/04 | Loop-taker thread guards |
| | B65H 59/40; for embroidery machines D05C 11/08; | | |
| | tensometers in general G01L) | 65/00 | Devices for severing the needle or lower thread in sewing machines |
| 49/00 | Take-up devices, e.g. levers, for the needle thread of | 65/02 | controlled by the sewing mechanisms |
| 40 /00 | sewing machines | 65/04 | controlled by the workpieces |
| 49/02 | operated by cams or linkages | 65/06 | and for disposing of the severed thread end |
| 49/04 49/06 | rotaryfor machines for sewing leather | 67/00 | Devices incorporated in sewing machines for |
| 51/00 | Applications of needle-thread guards in sewing | | lubricating, waxing, or colouring the threads |
| 31/00 | machines; Thread-break detectors for sewing | | |
| | machines (for embroidery machines D05C 11/00) | Driving- machine | gear, control, lubricating, or cooling devices for sewin |
| 53/00 | Thread- or cord-laying mechanisms for sewing | | _ |
| | machines; Thread fingers for sewing machines | 69/00 | Driving-gear or control devices for sewing machine |
| 55/00 | Needle holders for sewing machines; Needle bars for | 69/02 | Mechanical drives |
| JJ/ UU | sewing machines (needles D05B 85/00) | 69/04 | Manual drives |
| 55/02 | Devices for fastening needles to needle bars | 69/06 | Pedal drives |
| 55/04 | Devices for inserting needles | 69/08 | Fluid drives, e.g. pneumatic |
| | | 69/10 | Electrical or electromagnetic drives |

IPC (2014.01), Section D 3

| 69/12 | using rotary electric motors | 83/00 | Guards or like devices for preventing injury to |
|--------------------|--|----------------|---|
| 69/14 | Devices for changing speed or for reversing direction | | operator of sewing machines (machine safety devices |
| | of rotation | | in general F16P) |
| 69/16 | • • mechanical | | |
| 69/18 | • • electric | Needles: | Needle threaders; Seam-ripping devices |
| 69/20 | Control devices responsive to the number of stitches | recuresy | Treede in clucio, ocum ripping ucrices |
| CO /22 | made | 85/00 | Needles (surgical needles A61B 17/06; manufacture of |
| 69/22 | Devices for stopping drive when sewing tools have reached a predetermined position (electric motor | | needles B21G 1/00) |
| | control systems in general H02P) | 85/02 | with slotted eyes |
| 69/24 | Applications of devices for indicating or | 85/04 | Spring or bearded needles |
| | ascertaining sewing-tool position | 85/06 | Curved needles |
| 69/26 | with automatic means to reduce speed of drive, | 85/08 | Flexible needles |
| | e.g. in one or more steps | 85/10 85/12 | Hollow needlesCoated needles |
| 69/28 | Applications of servo devices for tool-positioning | 85/14 | Latch needles |
| 60 (00 | purposes | 05/14 | Laten needles |
| 69/30 | Details (work-feeding drives D05B 27/00; needle-bar drives D05B 55/14; loop-taker drives D05B 57/30) | 87/00 | Needle-threading devices |
| 69/32 | Vibration-minimising devices | 87/02 | with mechanical means for moving thread through |
| 69/34 | Hand-wheel clutches | | needle eye |
| 69/36 | Devices for stopping drive when abnormal conditions | 87/04 | with optical devices to assist threading |
| 03/30 | occur, e.g. thread breakage | 89/00 | Seam-ripping devices |
| | , 0 | 09/00 | Seam-ripping devices |
| 71/00 | Lubricating or cooling devices for sewing machines | | |
| 71/02 | Loop-taker lubricating devices | Hand sev | <u>wing</u> |
| 71/04 | Needle cooling devices | 01/00 | The last week was a second to feet be about the |
| | | 91/00 | Tools, implements, or accessories for hand sewing (needles, needle threaders D05B 85/00, D05B 87/00; |
| Casings. | supports, covers, or accessories for sewing machines; | | appliances for the tailoring trade A41H) |
| | nachines combined with auxiliary devices serving | 91/02 | • Bodkins |
| purposes | other than sewing | 91/04 | Thimbles; Finger shields; Palm protectors |
| 72 /00 | Casings for saving machines | 91/06 | Work holders or supports |
| 73/00 73/02 | Casings for sewing machines | 91/08 | Mushrooms; Darning eggs |
| 73/02 | Upper casings Lower casings | 91/10 | Hoops or frames (for embroidery D05C) |
| 73/04 | for free-arm sewing machines | 91/12 | Tool receptacles |
| 73/08 | for column-type sewing machines | 91/14 | Thread-spool pins |
| 73/10 | Devices for converting free-arm sewing machines | 91/16 | Thread-spool receptacles |
| 75/10 | into flat-bed machines | 02/00 | Calculate Calculate and for the color of the |
| 73/12 | Slides; Needle plates | 93/00 | Stitches; Stitch seams for hand sewing |
| | • | 93/02 | strengthened by auxiliary elements, e.g. rivets, staples |
| 75/00 | Frames, stands, tables, or other furniture adapted to | | staptes |
| 55 /00 | carry sewing machines (furniture aspects A47B, A47C) | 95/00 | Preparatory or finishing operations in connection |
| 75/02 | for drop-head sewing machines | | with hand sewing |
| 75/04 | • with noise-suppressing devices | 95/04 | Softening material prior to sewing |
| 75/06 | Arrangements, e.g. hinges, for mounting sewing- machine casings to frames, stands, or tables | 95/06 | Flattening, pounding, or pressing stitched seams (in |
| | machine casings to frames, stands, of tables | | shoemaking A43D 8/44) |
| 77/00 | Covers, or portable enclosures, for sewing machines | 97/00 | Hand sewing processes or apparatus for special work |
| | | 57700 | or not otherwise provided for |
| 79/00 | Incorporations or adaptations of lighting equipment | 97/02 | Hand-guided apparatus |
| | for sewing machines | 97/04 | for darning |
| 81/00 | Sewing machines incorporating devices serving | 97/06 | using apparatus with latch or bearded needles |
| | purposes other than sewing, e.g. for blowing air, for | 97/08 | using special threads or wires |
| | grinding | 97/10 | for attaching buttons or fasteners |
| | | 97/12 | for attaching patches or like small pieces of fabric |
| | | | |
| D05C | EMBROIDERING (programme-controlled sewing machin (making non-woven fabrics D04H; sewing D05B) | es with embro | oidering capability D05B 19/00, D05B 21/00); TUFTING |
| | , | | |
| Subclass | index | | |
| | | | 4 100 |
| | MBROIDERYIDERING MACHINES | ••••• | 1/00 |
| טאטויים. | DEIGHO MILCHINED | | |

| Detai | ils | | 9/00, 11/00, 13/00 |
|--------------|--|-------|---|
| | liary devices | | |
| | G PILE FABRICS BY INSERTING LOOPS | | |
| EMBRO | IDERED OR TUFTED PRODUCTS | | 17/00 |
| | | | |
| | | | |
| 1/00 | Apparatus, devices, or tools for hand embroidering | 11/10 | Guides, e.g. resilient |
| 1/02 | Work frames | 11/12 | • • Rollers |
| 1/04 | • • circular | 11/14 | Stop motions responsive to thread tension or |
| 1/06 | Needles specially adapted for hand embroidering | | breakage |
| | (sewing needles D05B 85/00); Holders for needles or threads | 11/16 | Arrangements for repeating thread patterns or for changing threads |
| 1/08 | Patterns for hand embroidering; Manufacture thereof | 11/18 | • Shuttles |
| | | 11/20 | Arrangements for cutting the needle or lower thread |
| | | 11/22 | Arrangements for cutting-out broken threads |
| Embroid | lering machines | 11/24 | incorporating devices for dyeing or impregnating the |
| 3/00 | General types of embroidering machines | | threads |
| 3/02 | with vertical needles | 13/00 | Associliante devices incomparated in ambusidaving |
| 3/04 | with horizontal needles | 13/00 | Auxiliary devices incorporated in embroidering machines, not otherwise provided for; Ancillary |
| 5701 | with norizontal needles | | apparatus for use with embroidering machines |
| 5/00 | Embroidering machines with arrangements for | 13/02 | Counting, measuring, indicating, warning, or safety |
| | automatic control of a series of individual steps | 13/02 | devices |
| 5/02 | by electrical or magnetic control devices | 13/04 | Lubricating devices |
| 5/04 | by input of recorded information, e.g. on perforated | 13/06 | Apparatus for filling or threading shuttles |
| | tape | | rapparation for immig or uncounting oriutates |
| 5/06 | with means for recording the information | | |
| 7/00 | Special-purpose or automatic embroidering | 15/00 | Making pile fabrics or articles having similar surfa |
| = .00 | machines | | features by inserting loops into a base material |
| 7/02 | • with accessories for peculiar kinds of embroidery | | (layered products B32B; non-woven pile fabrics |
| 7/04 | for boring or jogging | 45.00 | D04H 11/00) |
| 7/06 | for embroidering festoons | 15/02 | • Rooting of hair in doll heads or wigs (wigs |
| 7/08 | for attaching cords, tapes, bands, or the like | 15/04 | A41G 3/00; hair or wigs for doll heads A63H 3/44) |
| 7/10 | • for separating and burning-off parts of the base fabric | 15/04 | • Tufting |
| | (making patterns or designs on fabrics by singeing or etching D06C 23/02) | 15/06 | Hand tufting needles The first state of the state o |
| 7/12 | • for making cotton buttons | 15/08 | • • Tufting machines |
| //12 | 101 making cotton buttons | 15/10 | operating with a plurality of needles, e.g. in or row |
| 9/00 | Appliances for holding or feeding the base fabric in | 15/12 | • • • in more than one row |
| | embroidering machines | 15/14 | Arrangements or devices for holding or feedings or feedings. |
| 9/02 | in machines with vertical needles | 13/14 | the base material (D05C 15/26 takes |
| 9/04 | Work holders, e.g. frames | | precedence) |
| 9/06 | • Feeding arrangements therefor, e.g. influenced | 15/16 | Arrangements or devices for manipulating |
| | by patterns, operated by pantographs | | threads (D05C 15/26 takes precedence) |
| 9/08 | in machines with horizontal needles | 15/18 | • • • • Thread feeding or tensioning arrangements |
| 9/10 | Work holders or carriers | 15/20 | • • • Arrangements or devices, e.g. needles, for |
| 9/12 | Holding or stretching arrangements for the base | | inserting loops; Driving mechanisms |
| | fabric in embroidery work holders | | therefor |
| 9/14 | Suspension or balancing arrangements therefor | 15/22 | • • • Loop-catching arrangements, e.g. loopers; |
| 9/16 | Feeding arrangements therefor | | Driving mechanisms therefor |
| 9/18 | Movement of the base fabric in one of the two | 15/24 | • • • Loop cutters; Driving mechanisms therefore |
| 0./00 | directions controlled by embroidering needles | 15/26 | • • • with provision for producing patterns |
| 9/20 | Movement of the base fabric controlled by the presser fact: Driving arrangements therefore | 15/28 | • • • by moving the base material laterally |
| 0/22 | presser feet; Driving arrangements therefor | 15/30 | • • • by moving the tufting tools laterally |
| 9/22 | Adjusting or registering devices for the base fabric, a g for alignment with respect to the prodles. | 15/32 | • • by altering the loop length |
| | e.g. for alignment with respect to the needles | 15/34 | • • • by inserting loops of different nature or |
| 11/00 | Devices for guiding, feeding, handling, or treating the | | colour |
| | threads in embroidering machines; Machine needles; | 15/36 | • • • by selective cutting of loops |
| | Operating or control mechanisms therefor | 15/38 | by passing thread material in zig-zag manner through the state of |
| 11/02 | Machine needles | | spaced layers of base material and subsequently |
| 11/04 | • • Arrangements for fastening or inserting in bars or | | cutting along a central plane |
| | carriers | | |

IPC (2014.01), Section D 5

11/06

• • Needle-driving or control mechanisms

11/08 • Thread-tensioning arrangements

6

17/00 Embroidered or tufted products; Base fabrics specially adapted for embroidered work; Inserts for producing surface irregularities in embroidered

products (layered products B32B; non-woven pile fabrics D04H 11/00)

17/02 • Tufted products