

SECTION F — MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING

F03 MACHINES OR ENGINES FOR LIQUIDS; WIND, SPRING, OR WEIGHT MOTORS; PRODUCING MECHANICAL POWER OR A REACTIVE PROPULSIVE THRUST, NOT OTHERWISE PROVIDED FOR

F03B MACHINES OR ENGINES FOR LIQUIDS (machines or engines for liquids and elastic fluids F01; positive-displacement engines for liquids F03C; positive-displacement machines for liquids F04)

Note(s)

- This subclass covers:
 - engines, other than of positive-displacement type, driven by liquids;
 - machines, other than of positive-displacement type, for liquids.
- Attention is drawn to the Notes preceding class F01, especially as regards the definition of "reaction type".

Subclass index

TURBINES: IMPULSE; REACTION.....	1/00, 3/00
MACHINES OR ENGINES: NON-BLADED ROTOR TYPE; WATER WHEELS; ENDLESS-CHAIN TYPE.....	5/00, 7/00, 9/00
PARTS OR DETAILS OF ABOVE KINDS.....	1/00, 3/00, 11/00
ADAPTATIONS OR COMBINATIONS.....	13/00
CONTROLLING.....	15/00
OTHER MACHINES OR ENGINES.....	17/00

1/00	Engines of impulse type, i.e. turbines with jets of high-velocity liquid impinging on bladed or like rotors, e.g. Pelton wheels; Parts or details peculiar thereto [1, 2006.01]	9/00	Endless-chain type machines or engines [1, 2006.01]
1/02	• Buckets; Bucket-carrying rotors [1, 2006.01]	11/00	Parts or details not provided for in, or of interest apart from, groups F03B 1/00-F03B 9/00 (controlling F03B 15/00) [1, 2006.01]
1/04	• Nozzles (in general B05B); Nozzle-carrying members [1, 2006.01]	11/02	• Casings [1, 2006.01]
3/00	Machines or engines of reaction type; Parts or details peculiar thereto [1, 2006.01]	11/04	• for diminishing cavitation or vibration, e.g. balancing [1, 2006.01]
3/02	• with radial flow at high-pressure side and axial flow at low-pressure side of rotors, e.g. Francis turbines [1, 2006.01]	11/06	• Bearing arrangements [1, 2006.01]
3/04	• with substantially axial flow throughout rotors, e.g. propeller turbines [1, 2006.01]	11/08	• for removing foreign matter, e.g. mud [1, 2006.01]
3/06	• • with adjustable blades, e.g. Kaplan turbines [1, 2006.01]	13/00	Adaptations of machines or engines for special use; Combinations of machines or engines with driving or driven apparatus (if the apparatus aspects are predominant, see the relevant places for such apparatus, e.g. H02K 7/18); Power stations or aggregates (hydraulic-engineering aspects E02B; incorporating only machines or engines of positive-displacement type F03C) [1, 2006.01]
3/08	• with pressure/velocity transformation exclusively in rotors [1, 2006.01]	13/02	• Adaptations for drilling wells [1, 2006.01]
3/10	• characterised by having means for functioning alternatively as pumps or turbines [1, 2006.01]	13/04	• Adaptations for use in dentistry [1, 2006.01]
3/12	• Blades; Blade-carrying rotors [1, 2006.01]	13/06	• Stations or aggregates of water-storage type (turbines characterised by having means for functioning alternatively as pumps F03B 3/10) [1, 2006.01]
3/14	• • Rotors having adjustable blades [1, 2006.01]	13/08	• Machine or engine aggregates in dams or the like; Conduits therefor [1, 2006.01]
3/16	• Stators [1, 2006.01]	13/10	• Submerged units incorporating electric generators or motors [1, 2006.01]
3/18	• • Stator blades; Guide conduits or vanes, e.g. adjustable [1, 2006.01]	13/12	• characterised by using wave or tide energy [1, 2006.01]
5/00	Machines or engines characterised by non-bladed rotors, e.g. serrated, using friction [1, 2006.01]	13/14	• • using wave energy [4, 2006.01]
7/00	Water wheels [1, 2006.01]		

F03B

- 13/16 • • • using the relative movement between a wave-operated member and another member [4, 2006.01]
- 13/18 • • • • wherein the other member is fixed, at least at one point, with respect to the sea bed or shore [4, 2006.01]
- 13/20 • • • • wherein both members are movable relative to the sea bed or shore [4, 2006.01]
- 13/22 • • • using the flow of water resulting from wave movements, e.g. to drive a hydraulic motor or turbine [4, 2006.01]
- 13/24 • • • to produce a flow of air, e.g. to drive an air turbine [4, 2006.01]
- 13/26 • • using tide energy [4, 2006.01]
- 15/00 Controlling** (controlling in general G05) [1, 2006.01]
- 15/02 • by varying liquid flow [1, 2006.01]
- 15/04 • • of turbines (rotors having adjustable blades F03B 3/06, F03B 3/14; adjustable guide vanes F03B 3/18; specially adapted for turbines with jets of high-velocity liquid impinging on bladed or like rotors F03B 15/20) [1, 2006.01]
- 15/06 • • • Regulating, i.e. acting automatically [1, 2006.01]
- 15/08 • • • • by speed, e.g. by measuring electric frequency or liquid flow [1, 2006.01]
- 15/10 • • • • • without retroactive action [1, 2006.01]
- 15/12 • • • • • with retroactive action [1, 2006.01]
- 15/14 • • • • by or of water level [1, 2006.01]
- 15/16 • • • • by power output [1, 2006.01]
- 15/18 • • • • for safety purposes, e.g. preventing overspeed [1, 2006.01]
- 15/20 • • specially adapted for turbines with jets of high-velocity liquid impinging on bladed or like rotors (nozzles F03B 1/04) [1, 2006.01]
- 15/22 • • • for safety purposes [1, 2006.01]
- 17/00 Other machines or engines** [1, 2006.01]
- 17/02 • using hydrostatic thrust [1, 2006.01]
- 17/04 • • Alleged *perpetua mobilia* [1, 2006.01]
- 17/06 • using liquid flow, e.g. of swinging-flap type [1, 2006.01]

F03C POSITIVE-DISPLACEMENT ENGINES DRIVEN BY LIQUIDS (positive-displacement engines for liquids and elastic fluids F01; positive-displacement machines for liquids F04; fluid-pressure actuators F15B; fluid gearing F16H)

Note(s)

Attention is drawn to the Notes preceding class F01, especially as regards the definitions of "positive displacement", "rotary-piston machines", "oscillating-piston machines", "rotary-piston", "co-operating members", "movement of co-operating members", "teeth or tooth-equivalents", and "internal axis".

- 1/00 Reciprocating-piston liquid engines** [1, 2006.01]
- 1/007 • with single cylinder, double-acting piston [5, 2006.01]
- 1/013 • with single cylinder, single-acting piston [5, 2006.01]
- 1/02 • with multiple cylinders, characterised by the number or arrangement of cylinders (with movable cylinders F03C 1/22; of flexible-wall type F03C 7/00) [1, 2006.01]
- 1/03 • • with movement in two directions being obtained by two single-acting piston liquid engines, each acting in one direction [5, 2006.01]
- 1/04 • • with cylinders in star- or fan-arrangement [1, 2006.01]
- 1/047 • • • the pistons co-operating with an actuated element at the outer ends of the cylinders [5, 2006.01]
- 1/053 • • • the pistons co-operating with an actuated element at the inner ends of the cylinders [5, 2006.01]
- 1/06 • • with cylinder axes generally coaxial with, or parallel or inclined to, main shaft axis [1, 2006.01]
- 1/08 • Distributing valve-gear peculiar thereto (for multiple-cylinder engines F03C 1/34; for engines with positive displacement in general F01L) [1, 2006.01]
- 1/10 • • actuated by piston or piston-rod [1, 2006.01]
- 1/12 • • • mechanically [1, 5, 2006.01]
- 1/14 • • actuated by the driving liquid of the engine [1, 5, 2006.01]
- 1/16 • • Speed controlling, equalising, or cushioning [1, 5, 2006.01]
- 1/20 • • specially adapted for engines generating vibration only [1, 2006.01]
- 1/22 • with movable cylinders [1, 2006.01]
- 1/24 • • in which the liquid exclusively displaces one or more pistons reciprocating in rotary cylinders [1, 2006.01]
- 1/247 • • • with cylinders in star- or fan-arrangement [5, 2006.01]
- 1/253 • • • with cylinder axes generally coaxial with, or parallel to, main shaft axis [5, 2006.01]
- 1/26 • adapted for special use or combined with apparatus driven thereby (aspects predominantly concerning the driven apparatus, see the relevant classes for such apparatus) [1, 2006.01]
- 1/28 • Pistons specially adapted therefor [5, 2006.01]
- 1/30 • Cams specially adapted therefor [5, 2006.01]
- 1/32 • Cylinders specially adapted therefor [5, 2006.01]
- 1/34 • Distribution members specially adapted for multiple-cylinder engines [5, 2006.01]
- 1/36 • • Cylindrical distribution members [5, 2006.01]
- 1/38 • • Plate-like distribution members [5, 2006.01]
- 1/40 • Control specially adapted therefor [5, 2006.01]
- 2/00 Rotary-piston engines** (in which the liquid exclusively displaces one or more piston reciprocating in rotary cylinders F03C 1/24) [3, 2006.01]
- Note(s) [3]**
- Group F03C 2/30 takes precedence over groups F03C 2/02-F03C 2/24.
- 2/02 • of arcuate-engagement type, i.e. with circular translatory movement of co-operating members, each member having the same number of teeth or tooth-equivalents [3, 2006.01]
- 2/08 • of intermeshing-engagement type, i.e. with engagement of co-operating members similar to that of toothed gearing [3, 2006.01]

- 2/22 • of internal-axis type with equidirectional movement of co-operating members at the points of engagement, or with one of the co-operating members being stationary, the inner member having more teeth or tooth-equivalents than the outer member [3, 2006.01]
- 2/24 • of counter-engagement type, i.e. the movement of co-operating members at the points of engagement being in opposite directions [3, 2006.01]
- 2/30 • having the characteristics covered by two or more of groups F03C 2/02, F03C 2/08, F03C 2/22, F03C 2/24 or having the characteristics covered by one of these groups together with some other type of movement between co-operating members [3, 2006.01]
- 4/00 **Oscillating-piston engines** [3, 2006.01]
- 7/00 **Engines of flexible-wall type** [2010.01]

99/00 **Subject matter not provided for in other groups of this subclass** [2010.01]

F03D WIND MOTORS

Note(s)

- This subclass covers wind motors, i.e. mechanisms for converting the energy of wind into useful mechanical power, and the transmission of such power to its point of use.
- This subclass does not cover electrical power generation or distribution aspects of wind-power plants, which are covered by section H, e.g. H02J or H02P.
- In this subclass, the following terms or expressions are used with the meanings indicated:
 - "rotor" means the wind-engaging parts of the wind motor and the rotary member carrying them;
 - "rotation axis" means the axis of rotation of the rotor.

1/00 Wind motors with rotation axis substantially parallel to the air flow entering the rotor (controlling thereof F03D 7/02) [1, 2006.01]

- 1/02 • having a plurality of rotors [1, 2006.01]
- 1/04 • having stationary wind-guiding means, e.g. with shrouds or channels [1, 2006.01]
- 1/06 • Rotors [1, 2006.01]

3/00 Wind motors with rotation axis substantially perpendicular to the air flow entering the rotor (controlling thereof F03D 7/06) [1, 2006.01]

- 3/02 • having a plurality of rotors [1, 2006.01]
- 3/04 • having stationary wind-guiding means, e.g. with shrouds or channels [1, 2006.01]
- 3/06 • Rotors [1, 2006.01]

5/00 Other wind motors (controlling thereof F03D 7/00) [1, 2006.01]

- 5/02 • the wind-engaging parts being attached to endless chains or the like [1, 2006.01]
- 5/04 • the wind-engaging parts being attached to carriages running on tracks or the like [1, 2006.01]
- 5/06 • the wind-engaging parts swinging to-and-fro and not rotating [1, 2006.01]

7/00 Controlling wind motors (supplying or distributing electrical power H02J, e.g. arrangements for adjusting, eliminating or compensating reactive power in networks H02J 3/18; controlling electric generators H02P, e.g. arrangements for controlling electric generators for the purpose of obtaining a desired output H02P 9/00) [1, 2006.01]

- 7/02 • the wind motors having rotation axis substantially parallel to the air flow entering the rotor [1, 2006.01]
- 7/04 • • Automatic control; Regulation [1, 2006.01]
- 7/06 • the wind motors having rotation axis substantially perpendicular to the air flow entering the rotor [1, 2006.01]

9/00 Adaptations of wind motors for special use; Combinations of wind motors with apparatus driven thereby (arrangements in connection with vehicle propulsion units with power supply from wind B60K 16/00; pumps characterised by combination with wind motors F04B 17/02) [1, 2006.01]

- 9/02 • the apparatus storing power [1, 2006.01]

11/00 Details, component parts, or accessories not provided for in, or of interest apart from, the other groups of this subclass [1, 2006.01]

- 11/02 • Transmission of power, e.g. using hollow exhausting blades [1, 2006.01]
- 11/04 • Mounting structures [1, 2006.01]

F03G SPRING, WEIGHT, INERTIA, OR LIKE MOTORS; MECHANICAL-POWER-PRODUCING DEVICES OR MECHANISMS, NOT OTHERWISE PROVIDED FOR OR USING ENERGY SOURCES NOT OTHERWISE PROVIDED FOR (arrangements in connection with power supply in vehicles from force of nature B60K 16/00; electric propulsion with power supply in vehicles from force of nature B60L 8/00)

Note(s)

In this subclass, the following term is used with the meaning indicated:

- "motors" means mechanisms for producing mechanical power from potential energy of solid bodies.

1/00 Spring motors (spring-driven toys A63H; springs in

general F16F; precision time mechanisms, e.g. for clocks or watches, G04B) [1, 2006.01]

F03G

- 1/02 • characterised by shape or material of spring, e.g. helical, spiral, coil [1, 2006.01]
- 1/04 • • using rubber springs [1, 2006.01]
- 1/06 • Other parts or details [1, 2006.01]
- 1/08 • • for winding [1, 2006.01]
- 1/10 • • for producing output movement other than rotary, e.g. vibratory [1, 2006.01]

3/00 Other motors, e.g. gravity or inertia motors [1, 2006.01]

- 3/02 • using wheels with circumferentially-arranged compartments co-operating with solid falling bodies (F03G 3/04 takes precedence) [1, 2006.01]
- 3/04 • driven by sand or like fluent solid material [1, 2006.01]
- 3/06 • using pendulums [1, 2006.01]
- 3/08 • using flywheels [1, 2006.01]

4/00 Devices for producing mechanical power from geothermal energy [5, 2006.01]

- 4/02 • with direct fluid contact [5, 2006.01]
- 4/04 • with deep-well turbo-pump [5, 2006.01]
- 4/06 • with fluid flashing [5, 2006.01]

5/00 Devices for producing mechanical power from muscle energy (driving cycles B62M) [1, 2006.01]

- 5/02 • of endless-walk type, e.g. treadmills [1, 2006.01]

- 5/04 • • Horsemills or the like [1, 2006.01]
- 5/06 • other than of endless-walk type [1, 2006.01]
- 5/08 • • for combined actuation by different limbs, e.g. hand and leg [1, 2006.01]

6/00 Devices for producing mechanical power from solar energy (solar boilers F24) [5, 2006.01]

- 6/02 • using a single state working fluid [5, 2006.01]
- 6/04 • • gaseous [5, 2006.01]
- 6/06 • with solar energy concentrating means [5, 2006.01]

7/00 Mechanical-power-producing mechanisms, not otherwise provided for or using energy sources not otherwise provided for [1, 2006.01]

- 7/04 • using pressure differences or thermal differences occurring in nature (F03G 7/06 takes precedence) [1, 2006.01]
- 7/05 • • Ocean thermal energy conversion, i.e. OTEC [5, 2006.01]
- 7/06 • using expansion or contraction of bodies due to heating, cooling, moistening, drying, or the like (using thermal expansion of non-vaporising liquids F01K) [1, 2006.01]
- 7/08 • recovering energy derived from swinging, rolling, pitching, or like movements, e.g. from the vibrations of a machine [1, 2006.01]
- 7/10 • Alleged perpetua mobilia (using hydrostatic thrust F03B 17/04) [1, 2006.01]

F03H PRODUCING A REACTIVE PROPULSIVE THRUST, NOT OTHERWISE PROVIDED FOR (from combustion products F02K)

1/00 Use of plasma to produce a reactive propulsive thrust (generating plasma H05H 1/00) [1, 2006.01]

3/00 Use of photons to produce a reactive propulsive thrust [1, 2006.01]

99/00 Subject matter not provided for in other groups of this subclass [2009.01]