

SECTION B — PERFORMING OPERATIONS; TRANSPORTING

B22 CASTING; POWDER METALLURGY

B22D CASTING OF METALS; CASTING OF OTHER SUBSTANCES BY THE SAME PROCESSES OR DEVICES (shaping of plastics or substances in a plastic state B29C; metallurgical processing, selection of substances to be added to metal C21, C22)

Note(s)

In this subclass, any material to be cast is referred to as metal.

Subclass index

PRELIMINARY TREATMENTS.....	1/00
INDICATING OR MEASURING.....	2/00
GENERAL CASTING PROCESSES; EQUIPMENT THEREFOR	
Centrifugal casting.....	13/00
Pressure die casting or injection die casting.....	17/00
Pressure casting, vacuum casting.....	18/00
Other processes.....	15/00, 23/00
CASTING CHARACTERISED BY THE PRODUCTS	
Pig casting.....	3/00, 5/00
Ingot casting.....	7/00, 9/00
Continuous casting.....	11/00
Casting in, on, or around objects.....	19/00
Casting for other specified purposes.....	25/00
CASTING PARTICULAR METALS.....	21/00
AFTER-TREATMENTS	
Of non-solidified metal.....	27/00
Removing from moulds.....	29/00
Cooling.....	30/00
Cutting-off surplus material.....	31/00
OTHER EQUIPMENT	
For handling, for supplying.....	29/00, 33/00, 35/00, 37/00, 39/00, 41/00
For cleaning.....	43/00
For other purposes.....	45/00
CONTROLLING OR SUPERVISING.....	46/00
CASTING PLANTS.....	47/00

1/00	Treatment of fused masses in the ladle or the supply runners before casting (features relating to gas injection, provided on closures of the sliding-gate type B22D 41/42, provided on pouring-nozzles B22D 41/58) [1, 2006.01]	5/04	• with endless casting conveyors [1, 2006.01]
2/00	Arrangement of indicating or measuring devices, e.g. for temperature or viscosity of the fused mass [3, 2006.01]	7/00	Casting ingots (equipment for conveying molten metal B22D 35/00) [1, 2006.01]
<u>Casting of pigs, i.e. metal castings suitable for subsequent melting; Similar casting</u>		7/02	• Casting compound ingots of two or more different metals in the molten state, i.e. integrally cast [1, 2006.01]
3/00	Pig or like casting (equipment for conveying molten metal B22D 35/00) [1, 2006.01]	7/04	• Casting hollow ingots [1, 2006.01]
3/02	• Moulding of beds [1, 2006.01]	7/06	• Ingot moulds or their manufacture [1, 2006.01]
5/00	Machines or plants for pig or like casting [1, 2006.01]	7/08	• • Divided ingot moulds [1, 2006.01]
5/02	• with rotary casting tables [1, 2006.01]	7/10	• • Hot tops therefor [1, 2006.01]
		7/12	• Accessories, e.g. for sintering, for preventing splashing [1, 2006.01]
		9/00	Machines or plants for casting ingots [1, 2006.01]

Particular casting processes; Machines or apparatus therefor**11/00 Continuous casting of metals, i.e. casting in indefinite lengths** (metal drawing, metal extruding B21C) [1, 2006.01]

- 11/01 • without moulds, e.g. on molten surfaces [2, 2006.01]
- 11/04 • into open-ended moulds (B22D 11/06, B22D 11/07 take precedence; plants for continuous casting, e.g. for upwardly drawing the strand, B22D 11/14) [1, 3, 2006.01]
- 11/041 • • for vertical casting (B22D 11/043, B22D 11/049-B22D 11/059 take precedence) [7, 2006.01]
- 11/043 • • Curved moulds (B22D 11/049-B22D 11/059 take precedence) [7, 2006.01]
- 11/045 • • for horizontal casting (B22D 11/049-B22D 11/059 take precedence) [7, 2006.01]
- 11/047 • • • Means for joining tundish to mould [7, 2006.01]
- 11/049 • • for direct chill casting, e.g. electromagnetic casting [7, 2006.01]
- 11/05 • • into moulds having adjustable walls [7, 2006.01]
- 11/051 • • into moulds having oscillating walls [7, 2006.01]
- 11/053 • • Means for oscillating the moulds [7, 2006.01]
- 11/055 • • Cooling the moulds [7, 2006.01]
- 11/057 • • Manufacturing or calibrating the moulds [7, 2006.01]
- 11/059 • • Mould materials or platings [7, 2006.01]
- 11/06 • into moulds with travelling walls, e.g. with rolls, plates, belts, caterpillars (B22D 11/07 takes precedence) [1, 3, 2006.01]
- 11/07 • Lubricating the moulds [3, 2006.01]
- 11/08 • Accessories for starting the casting procedure [1, 2006.01]
- 11/10 • Supplying or treating molten metal (B22D 41/00 takes precedence) [1, 7, 2006.01]
- 11/103 • • Distributing the molten metal, e.g. using runners, floats, distributors [7, 2006.01]
- 11/106 • • Shielding the molten jet [7, 2006.01]
- 11/108 • • Feeding additives, powders, or the like [7, 2006.01]
- 11/11 • • Treating the molten metal [7, 2006.01]
- 11/111 • • • by using protecting powders [7, 2006.01]
- 11/112 • • • by accelerated cooling [7, 2006.01]
- 11/113 • • • by vacuum treating [7, 2006.01]
- 11/114 • • • by using agitating or vibrating means (B22D 11/117 takes precedence) [7, 2006.01]
- 11/115 • • • • by using magnetic fields [7, 2006.01]
- 11/116 • • • Refining the metal [7, 2006.01]
- 11/117 • • • • by treating with gases (B22D 11/118, B22D 11/119 take precedence) [7, 2006.01]
- 11/118 • • • • by circulating the metal under, over or around weirs (B22D 11/119 takes precedence) [7, 2006.01]
- 11/119 • • • • by filtering [7, 2006.01]
- 11/12 • Accessories for subsequent treating or working cast stock *in situ* (rolling immediately subsequent to continuous casting B21B 1/46, B21B 13/22) [1, 3, 2006.01]
- 11/124 • • for cooling [2, 2006.01]
- 11/126 • • for cutting [2, 2006.01]
- 11/128 • • for removing [2, 2006.01]
- 11/14 • Plants for continuous casting, e.g. for upwardly drawing the strand [1, 2006.01]
- 11/16 • Controlling or regulating processes or operations [2, 2006.01]

- 11/18 • • for pouring (B22D 11/20 takes precedence) [4, 2006.01]
- 11/20 • • for removing cast stock [4, 2006.01]
- 11/22 • • for cooling cast stock or mould [4, 2006.01]
- 13/00 **Centrifugal casting; Casting by using centrifugal force** [1, 2006.01]
- 13/02 • of elongated solid or hollow bodies, e.g. pipes, in moulds rotating around their longitudinal axis [1, 2006.01]
- 13/04 • of shallow solid or hollow bodies, e.g. wheels or rings, in moulds rotating around their axis of symmetry [1, 2006.01]
- 13/06 • of solid or hollow bodies in moulds rotating around an axis arranged outside of the mould [1, 2006.01]
- 13/08 • in which a stationary mould is fed from a rotating mass of liquid metal [1, 2006.01]
- 13/10 • Accessories for centrifugal casting apparatus, e.g. moulds, linings therefor, means for feeding molten metal, cleansing moulds, removing castings (making or lining moulds B22C) [1, 2006.01]
- 13/12 • Controlling, supervising, specially adapted to centrifugal casting, e.g. for safety reasons [3, 2006.01]
- 15/00 **Casting using a mould or core of which a part significant to the process of high thermal conductivity, e.g. chill casting; Moulds or accessories specially adapted therefor** (continuous casting of metals into open-ended moulds for direct chill casting B22D 11/049) [1, 7, 2006.01]
- 15/02 • of cylinders, pistons, bearing shells or like thin-walled objects [1, 2006.01]
- 15/04 • Machines or apparatus for chill casting (B22D 15/02 takes precedence) [1, 2006.01]
- 17/00 **Pressure die casting or injection die casting, i.e. casting in which the metal is forced into a mould under high pressure** [1, 3, 2006.01]
- 17/02 • Hot chamber machines, i.e. with heated press chamber in which metal is melted [1, 2006.01]
- 17/04 • • Plunger machines [1, 2006.01]
- 17/06 • • Air injection machines [1, 2006.01]
- 17/08 • Cold chamber machines, i.e. with unheated press chamber into which molten metal is ladled [1, 2006.01]
- 17/10 • • with horizontal press motion [1, 2006.01]
- 17/12 • • with vertical press motion [1, 2006.01]
- 17/14 • Machines with evacuated die cavity [1, 2006.01]
- 17/16 • specially adapted for casting slide fasteners or elements therefor [1, 2006.01]
- 17/18 • Machines built up from units providing for different combinations [1, 2006.01]
- 17/20 • Accessories; Details [1, 2006.01]
- 17/22 • • Dies (manufacture, *see* the appropriate class, e.g. B23P 15/24); Die plates; Die supports; Cooling equipment for dies; Accessories for loosening and ejecting castings from dies [1, 2006.01]
- 17/24 • • • Accessories for locating and holding cores or inserts [1, 2006.01]
- 17/26 • • Mechanisms or devices for locking or opening dies [1, 2006.01]
- 17/28 • • Melting pots [1, 2006.01]
- 17/30 • • Accessories for supplying molten metal, e.g. in rations [1, 2006.01]
- 17/32 • • Controlling equipment [1, 2006.01]

- 18/00 Pressure casting; Vacuum casting** (B22D 17/00 takes precedence; treating the metal in the mould by using pressure or vacuum B22D 27/00) [3, 2006.01]
- 18/02 • Pressure casting making use of mechanical pressing devices, e.g. cast-forging (B22D 18/04 takes precedence) [3, 2006.01]
- 18/04 • Low pressure casting, i.e. making use of pressures up to a few bars to fill the mould [3, 2006.01]
- 18/06 • Vacuum casting, i.e. making use of vacuum to fill the mould [3, 2006.01]
- 18/08 • Controlling, supervising, e.g. for safety reasons [3, 2006.01]
- 19/00 Casting in, on, or around, objects which form part of the product** (B22D 23/04 takes precedence; aluminothermic welding B23K 23/00; coating by casting molten material on the substrate C23C 6/00) [1, 2006.01]
- 19/02 • for making reinforced articles (B22D 19/14 takes precedence) [1, 3, 2006.01]
- 19/04 • for joining parts [1, 2006.01]
- 19/06 • for manufacturing or repairing tools [1, 2006.01]
- 19/08 • for building up linings or coverings, e.g. of anti-frictional metal [1, 2006.01]
- 19/10 • Repairing defective or damaged objects by metal casting techniques (by other techniques B23P 6/04) [1, 2006.01]
- 19/12 • for making objects, e.g. hinges, with parts which are movable relatively to one another [1, 2006.01]
- 19/14 • the objects being filamentary or particulate in form (making alloys containing fibres or filaments by contacting the fibres or filaments with molten metal C22C 47/08) [3, 2006.01]
- 19/16 • for making compound objects cast of two or more different metals, e.g. for making rolls for rolling mills (casting compound ingots B22D 7/02) [3, 2006.01]
- 21/00 Casting non-ferrous metals or metallic compounds so far as their metallurgical properties are of importance for the casting procedure** (apparatus for vacuum casting B22D 18/00); **Selection of compositions therefor** [1, 2006.01]
- 21/02 • Casting exceedingly oxidisable non-ferrous metals, e.g. in inert atmosphere (use of inert atmosphere in casting metals in general B22D 23/00) [1, 2006.01]
- 21/04 • • Casting aluminium or magnesium [1, 2006.01]
- 21/06 • Casting non-ferrous metals with a high melting-point, e.g. metallic carbides (B22D 21/02 takes precedence) [1, 2006.01]
- 23/00 Casting processes not provided for in groups B22D 1/00-B22D 21/00** (making metallic powder by casting B22F 9/08; aluminothermic welding B23K 23/00; remelting metals C22B 9/16) [1, 2006.01]
- 23/02 • Top casting [1, 2006.01]
- 23/04 • Casting by dipping (hot-dipping or immersion processes for applying coating material in the molten state without affecting the shape C23C 2/00) [1, 2006.01]
- 23/06 • Melting-down metal, e.g. metal particles, in the mould [1, 2006.01]
- 23/10 • • Electroslag casting [5, 2006.01]
- 25/00 Special casting characterised by the nature of the product** (B22D 15/02, B22D 17/16, B22D 19/00 take precedence; casting stereotype plates B41D 3/00) [1, 2, 2006.01]
- 25/02 • by its peculiarity of shape; of works of art [1, 2006.01]
- 25/04 • • Casting metal electric battery plates or the like (manufacture thereof by multi-step processes H01M 4/82) [1, 2, 2006.01]
- 25/06 • by its physical properties (B22D 27/00 takes precedence) [1, 2006.01]
- 25/08 • • by uniform hardness (B22D 15/00 takes precedence) [1, 2006.01]
- 27/00 Treating the metal in the mould while it is molten or ductile** (B22D 7/12, B22D 11/10, B22D 18/00, B22D 43/00 take precedence) [1, 3, 2006.01]
- 27/02 • Use of electric or magnetic effects [1, 2006.01]
- 27/04 • Influencing the temperature of the metal, e.g. by heating or cooling the mould (cooling of open-ended moulds in continuous casting B22D 11/055) [1, 7, 2006.01]
- 27/06 • • Heating the top discard of ingots (hot tops for ingot moulds B22D 7/10) [1, 2006.01]
- 27/08 • Shaking, vibrating, or turning of moulds (B22D 11/051, B22D 11/053 take precedence) [1, 7, 2006.01]
- 27/09 • by using pressure [3, 2006.01]
- 27/11 • • making use of mechanical pressing devices [3, 2006.01]
- 27/13 • • making use of gas pressure [3, 2006.01]
- 27/15 • by using vacuum [3, 2006.01]
- 27/18 • Measures for using chemical processes for influencing the surface composition of castings, e.g. for increasing resistance to acid attack [1, 2006.01]
- 27/20 • Measures not previously mentioned for influencing the grain structure or texture; Selection of compositions therefor [1, 2006.01]
- Final measures after casting**
- 29/00 Removing castings from moulds, not restricted to casting processes covered by a single main group; Removing cores; Handling ingots** [1, 2, 2006.01]
- 29/02 • Vibratory apparatus specially designed for shaking out flasks [1, 2006.01]
- 29/04 • Handling or stripping castings or ingots (grippers in general, see the relevant subclasses, e.g. B66C) [1, 2006.01]
- 29/06 • • Strippers actuated by fluid pressure [1, 2006.01]
- 29/08 • • Strippers actuated mechanically [2, 2006.01]
- 30/00 Cooling castings, not restricted to casting processes covered by a single main group** (accessories for cooling cast stock in continuous casting of metals B22D 11/124; controlling or regulating processes or operations for cooling cast stock or mould in continuous casting of metals B22D 11/22; chill casting B22D 15/00) [5, 2006.01]
- 31/00 Cutting-off surplus material after casting, e.g. gates** (cleaning of castings by sand-blasting B24C) [1, 2006.01]
- Other equipment for casting [3]**
- 33/00 Equipment for handling moulds** [1, 2006.01]
- 33/02 • Turning or transposing moulds [1, 2006.01]
- 33/04 • Bringing together or separating moulds [1, 2006.01]
- 33/06 • Burdening or relieving moulds [1, 2006.01]

B22D

- 35/00 Equipment for conveying molten metal into beds or moulds** (B22D 37/00-B22D 41/00 take precedence; specially adapted to particular processes or machines, see the relevant groups) [1, 2006.01]
- 35/02 • into beds [1, 2006.01]
- 35/04 • into moulds, e.g. base plates, runners [1, 2006.01]
- 35/06 • Heating or cooling equipment [1, 2006.01]
- 37/00 Controlling or regulating the pouring of molten metal from a casting melt-holding vessel** (B22D 39/00, B22D 41/00 take precedence; specially adapted to particular processes or machines, see the relevant groups of this subclass) [1, 3, 5, 2006.01]
- 39/00 Equipment for supplying molten metal in rations** (specially adapted to particular processes or machines, see the relevant groups of this subclass) [1, 2006.01]
- 39/02 • having means for controlling the amount of molten metal by volume [3, 2006.01]
- 39/04 • having means for controlling the amount of molten metal by weight [3, 2006.01]
- 39/06 • having means for controlling the amount of molten metal by controlling the pressure above the molten metal [3, 2006.01]
- 41/00 Casting melt-holding vessels, e.g. ladles, tundishes, cups or the like** (B22D 39/00, B22D 43/00 take precedence) [1, 5, 2006.01]
- 41/005 • with heating or cooling means [5, 2006.01]
- 41/01 • • Heating means [5, 2006.01]
- 41/015 • • • with external heating, i.e. the heat source not being a part of the ladle [5, 2006.01]
- 41/02 • Linings [1, 2006.01]
- 41/04 • tiltable [1, 2006.01]
- 41/05 • • Tea-pot spout ladles [5, 2006.01]
- 41/06 • Equipment for tilting [1, 2006.01]
- 41/08 • for bottom pouring (B22D 41/14, B22D 41/50 take precedence) [1, 2006.01]
- 41/12 • Travelling ladles or similar containers; Cars for ladles (casting cranes B66C) [1, 2006.01]
- 41/13 • • Ladle turrets [7, 2006.01]
- 41/14 • Closures [5, 2006.01]
- 41/16 • • stopper-rod type, i.e. a stopper-rod being positioned downwardly through the vessel and the metal therein, for selective registry with the pouring opening [5, 2006.01]
- 41/18 • • • Stopper-rods therefor [5, 2006.01]
- 41/20 • • • Stopper-rod operating equipment [5, 2006.01]
- 41/22 • • sliding-gate type, i.e. having a fixed plate and a movable plate in sliding contact with each other for selective registry of their openings [5, 2006.01]

- 41/24 • • • characterised by a rectilinearly movable plate (B22D 41/38-B22D 41/42 take precedence) [5, 2006.01]
- 41/26 • • • characterised by a rotatively movable plate (B22D 41/38-B22D 41/42 take precedence) [5, 2006.01]
- 41/28 • • • Plates therefor (B22D 41/38-B22D 41/42 take precedence) [5, 2006.01]
- 41/30 • • • • Manufacturing or repairing thereof [5, 2006.01]
- 41/32 • • • • • characterised by the materials used therefor [5, 2006.01]
- 41/34 • • • • • Supporting, fixing or centering means therefor [5, 2006.01]
- 41/36 • • • • • Treating the plates, e.g. lubricating, heating (ladles, cups or the like with heating means B22D 41/01) [5, 2006.01]
- 41/38 • • • Means for operating the sliding gate [5, 2006.01]
- 41/40 • • • Means for pressing the plates together [5, 2006.01]
- 41/42 • • • Features relating to gas injection [5, 2006.01]
- 41/44 • • Consumable closure means, i.e. closure means being used only once [5, 2006.01]
- 41/46 • • • Refractory plugging masses [5, 2006.01]
- 41/48 • • • Meltable closures [5, 2006.01]
- 41/50 • Pouring-nozzles [5, 2006.01]
- 41/52 • • Manufacturing or repairing thereof [5, 2006.01]
- 41/54 • • • characterised by the materials used therefor [5, 2006.01]
- 41/56 • • Means for supporting, manipulating or changing a pouring-nozzle [5, 2006.01]
- 41/58 • • with gas injecting means [5, 2006.01]
- 41/60 • • with heating or cooling means [5, 2006.01]
- 41/62 • • with stirring or vibrating means [5, 2006.01]
- 43/00 Mechanical cleaning, e.g. skimming of molten metals** [1, 2006.01]
- 45/00 Equipment for casting, not otherwise provided for** [1, 2006.01]

- 46/00 Controlling, supervising, not restricted to casting covered by a single main group, e.g. for safety reasons** [3, 2006.01]
- 47/00 Casting plants** [1, 2006.01]
- 47/02 • for both moulding and casting [1, 2006.01]