

SECTION A — HUMAN NECESSITIES

A61 MEDICAL OR VETERINARY SCIENCE; HYGIENE

A61K PREPARATIONS FOR MEDICAL, DENTAL, OR TOILET PURPOSES (devices or methods specially adapted for bringing pharmaceutical products into particular physical or administering forms A61J 3/00; chemical aspects of, or use of materials for deodorisation of air, for disinfection or sterilisation, or for bandages, dressings, absorbent pads or surgical articles A61L; soap compositions C11D)

Note(s) [1, 7, 2006.01]

- This subclass covers the following subject matter, whether set forth as a composition (mixture), process of preparing the composition or process of treating using the composition:
 - Drug or other biological compositions which are capable of:
 - preventing, alleviating, treating or curing abnormal or pathological conditions of the living body by such means as destroying a parasitic organism, or limiting the effect of the disease or abnormality by chemically altering the physiology of the host or parasite (biocides A01N 25/00-A01N 65/00);
 - maintaining, increasing, decreasing, limiting, or destroying a physiological body function, e.g. vitamin compositions, sex sterilants, fertility inhibitors, growth promoters, or the like (sex sterilants for invertebrates, e.g. insects, A01N; plant growth regulators A01N 25/00-A01N 65/00);
 - diagnosing a physiological condition or state by an in vivo test, e.g. X-ray contrast or skin patch test compositions (measuring or testing processes involving enzymes or microorganisms C12Q; in vitro testing of biological material, e.g. blood, urine, G01N, e.g. G01N 33/48);
 - Body treating compositions generally intended for deodorising, protecting, adorning or grooming a body, e.g. cosmetics, dentifrices, tooth filling materials.
- Attention is drawn to the definitions of groups of chemical elements following the title of section C.
- Attention is drawn to the notes in class C07, for example the notes following the title of the subclass C07D, setting forth the rules for classifying organic compounds in that class, which rules are also applicable, if not otherwise indicated, to the classification of organic compounds in A61K.
- In this subclass, with the exception of group A61K 8/00, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.
- Therapeutic activity of medicinal preparations is further classified in subclass A61P.

Subclass index

DENTAL PREPARATIONS.....	6/00
COSMETICS, PERFUMES.....	8/00
PHARMACEUTICAL PREPARATIONS	
characterised by form.....	9/00
characterised by active ingredients	
organic active ingredients.....	31/00, 35/00, 36/00, 38/00
materials from animals, protozoa, bacteria or viruses.....	35/00
materials from algae, fungi lichens or plants.....	36/00
inorganic active ingredients.....	33/00, 35/00
obtained by treating material with wave energy or particle radiation.....	41/00
for testing <u>in vivo</u>	49/00, 51/00
radioactive ingredients.....	51/00
Vaccines.....	39/00, 45/00
Carriers.....	47/00
Medicinal preparations with genetic material, gene therapy.....	48/00

- 6/00 Preparations for dentistry** (teeth cleaning preparations A61K 8/00, A61Q 11/00; fastening dental prostheses in the mouth using adhesive foils or adhesive compositions A61C 13/23) [3, 2006.01]
- 6/02 • Use of preparations for artificial teeth, for filling or for capping teeth [3, 2006.01]

- 6/027 • • Use of non-metallic elements or compounds thereof, e.g. carbon [5, 2006.01]
- 6/033 • • • Phosphorus compounds, e.g. apatite [5, 2006.01]
- 6/04 • • Use of metals or alloys [3, 2006.01]
- 6/05 • • • Amalgams [5, 2006.01]
- 6/06 • • Use of inorganic cements [3, 2006.01]

- 6/08 • • Use of natural or synthetic resins [3, 2006.01]
- 6/083 • • • Compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [5, 2006.01]
- 6/087 • • • Compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [5, 2006.01]
- 6/09 • • • • Polyurethanes [5, 2006.01]
- 6/093 • • • • Polyorganosilicon compounds [5, 2006.01]
- 6/097 • • • Polysaccharides [5, 2006.01]
- 6/10 • Compositions for taking dental impressions [3, 2006.01]

8/00 Cosmetics or similar toilet preparations [2006.01]

Note(s) [2006.01]

Use of cosmetics or similar toilet preparations is further classified in subclass A61Q.

- 8/02 • characterised by special physical form [2006.01]

Note(s) [2006.01]

In this group, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication of the contrary, classification is made in the last appropriate place.

- 8/03 • • Liquid compositions with two or more distinct layers [2006.01]
- 8/04 • • Dispersions; Emulsions [2006.01]
- 8/06 • • • Emulsions [2006.01]
- 8/11 • • Encapsulated compositions [2006.01]
- 8/14 • • Liposomes [2006.01]
- 8/18 • characterised by the composition [2006.01]

Note(s) [2006.01]

In this group, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication of the contrary, classification is made in the last appropriate place.

- 8/19 • • containing inorganic ingredients [2006.01]
- 8/20 • • • Halogens; Compounds thereof [2006.01]
- 8/21 • • • • Fluorides; Derivatives thereof [2006.01]
- 8/22 • • • Peroxides; Oxygen; Ozone [2006.01]
- 8/23 • • • Sulfur; Selenium; Tellurium; Compounds thereof [2006.01]
- 8/24 • • • Phosphorus; Compounds thereof [2006.01]
- 8/25 • • • Silicon; Compounds thereof [2006.01]
- 8/26 • • • Aluminium; Compounds thereof [2006.01]
- 8/27 • • • Zinc; Compounds thereof [2006.01]
- 8/28 • • • Zirconium; Compounds thereof [2006.01]
- 8/29 • • • Titanium; Compounds thereof [2006.01]
- 8/30 • • containing organic compounds [2006.01]
- 8/31 • • • Hydrocarbons [2006.01]
- 8/33 • • • containing oxygen [2006.01]
- 8/34 • • • • Alcohols [2006.01]
- 8/35 • • • • Ketones, e.g. quinones, benzophenone [2006.01]
- 8/36 • • • • Carboxylic acids; Salts or anhydrides thereof [2006.01]
- 8/362 • • • • • Polycarboxylic acids [2006.01]
- 8/365 • • • • • Hydroxycarboxylic acids; Ketocarboxylic acids [2006.01]
- 8/368 • • • • • with carboxyl groups directly bound to carbon atoms of aromatic rings [2006.01]
- 8/37 • • • • Esters of carboxylic acids [2006.01]
- 8/38 • • • • Percompounds, e.g. peracids [2006.01]

- 8/39 • • • • Derivatives containing from 2 to 10 oxyalkylene groups [2006.01]
- 8/40 • • • containing nitrogen (quinones containing nitrogen A61K 8/35) [2006.01]
- 8/41 • • • • Amines [2006.01]
- 8/42 • • • • Amides [2006.01]
- 8/43 • • • • Guanidines [2006.01]
- 8/44 • • • • Aminocarboxylic acids or derivatives thereof, e.g. aminocarboxylic acids containing sulfur; Salts, esters or N-acylated derivatives thereof [2006.01]
- 8/45 • • • • Derivatives containing from 2 to 10 oxyalkylene groups [2006.01]
- 8/46 • • • containing sulfur (A61K 8/44 takes precedence) [2006.01]
- 8/49 • • • containing heterocyclic compounds [2006.01]
- 8/55 • • • containing phosphorus [2006.01]
- 8/58 • • • containing atoms other than carbon, hydrogen, halogen, oxygen, nitrogen, sulfur or phosphorus [2006.01]
- 8/60 • • • Sugars; Derivatives thereof [2006.01]
- 8/63 • • • Steroids; Derivatives thereof [2006.01]

Note(s) [2006.01]

This group covers steroids, as defined in Note (1) after the title of subclass C07J.

- 8/64 • • • Proteins; Peptides; Derivatives or degradation products thereof [2006.01]
- 8/65 • • • • Collagen; Gelatin; Keratin; Derivatives or degradation products thereof [2006.01]
- 8/66 • • • • Enzymes [2006.01]
- 8/67 • • • Vitamins [2006.01]
- 8/68 • • • Sphingolipids, e.g. ceramides, cerebroside, gangliosides [2006.01]
- 8/69 • • • containing fluorine [2006.01]
- 8/70 • • • • containing perfluoro groups, e.g. perfluoroethers [2006.01]
- 8/72 • • containing organic macromolecular compounds [2006.01]
- 8/73 • • • Polysaccharides [2006.01]
- 8/81 • • • obtained by reactions involving only carbon-to-carbon unsaturated bonds [2006.01]
- 8/84 • • • obtained by reactions other than those involving only carbon-to-carbon unsaturated bonds [2006.01]
- 8/85 • • • • Polyesters [2006.01]
- 8/86 • • • • Polyethers [2006.01]
- 8/87 • • • • Polyurethanes [2006.01]
- 8/88 • • • • Polyamides [2006.01]
- 8/89 • • • • Polysiloxanes [2006.01]
- 8/891 • • • • • saturated, e.g. dimethicone, phenyl trimethicone, C24-C28 methicone or stearyl dimethicone [2006.01]
- 8/892 • • • • • modified by a hydroxy group, e.g. dimethiconol [2006.01]
- 8/893 • • • • • modified by an alkoxy or aryloxy group, e.g. behenoxy dimethicone or stearoxy dimethicone [2006.01]
- 8/894 • • • • • modified by a polyoxyalkylene group, e.g. cetyl dimethicone copolyol [2006.01]
- 8/895 • • • • • containing silicon bound to unsaturated aliphatic groups, e.g. vinyl dimethicone [2006.01]

- 8/896 • • • • • containing atoms other than silicon, carbon, oxygen and hydrogen, e.g. dimethicone copolyol phosphate [2006.01]
- 8/897 • • • • • • containing halogen, e.g. fluorosilicones [2006.01]
- 8/898 • • • • • • containing nitrogen, e.g. amodimethicone, trimethyl silyl amodimethicone or dimethicone propyl PG-betaine [2006.01]
- 8/899 • • • • • • containing sulfur, e.g. sodium PG-propyldimethicone thiosulfate copolyol [2006.01]
- 8/90 • • • Block copolymers (A61K 8/89 takes precedence) [2006.01]
- 8/91 • • • Graft copolymers (A61K 8/89 takes precedence) [2006.01]
- 8/92 • • Oils, fats or waxes; Derivatives thereof, e.g. hydrogenation products [2006.01]
- 8/96 • • containing materials, or derivatives thereof, of undetermined constitution [2006.01]
- 8/97 • • • *from algae, fungi, lichens or plants; from derivatives thereof* [2006.01, 2017.01]
- 8/9706 • • • • • *Algae* [2017.01]
- 8/9711 • • • • • *Phaeophycota or Phaeophyta [brown algae], e.g. Fucus* [2017.01]
- 8/9717 • • • • • *Rhodophycota or Rhodophyta [red algae], e.g. Porphyra* [2017.01]
- 8/9722 • • • • • *Chlorophycota or Chlorophyta [green algae], e.g. Chlorella* [2017.01]
- 8/9728 • • • • • *Fungi, e.g. yeasts* [2017.01]
- 8/9733 • • • • • *Lichens* [2017.01]
- 8/9739 • • • • • *Bryophyta [mosses]* [2017.01]
- 8/9741 • • • • • *Pteridophyta [ferns]* [2017.01]
- 8/9749 • • • • • *Filicopsida or Pteridopsida* [2017.01]
- 8/9755 • • • • • *Gymnosperms [Coniferophyta]* [2017.01]
- 8/9761 • • • • • *Cupressaceae [Cypress family], e.g. juniper or cypress* [2017.01]
- 8/9767 • • • • • *Pinaceae [Pine family], e.g. pine or cedar* [2017.01]
- 8/9771 • • • • • *Ginkgophyta, e.g. Ginkgoaceae [Ginkgo family]* [2017.01]
- 8/9778 • • • • • *Gnetophyta, e.g. Ephedraceae [Mormon-tea family]* [2017.01]
- 8/9783 • • • • • *Angiosperms [Magnoliophyta]* [2017.01]
- 8/9789 • • • • • *Magnoliopsida [dicotyledons]* [2017.01]
- 8/9794 • • • • • *Liliopsida [monocotyledons]* [2017.01]
- 8/98 • • • of animal origin [2006.01]
- 8/99 • • • *from microorganisms other than algae or fungi, e.g. protozoa or bacteria* [2006.01, 2017.01]
- 9/00 Medicinal preparations characterised by special physical form [1, 2006.01]**
- 9/02 • Suppositories; Bougies; Bases for suppositories or bougies (apparatus for making A61J 3/08; devices for introducing into the body A61M 31/00) [1, 2006.01]
- 9/06 • Ointments; Bases therefor (apparatus for making A61J 3/04) [1, 2006.01]
- 9/08 • Solutions [2, 3, 2006.01]
- 9/10 • Dispersions; Emulsions [2, 3, 2006.01]
- 9/107 • • Emulsions [5, 2006.01]
- 9/113 • • • Multiple emulsions, e.g. oil-in-water-in-oil [5, 2006.01]
- 9/12 • • Aerosols; Foams [2, 3, 2006.01]
- 9/127 • • Liposomes [5, 2006.01]
- 9/133 • • • Unilamellar vesicles [5, 2006.01]
- 9/14 • Particulate form, e.g. powders (microcapsules A61K 9/50) [2, 2006.01]
- 9/16 • • Agglomerates; Granulates; Microbeadlets [2, 2006.01]
- 9/18 • • Adsorbates [2, 2006.01]
- 9/19 • • lyophilised [6, 2006.01]
- 9/20 • Pills, lozenges or tablets [2, 2006.01]
- 9/22 • • Sustained or differential release type [2, 2006.01]
- 9/24 • • • Layered or laminated unitary dosage forms [2, 2006.01]
- 9/26 • • • Discrete particles in supporting matrix [2, 2006.01]
- 9/28 • • Dragees; Coated pills or tablets [2, 2006.01]
- 9/30 • • • Organic coatings [2, 2006.01]
- 9/32 • • • • containing solid synthetic polymers [2, 2006.01]
- 9/34 • • • • containing natural gums or resins [2, 2006.01]
- 9/36 • • • • containing carbohydrates or derivatives thereof (A61K 9/34 takes precedence) [2, 2006.01]
- 9/38 • • • • containing proteins or derivatives thereof [2, 2006.01]
- 9/40 • • • • • Gelatin containing [2, 2006.01]
- 9/42 • • • • containing waxes, higher fatty acids, higher fatty alcohols, or derivatives thereof, e.g. chocolate [2, 2006.01]
- 9/44 • • printed, embossed, grooved, or perforated [2, 2006.01]
- 9/46 • • effervescent [2, 2006.01]
- 9/48 • Preparations in capsules, e.g. of gelatin, of chocolate [2, 2006.01]
- 9/50 • • Microcapsules (A61K 9/52 takes precedence) [2, 2006.01]
- 9/51 • • • Nanocapsules [5, 2006.01]
- 9/52 • • Sustained or differential release type [2, 2006.01]
- 9/54 • • • containing discrete particles with coatings of different thicknesses or different materials [2, 2006.01]
- 9/56 • • • • Organic coatings [2, 2006.01]
- 9/58 • • • • • containing solid synthetic polymers [2, 2006.01]
- 9/60 • • • • • containing natural gums or resins [2, 2006.01]
- 9/62 • • • • • containing carbohydrates or derivatives thereof (A61K 9/60 takes precedence) [2, 2006.01]
- 9/64 • • • • • containing proteins or derivatives thereof [2, 2006.01]
- 9/66 • • • containing emulsions, dispersions or solutions [2, 2006.01]
- 9/68 • chewing gum type [2, 2006.01]
- 9/70 • Web, sheet or filament bases [2, 2006.01]
- 9/72 • for smoking or inhaling [2, 2006.01]
- Note(s) [2006.01]**
1. A composition, i.e. a mixture of two or more components, is classified in the last of groups A61K 31/00-A61K 47/00 that provides for at least one of these components. The components may be single compounds or other single ingredients.

2. Any part of a composition which is not identified by the classification according to Note (1), and which itself is determined to be novel and non-obvious, must also be classified in the last appropriate place in groups A61K 31/00-A61K 47/00. The part can be either a single component or a composition in itself.
3. Any part of a composition which is not identified by the classification according to Note (1) or (2), and which is considered to represent information of interest for search, may also be classified in the last appropriate place in groups A61K 31/00-A61K 47/00. This can for example be the case when it is considered of interest to enable searching of compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information".

31/00 Medicinal preparations containing organic active ingredients [2, 2006.01]

Note(s) [7]

1. Organic active compounds forming salts or complexes with heavy metals are not classified in groups A61K 31/28, A61K 31/555 or A61K 31/7135, unless explicit indication to the contrary is made, e.g. hemin A61K 31/555.
2. In this group, the expressions "containing further heterocyclic rings" and "condensed with heterocyclic rings" also cover compounds having two or more identical heterocyclic rings.

- 31/01 • Hydrocarbons [2, 2006.01]
 31/015 • • carbocyclic [2, 2006.01]
 31/02 • Halogenated hydrocarbons [2, 2006.01]
 31/025 • • carbocyclic [2, 2006.01]
 31/03 • • • aromatic [2, 2006.01]
 31/035 • • having aliphatic unsaturation [2, 2006.01]
 31/04 • Nitro compounds [2, 2006.01]
 31/045 • Hydroxy compounds, e.g. alcohols; Salts thereof, e.g. alcoholates (hydroperoxides A61K 31/327) [2, 7, 2006.01]
 31/047 • • having two or more hydroxy groups, e.g. sorbitol [7, 2006.01]
 31/05 • • Phenols [2, 2006.01]
 31/055 • • • the aromatic ring being substituted by halogen [2, 2006.01]
 31/06 • • • the aromatic ring being substituted by nitro groups [2, 2006.01]
 31/065 • • Diphenyl-substituted acyclic alcohols [2, 2006.01]
 31/07 • • Retinol compounds, e.g. vitamin A (retinoic acids A61K 31/203) [2, 7, 2006.01]
 31/075 • Ethers or acetals [2, 2006.01]
 31/08 • • acyclic, e.g. paraformaldehyde [2, 2006.01]
 31/085 • • having an ether linkage to aromatic ring nuclear carbon [2, 2006.01]
 31/09 • • • having two or more such linkages [2, 2006.01]
 31/095 • Sulfur, selenium or tellurium compounds, e.g. thiols [2, 2006.01]
 31/10 • • Sulfides; Sulfoxides; Sulfones [2, 2006.01]
 31/105 • • Persulfides (thiuram disulfides A61K 31/145; thiosulfonic acids A61K 31/185) [2, 2006.01]
 31/11 • Aldehydes [2, 2006.01]
 31/115 • • Formaldehyde [2, 2006.01]
 31/12 • Ketones [2, 2006.01]
 31/121 • • acyclic [7, 2006.01]


- 31/122 • • having the oxygen atom directly attached to a ring, e.g. quinones, vitamin K₁, anthralin [7, 2006.01]
 31/125 • • • Camphor; Nuclear substituted derivatives thereof [2, 2006.01]
 31/13 • Amines, e.g. amantadine (A61K 31/04 takes precedence) [2, 2006.01]
 31/131 • • acyclic [7, 2006.01]
 31/132 • • having two or more amino groups, e.g. spermidine, putrescine [7, 2006.01]
 31/133 • • having hydroxy groups, e.g. sphingosine [7, 2006.01]
 31/135 • • having aromatic rings, e.g. methadone [2, 7, 2006.01]
 31/136 • • • having the amino group directly attached to the aromatic ring, e.g. benzeneamine [7, 2006.01]
 31/137 • • • Arylalkylamines, e.g. amphetamine, epinephrine, salbutamol, ephedrine [7, 2006.01]
 31/138 • • • Aryloxyalkylamines, e.g. propranolol, tamoxifen, phenoxybenzamine (atenolol A61K 31/165; pindolol A61K 31/404; timolol A61K 31/5377) [7, 2006.01]
 31/14 • • Quaternary ammonium compounds, e.g. edrophonium, choline (betaines A61K 31/205) [2, 2006.01]
 31/145 • • having sulfur atoms, e.g. thiurams ($\text{N}=\text{C}(\text{S})-\text{S}-\text{C}(\text{S})-\text{N}$); Sulfinylamines ($-\text{N}=\text{SO}$); Sulfonylamines ($-\text{N}=\text{SO}_2$) (isothioureas A61K 31/155) [2, 7, 2006.01]
 31/15 • • Oximes ($\text{C}=\text{N}-\text{O}-$); Hydrazines ($\text{N}-\text{N}$); Hydrazones ($\text{N}=\text{N}=\text{N}$) [2, 2006.01]
 31/155 • • Amidines ($\text{N}=\text{C}(\text{N})-\text{N}$), e.g. guanidine ($\text{H}_2\text{N}-\text{C}(=\text{NH})-\text{NH}_2$), isourea ($\text{HN}=\text{C}(\text{OH})\text{NH}_2$), isothiourea ($\text{HN}=\text{C}(\text{SH})-\text{NH}_2$) [2, 2006.01]
 31/16 • Amides, e.g. hydroxamic acids [2, 2006.01]
 31/164 • • of a carboxylic acid with an aminoalcohol, e.g. ceramides [7, 2006.01]
 31/165 • • having aromatic rings, e.g. colchicine, atenolol, progabide [2, 2006.01]
 31/166 • • • having the carbon atom of a carboxamide group directly attached to the aromatic ring, e.g. procainamide, procarbazine, metoclopramide, labetalol [7, 2006.01]
 31/167 • • • having the nitrogen atom of a carboxamide group directly attached to the aromatic ring, e.g. lidocaine, paracetamol [7, 2006.01]
 31/17 • • having the group $\text{N}-\text{C}(\text{O})-\text{N}$ or $\text{N}-\text{C}(\text{S})-\text{N}$, e.g. urea, thiourea, carmustine (isoureas, isothioureas A61K 31/155; sulfonylureas A61K 31/64) [2, 7, 2006.01]
 31/175 • • • having the group $\text{N}-\text{C}(\text{O})-\text{N}=\text{N}$, $\text{N}-\text{C}(\text{O})-\text{N}=\text{N}-$ or $\text{N}-\text{C}(\text{O})-\text{N}=\text{N}=\text{N}$, e.g. carbonohydrazides, carbazones, semicarbazides, semicarbazones; Thioanalogues thereof [2, 7, 2006.01]
 31/18 • • Sulfonamides (compounds containing a para-N-benzene-sulfonyl-N-group A61K 31/63) [2, 2006.01]
 31/185 • Acids; Anhydrides, halides or salts thereof, e.g. sulfur acids, imidic, hydrazonic or hydroxamic acids (hydroxamic acids A61K 31/16; peroxy acids A61K 31/327) [2, 7, 2006.01]
 31/19 • • Carboxylic acids, e.g. valproic acid (salicylic acid A61K 31/60) [2, 7, 2006.01]
 31/191 • • • Acyclic acids having two or more hydroxy groups, e.g. gluconic acid [7, 2006.01]

- 31/192 • • • having aromatic groups, e.g. sulindac, 2-aryl-propionic acids, ethacrynic acid [7, 2006.01]
- 31/194 • • • having two or more carboxyl groups, e.g. succinic, maleic or phthalic acid [7, 2006.01]
- 31/195 • • • having an amino group [2, 7, 2006.01]
- Note(s) [7]**
- In this group, the expression "amino group" also covers "acyl amino group".
- 31/196 • • • • the amino group being directly attached to a ring, e.g. anthranilic acid, mefenamic acid, diclofenac, chlorambucil [7, 2006.01]
- 31/197 • • • • the amino and the carboxyl groups being attached to the same acyclic carbon chain, e.g. gamma-aminobutyric acid (GABA), beta-alanine, epsilon-aminocaproic acid, pantothenic acid (carnitine A61K 31/205) [7, 2006.01]
- 31/198 • • • • • Alpha-amino acids, e.g. alanine, edetic acid (EDTA) (betaine A61K 31/205; proline A61K 31/401; tryptophan A61K 31/405; histidine A61K 31/4172; peptides not degraded to individual amino acids A61K 38/00) [7, 2006.01]
- 31/20 • • • having a carboxyl group bound to an acyclic chain of seven or more carbon atoms, e.g. stearic, palmitic or arachidic acid [2, 2006.01]
- 31/201 • • • • having one or two double bonds, e.g. oleic or linoleic acid [7, 2006.01]
- 31/202 • • • • having three or more double bonds, e.g. linolenic acid (eicosanoids, e.g. leukotrienes, A61K 31/557) [7, 2006.01]
- 31/203 • • • • Retinoic acids [7, 2006.01]
- 31/205 • • • Amine addition salts of organic acids; Inner quaternary ammonium salts, e.g. betaine, carnitine [2, 2006.01]
- 31/21 • • Esters, e.g. nitroglycerine, selenocyanates [2, 2006.01]
- 31/215 • • • of carboxylic acids [2, 2006.01]
- 31/216 • • • of acids having aromatic rings, e.g. benactizyne, clofibrate [7, 2006.01]
- 31/22 • • • of acyclic acids, e.g. pravastatin [2, 2006.01]
- 31/221 • • • • with compounds having an amino group, e.g. acetylcholine, acetylcarnitine [7, 2006.01]
- 31/222 • • • • with compounds having aromatic groups, e.g. dipivefrine, ibopamine [7, 2006.01]
- 31/223 • • • • of alpha-amino acids [7, 2006.01]
- 31/225 • • • • Polycarboxylic acids [2, 2006.01]
- 31/23 • • • • of acids having a carboxyl group bound to a chain of seven or more carbon atoms [2, 2006.01]
- 31/231 • • • • • having one or two double bonds [7, 2006.01]
- 31/232 • • • • • having three or more double bonds, e.g. etretinate [7, 2006.01]
- 31/235 • • • having an aromatic ring attached to a carboxyl group [2, 2006.01]
- 31/24 • • • • having an amino or nitro group [2, 2006.01]
- 31/245 • • • • • Amino benzoic acid types, e.g. procaine, novocaine (salicylic acid esters A61K 31/60) [2, 2006.01]
- 31/25 • • • with polyoxyalkylated alcohols, e.g. esters of polyethylene glycol [2, 2006.01]
- 31/255 • • • of sulfoxy acids or sulfur analogues thereof [2, 2006.01]
- 31/26 • • • Cyanate or isocyanate esters; Thiocyanate or isothiocyanate esters [2, 7, 2006.01]
- 31/265 • • • of carbonic, thiocarbonic or thiocarboxylic acids, e.g. thioacetic acid, xanthogenic acid, trithiocarbonic acid [2, 2006.01]
- 31/27 • • • of carbamic or thiocarbamic acids, e.g. meprobamate, carbachol, neostigmine [2, 2006.01]
- 31/275 • • Nitriles; Isonitriles [2, 2006.01]
- 31/277 • • • having a ring, e.g. verapamil [7, 2006.01]
- 31/28 • • Compounds containing heavy metals [2, 2006.01]
- 31/282 • • • Platinum compounds [7, 2006.01]
- 31/285 • • • Arsenic compounds [2, 2006.01]
- 31/29 • • • Antimony or bismuth compounds [2, 2006.01]
- 31/295 • • • Iron group metal compounds [2, 2006.01]
- 31/30 • • • Copper compounds [2, 2006.01]
- 31/305 • • • Mercury compounds [2, 2006.01]
- 31/31 • • • • containing nitrogen [2, 2006.01]
- 31/315 • • • Zinc compounds [2, 2006.01]
- 31/32 • • • Tin compounds [2, 2006.01]
- 31/325 • • Carbamic acids; Thiocarbamic acids; Anhydrides or salts thereof (thiurams A61K 31/145) [2, 2006.01]
- 31/327 • • Peroxy compounds, e.g. hydroperoxides, peroxides, peroxy acids [7, 2006.01]
- 31/33 • • Heterocyclic compounds [2, 2006.01]
- 31/335 • • • having oxygen as the only ring hetero atom, e.g. fungichromin [2, 2006.01]
- 31/336 • • • • having three-membered rings, e.g. oxirane, fumagillin [7, 2006.01]
- 31/337 • • • • having four-membered rings, e.g. taxol [7, 2006.01]
- 31/34 • • • • having five-membered rings with one oxygen as the only ring hetero atom, e.g. isosorbide [2, 2006.01]
- 31/341 • • • • • not condensed with another ring, e.g. ranitidine, furosemide, bufetolol, muscarine [7, 2006.01]
- 31/343 • • • • • condensed with a carbocyclic ring, e.g. coumaran, bufuralol, befunolol, clobenfurol, amiodarone [7, 2006.01]
- 31/345 • • • • • Nitrofurans (nitrofurantoin A61K 31/4178) [2, 7, 2006.01]
- 31/35 • • • • having six-membered rings with one oxygen as the only ring hetero atom [2, 2006.01]
- 31/351 • • • • • not condensed with another ring [7, 2006.01]
- 31/352 • • • • • condensed with carbocyclic rings, e.g. cannabinoids, methantheline [7, 2006.01]
- 31/353 • • • • • 3,4-Dihydrobenzopyrans, e.g. chroman, catechin [7, 2006.01]
- 31/355 • • • • • Tocopherols, e.g. vitamin E [2, 2006.01]
- 31/357 • • • • having two or more oxygen atoms in the same ring, e.g. crown ethers, guanadrel [7, 2006.01]
- 31/36 • • • • Compounds containing methylenedioxyphenyl groups, e.g. sesamin [2, 2006.01]
- 31/365 • • • Lactones [2, 2006.01]
- 31/366 • • • • having six-membered rings, e.g. delta-lactones [7, 2006.01]
- 31/37 • • • • • Coumarins, e.g. psoralen [2, 2006.01]
- 31/375 • • • • • Ascorbic acid, i.e. vitamin C; Salts thereof [2, 2006.01]
- 31/38 • • • having sulfur as a ring hetero atom [2, 2006.01]
- 31/381 • • • • having five-membered rings [7, 2006.01]
- 31/382 • • • • having six-membered rings, e.g. thioxanthenes (thiothixene A61K 31/496) [7, 2006.01]
- 31/385 • • • • having two or more sulfur atoms in the same ring [2, 2006.01]

- 31/39 • • • having oxygen atoms in the same ring [2, 2006.01]
- 31/395 • • having nitrogen as a ring hetero atom, e.g. guanethidine, rifamycins (rifampin A61K 31/496) [2, 7, 2006.01]
- 31/396 • • • having three-membered rings, e.g. aziridine [7, 2006.01]
- 31/397 • • • having four-membered rings, e.g. azetidine [7, 2006.01]
- 31/40 • • • having five-membered rings with one nitrogen as the only ring hetero atom, e.g. sulpiride, succinimide, tolmetin, buflomedil [2, 2006.01]
- 31/401 • • • • Proline; Derivatives thereof, e.g. captopril [7, 2006.01]
- 31/4015 • • • • having oxo groups directly attached to the heterocyclic ring, e.g. piracetam, ethosuximide [7, 2006.01]
- 31/402 • • • • 1-aryl-substituted, e.g. piretanide [7, 2006.01]
- 31/4025 • • • • not condensed and containing further heterocyclic rings, e.g. cromakalim [7, 2006.01]
- 31/403 • • • • condensed with carbocyclic rings, e.g. carbazole [7, 2006.01]
- 31/4035 • • • • Isoindoles, e.g. phthalimide [7, 2006.01]
- 31/404 • • • • Indoles, e.g. pindolol [7, 2006.01]
- 31/4045 • • • • • Indole-alkylamines; Amides thereof, e.g. serotonin, melatonin [7, 2006.01]
- 31/405 • • • • • Indole-alkanecarboxylic acids; Derivatives thereof, e.g. tryptophan, indomethacin [2, 2006.01]
- 31/407 • • • • condensed with heterocyclic ring systems, e.g. ketorolac, physostigmine [7, 2006.01]
- 31/409 • • • • having four such rings, e.g. porphine derivatives, bilirubin, biliverdine (hemin, hematin A61K 31/555) [7, 2006.01]
- 31/41 • • • having five-membered rings with two or more ring hetero atoms, at least one of which is nitrogen, e.g. tetrazole [2, 2006.01]
- 31/415 • • • • 1,2-Diazoles [2, 7, 2006.01]
- 31/4152 • • • • • having oxo groups directly attached to the heterocyclic ring, e.g. antipyrine, phenylbutazone, sulfinpyrazone [7, 2006.01]
- 31/4155 • • • • • not condensed and containing further heterocyclic rings [7, 2006.01]
- 31/416 • • • • • condensed with carbocyclic ring systems, e.g. indazole [7, 2006.01]
- 31/4162 • • • • • condensed with heterocyclic ring systems [7, 2006.01]
- 31/4164 • • • • 1,3-Diazoles [7, 2006.01]
- 31/4166 • • • • • having oxo groups directly attached to the heterocyclic ring, e.g. phenytoin [7, 2006.01]
- 31/4168 • • • • • having a nitrogen atom attached in position 2, e.g. clonidine [7, 2006.01]
- 31/417 • • • • • Imidazole-alkylamines, e.g. histamine, phentolamine [7, 2006.01]
- 31/4172 • • • • • Imidazole-alkanecarboxylic acids, e.g. histidine [7, 2006.01]
- 31/4174 • • • • • Arylalkylimidazoles, e.g. oxymetazolin, naphazoline, miconazole [7, 2006.01]
- 31/4178 • • • • • not condensed and containing further heterocyclic rings, e.g. pilocarpine, nitrofurantoin [7, 2006.01]
- 31/4184 • • • • • condensed with carbocyclic rings, e.g. benzimidazoles [7, 2006.01]
- 31/4188 • • • • • condensed with heterocyclic ring systems, e.g. biotin, sorbinil [7, 2006.01]
- 31/4192 • • • • 1,2,3-Triazoles [7, 2006.01]
- 31/4196 • • • • 1,2,4-Triazoles [7, 2006.01]
- 31/42 • • • • Oxazoles [2, 7, 2006.01]
- 31/421 • • • • • 1,3-Oxazoles, e.g. pemoline, trimethadione [7, 2006.01]
- 31/422 • • • • • not condensed and containing further heterocyclic rings [7, 2006.01]
- 31/423 • • • • • condensed with carbocyclic rings [7, 2006.01]
- 31/424 • • • • • condensed with heterocyclic ring systems, e.g. clavulanic acid [7, 2006.01]
- 31/4245 • • • • Oxadiazoles [7, 2006.01]
- 31/425 • • • • Thiazoles [2, 7, 2006.01]
- 31/426 • • • • • 1,3-Thiazoles [7, 2006.01]
- 31/427 • • • • • not condensed and containing further heterocyclic rings [7, 2006.01]
- 31/428 • • • • • condensed with carbocyclic rings [7, 2006.01]
- 31/429 • • • • • condensed with heterocyclic ring systems [7, 2006.01]
- 31/43 • • • • • Compounds containing 4-thia-1-azabicyclo [3.2.0] heptane ring systems, i.e. compounds containing a ring system of the formula
- C₆-C₅-S-C₄-C₃-C₂-N₁-C₇, e.g. penicillins, penems [2, 6, 2006.01]
- 31/431 • • • • • • containing further heterocyclic ring systems, e.g. ticarcillin, azlocillin, oxacillin [7, 2006.01]
- 31/433 • • • • Thiadiazoles [7, 2006.01]
- 31/435 • • • having six-membered rings with one nitrogen as the only ring hetero atom [2, 2006.01]
- 31/4353 • • • • ortho- or peri-condensed with heterocyclic ring systems [7, 2006.01]
- 31/4355 • • • • • the heterocyclic ring system containing a five-membered ring having oxygen as a ring hetero atom [7, 2006.01]
- 31/436 • • • • • the heterocyclic ring system containing a six-membered ring having oxygen as a ring hetero atom, e.g. rapamycin [7, 2006.01]
- 31/4365 • • • • • the heterocyclic ring system having sulfur as a ring hetero atom, e.g. ticlopidine [7, 2006.01]
- 31/437 • • • • • the heterocyclic ring system containing a five-membered ring having nitrogen as a ring hetero atom, e.g. indolizine, beta-carboline [7, 2006.01]
- 31/4375 • • • • • the heterocyclic ring system containing a six-membered ring having nitrogen as a ring hetero atom, e.g. quinolizines, naphthyridines, berberine, vincamine [7, 2006.01]
- 31/438 • • • • • the ring being spiro-condensed with carbocyclic or heterocyclic ring systems [7, 2006.01]
- 31/439 • • • • • the ring forming part of a bridged ring system, e.g. quinuclidine (8-azabicyclo [3.2.1] octanes A61K 31/46) [7, 2006.01]
- 31/44 • • • • Non-condensed pyridines; Hydrogenated derivatives thereof [2, 7, 2006.01]
- 31/4402 • • • • • only substituted in position 2, e.g. pheniramine, bisacodyl [7, 2006.01]

- 31/4406 • • • • • only substituted in position 3, e.g. zimeldine (nicotinic acid A61K 31/455) [7, 2006.01]
- 31/4409 • • • • • only substituted in position 4, e.g. isoniazid, iproniazid [7, 2006.01]
- 31/4412 • • • • • having oxo groups directly attached to the heterocyclic ring [7, 2006.01]
- 31/4415 • • • • • Pyridoxine, i.e. vitamin B₆ (pyridoxal phosphate A61K 31/675) [7, 2006.01]
- 31/4418 • • • • • having a carbocyclic ring directly attached to the heterocyclic ring, e.g. cyproheptadine [7, 2006.01]
- 31/4422 • • • • • 1,4-Dihydropyridines, e.g. nifedipine, nicardipine [7, 2006.01]
- 31/4425 • • • • • Pyridinium derivatives, e.g. pralidoxime, pyridostigmine [7, 2006.01]
- 31/4427 • • • • • containing further heterocyclic ring systems [7, 2006.01]
- 31/443 • • • • • • containing a five-membered ring with oxygen as a ring hetero atom [7, 2006.01]
- 31/4433 • • • • • • containing a six-membered ring with oxygen as a ring hetero atom [7, 2006.01]
- 31/4436 • • • • • • containing a heterocyclic ring having sulfur as a ring hetero atom [7, 2006.01]
- 31/4439 • • • • • • containing a five-membered ring with nitrogen as a ring hetero atom, e.g. omeprazole (nicotine A61K 31/465) [7, 2006.01]
- 31/444 • • • • • • containing a six-membered ring with nitrogen as a ring hetero atom, e.g. amrinone [7, 2006.01]
- 31/445 • • • • • Non-condensed piperidines, e.g. piperocaine [2, 7, 2006.01]
- 31/4453 • • • • • • only substituted in position 1, e.g. propipocaine, diperodon [7, 2006.01]
- 31/4458 • • • • • • only substituted in position 2, e.g. methylphenidate [7, 2006.01]
- 31/4462 • • • • • • only substituted in position 3 [7, 2006.01]
- 31/4465 • • • • • • only substituted in position 4 [7, 2006.01]
- 31/4468 • • • • • • having a nitrogen atom directly attached in position 4, e.g. clebopride, fentanyl [7, 2006.01]
- 31/45 • • • • • • having oxo groups directly attached to the heterocyclic ring, e.g. cycloheximide [2, 7, 2006.01]
- 31/451 • • • • • • having a carbocyclic ring directly attached to the heterocyclic ring, e.g. glutethimide, meperidine, loperamide, phencyclidine, piminodine [7, 2006.01]
- 31/4515 • • • • • • having a butyrophenone group in position 1, e.g. haloperidol (pipamperone A61K 31/4545) [7, 2006.01]
- 31/452 • • • • • • Piperidinium derivatives (pancuronium A61K 31/58) [7, 2006.01]
- 31/4523 • • • • • • containing further heterocyclic ring systems [7, 2006.01]
- 31/4525 • • • • • • • containing a five-membered ring with oxygen as a ring hetero atom [7, 2006.01]
- 31/453 • • • • • • • containing a six-membered ring with oxygen as a ring hetero atom [7, 2006.01]
- 31/4535 • • • • • • • containing a heterocyclic ring having sulfur as a ring hetero atom, e.g. pizotifen [7, 2006.01]
- 31/454 • • • • • • • containing a five-membered ring with nitrogen as a ring hetero atom, e.g. pimizide, domperidone [7, 2006.01]
- 31/4545 • • • • • • • containing a six-membered ring with nitrogen as a ring hetero atom, e.g. pipamperone, anabesine [7, 2006.01]
- 31/455 • • • • • Nicotinic acid, i.e. niacin; Derivatives thereof, e.g. esters, amides [2, 2006.01]
- 31/46 • • • • 8-Azabicyclo [3.2.1] octane; Derivatives thereof, e.g. atropine, cocaine [2, 2006.01]
- 31/465 • • • • Nicotine; Derivatives thereof [2, 2006.01]
- 31/47 • • • • Quinolines; Isoquinolines [2, 2006.01]
- 31/4704 • • • • • 2-Quinolines, e.g. carbostyryl [7, 2006.01]
- 31/4706 • • • • • 4-Aminoquinolines; 8-Aminoquinolines, e.g. chloroquine, primaquine [7, 2006.01]
- 31/4709 • • • • • Non-condensed quinolines containing further heterocyclic rings [7, 2006.01]
- 31/472 • • • • • Non-condensed isoquinolines, e.g. papaverine [7, 2006.01]
- 31/4725 • • • • • • containing further heterocyclic rings [7, 2006.01]
- 31/473 • • • • • ortho- or peri-condensed with carbocyclic ring systems, e.g. acridines, phenanthridines [7, 2006.01]
- 31/4738 • • • • • ortho- or peri-condensed with heterocyclic ring systems [7, 2006.01]
- 31/4741 • • • • • • condensed with ring systems having oxygen as a ring hetero atom, e.g. tubocuraran derivatives, noscapine, bicuculline [7, 2006.01]
- 31/4743 • • • • • • condensed with ring systems having sulfur as a ring hetero atom [7, 2006.01]
- 31/4745 • • • • • • condensed with ring systems having nitrogen as a ring hetero atom, e.g. phenanthrolines (yohimbine derivatives, vinblastine A61K 31/475; ergoline derivatives A61K 31/48) [7, 2006.01]
- 31/4747 • • • • • spiro-condensed [7, 2006.01]
- 31/4748 • • • • • forming part of bridged ring systems (strychnine A61K 31/475; morphinan derivatives A61K 31/485) [7, 2006.01]
- 31/475 • • • • • having an indole ring, e.g. yohimbine, reserpine, strychnine, vinblastine (vincamine A61K 31/4375) [2, 7, 2006.01]
- 31/48 • • • • • Ergoline derivatives, e.g. lysergic acid, ergotamine [2, 7, 2006.01]
- 31/485 • • • • • Morphinan derivatives, e.g. morphine, codeine [2, 7, 2006.01]
- 31/49 • • • • • Cinchonan derivatives, e.g. quinine [2, 7, 2006.01]
- 31/495 • • • • • having six-membered rings with two nitrogen atoms as the only ring hetero atoms, e.g. piperazine (A61K 31/48 takes precedence) [2, 2006.01]

- 31/496 • • • • Non-condensed piperazines containing further heterocyclic rings, e.g. rifampin, thiothixene [7, 2006.01]
- 31/4965 • • • • Non-condensed pyrazines [7, 2006.01]
- 31/497 • • • • • containing further heterocyclic rings [7, 2006.01]
- 31/498 • • • • • Pyrazines or piperazines ortho- or peri-condensed with carbocyclic ring systems, e.g. quinoxaline, phenazine [7, 2006.01]
- 31/4985 • • • • • Pyrazines or piperazines ortho- or peri-condensed with heterocyclic ring systems [7, 2006.01]
- 31/499 • • • • • Spiro-condensed pyrazines or piperazines [7, 2006.01]
- 31/4995 • • • • • Pyrazines or piperazines forming part of bridged ring systems [7, 2006.01]
- 31/50 • • • • • Pyridazines; Hydrogenated pyridazines [2, 7, 2006.01]
- 31/501 • • • • • not condensed and containing further heterocyclic rings [7, 2006.01]
- 31/502 • • • • • ortho- or peri-condensed with carbocyclic ring systems, e.g. cinnoline, phthalazine [7, 2006.01]
- 31/5025 • • • • • ortho- or peri-condensed with heterocyclic ring systems [7, 2006.01]
- 31/503 • • • • • spiro-condensed [7, 2006.01]
- 31/504 • • • • • forming part of bridged ring systems [7, 2006.01]
- 31/505 • • • • • Pyrimidines; Hydrogenated pyrimidines, e.g. trimethoprim [2, 7, 2006.01]
- 31/506 • • • • • not condensed and containing further heterocyclic rings [7, 2006.01]
- 31/51 • • • • • • Thiamines, e.g. vitamin B₁ [2, 2006.01]
- 31/513 • • • • • having oxo groups directly attached to the heterocyclic ring, e.g. cytosine [7, 2006.01]
- 31/515 • • • • • • Barbituric acids; Derivatives thereof, e.g. sodium pentobarbital [2, 2006.01]
- 31/517 • • • • • ortho- or peri-condensed with carbocyclic ring systems, e.g. quinazoline, perimidine [7, 2006.01]
- 31/519 • • • • • ortho- or peri-condensed with heterocyclic rings [7, 2006.01]
- 31/52 • • • • • • Purines, e.g. adenine [2, 7, 2006.01]
- 31/522 • • • • • • having oxo groups directly attached to the heterocyclic ring, e.g. hypoxanthine, guanine, acyclovir [7, 2006.01]
- 31/525 • • • • • • Isoalloxazines, e.g. riboflavins, vitamin B₂ [2, 2006.01]
- 31/527 • • • • • spiro-condensed [7, 2006.01]
- 31/529 • • • • • forming part of bridged ring systems [7, 2006.01]
- 31/53 • • • • having six-membered rings with three nitrogens as the only ring hetero atoms, e.g. chlorazaniil, melamine (melarsoprol A61K 31/555) [2, 2006.01]
- 31/535 • • • • having six-membered rings with at least one nitrogen and at least one oxygen as the ring hetero atoms, e.g. 1,2-oxazines [2, 2006.01]
- 31/5355 • • • • • Non-condensed oxazines containing further heterocyclic rings [7, 2006.01]
- 31/536 • • • • • ortho- or peri-condensed with carbocyclic ring systems [7, 2006.01]
- 31/5365 • • • • • ortho- or peri-condensed with heterocyclic ring systems [7, 2006.01]
- 31/537 • • • • • spiro-condensed or forming part of bridged ring systems [7, 2006.01]
- 31/5375 • • • • • 1,4-Oxazines, e.g. morpholine [7, 2006.01]
- 31/5377 • • • • • not condensed and containing further heterocyclic rings, e.g. timolol [7, 2006.01]
- 31/538 • • • • • ortho- or peri-condensed with carbocyclic ring systems [7, 2006.01]
- 31/5383 • • • • • ortho- or peri-condensed with heterocyclic ring systems [7, 2006.01]
- 31/5386 • • • • • spiro-condensed or forming part of bridged ring systems [7, 2006.01]
- 31/539 • • • • • having two or more oxygen atoms in the same ring, e.g. dioxazines [7, 2006.01]
- 31/5395 • • • • • having two or more nitrogen atoms in the same ring, e.g. oxadiazines [7, 2006.01]
- 31/54 • • • • having six-membered rings with at least one nitrogen and at least one sulfur as the ring hetero atoms, e.g. sulthiame [2, 2006.01]
- 31/541 • • • • • Non-condensed thiazines containing further heterocyclic rings [7, 2006.01]
- 31/5415 • • • • • ortho- or peri-condensed with carbocyclic ring systems, e.g. phenothiazine, chlorpromazine, piroxicam [7, 2006.01]
- 31/542 • • • • • ortho- or peri-condensed with heterocyclic ring systems [7, 2006.01]
- 31/545 • • • • • Compounds containing 5-thia-1-azabicyclo [4.2.0] octane ring systems, i.e. compounds containing a ring system



of the formula
cephalosporins, cefaclor,
cephalexine [2, 6, 2006.01]

- 31/546 • • • • • • containing further heterocyclic rings, e.g. cephalothin [7, 2006.01]
- 31/547 • • • • • spiro-condensed or forming part of bridged ring systems [7, 2006.01]
- 31/548 • • • • • having two or more sulfur atoms in the same ring [7, 2006.01]
- 31/549 • • • • • having two or more nitrogen atoms in the same ring, e.g. hydrochlorothiazide [7, 2006.01]
- 31/55 • • • • having seven-membered rings, e.g. azelastine, pentylene-tetrazole [2, 2006.01]
- 31/551 • • • • • having two nitrogens as ring hetero atoms, e.g. clozapine, dilazep [7, 2006.01]
- 31/5513 • • • • • 1,4-Benzodiazepines, e.g. diazepam [7, 2006.01]
- 31/5517 • • • • • condensed with five-membered rings having nitrogen as a ring hetero atom, e.g. imidazobenzodiazepines, triazolam [7, 2006.01]
- 31/553 • • • • • having at least one nitrogen and at least one oxygen as ring hetero atoms, e.g. loxapine, staurosporine [7, 2006.01]
- 31/554 • • • • • having at least one nitrogen and at least one sulfur as ring hetero atoms, e.g. clothiapine, diltiazem [7, 2006.01]
- 31/555 • • • • • containing heavy metals, e.g. hemin, hematin, melarsoprol [2, 2006.01]
- 31/557 • • • • • Eicosanoids, e.g. leukotrienes [3, 7, 2006.01]
- 31/5575 • • • • • having a cyclopentane ring, e.g. prostaglandin E₂, prostaglandin F_{2- α} [7, 2006.01]
- 31/5578 • • • • • having a pentalene ring system, e.g. carbacyclin, iloprost [7, 2006.01]

- 31/558 • • having heterocyclic rings containing oxygen as the only ring hetero atom, e.g. thromboxanes [7, 2006.01]
- 31/5585 • • • having five-membered rings containing oxygen as the only ring hetero atom, e.g. prostacyclin [7, 2006.01]
- 31/559 • • having heterocyclic rings containing hetero atoms other than oxygen [7, 2006.01]
- 31/56 • Compounds containing cyclopenta[a]hydrophenanthrene ring systems; Derivatives thereof, e.g. steroids [4, 7, 2006.01]

Note(s) [7]

Attention is drawn to Note (1) following the title of subclass C07J, which explains what is covered by the term "steroids".

- 31/565 • • not substituted in position 17 beta by a carbon atom, e.g. oestrane, oestradiol [2, 2006.01]
- 31/566 • • • having an oxo group in position 17, e.g. oestrone [7, 2006.01]
- 31/567 • • • substituted in position 17 alpha, e.g. mestranol, norethandrolone [7, 2006.01]
- 31/568 • • • substituted in positions 10 and 13 by a chain having at least one carbon atom, e.g. androstane, testosterone [7, 2006.01]
- 31/5685 • • • • having an oxo group in position 17, e.g. androsterone [7, 2006.01]
- 31/569 • • • • substituted in position 17 alpha, e.g. ethisterone [7, 2006.01]
- 31/57 • • substituted in position 17 beta by a chain of two carbon atoms, e.g. pregnane, progesterone [2, 2006.01]
- 31/573 • • • substituted in position 21, e.g. cortisone, dexamethasone, prednisone [7, 2006.01]
- 31/575 • • substituted in position 17 beta by a chain of three or more carbon atoms, e.g. cholane, cholestane, ergosterol, sitosterol [2, 2006.01]
- 31/58 • • containing heterocyclic rings, e.g. aldosterone, danazol, stanozolol, pancuronium, digitogenin (digitoxin A61K 31/704) [2, 7, 2006.01]
- 31/585 • • • containing lactone rings, e.g. oxandrolone, bufalin [2, 2006.01]
- 31/59 • Compounds containing 9,10-seco-cyclopenta[a]hydro-phenanthrene ring systems [2, 2006.01]
- 31/592 • • 9,10-Secoergostane derivatives, e.g. ergocalciferol, vitamin D₂ [7, 2006.01]
- 31/593 • • 9,10-Secocholestane derivatives, e.g. cholecalciferol, vitamin D₃ [7, 2006.01]
- 31/60 • Salicylic acid; Derivatives thereof [2, 2006.01]
- 31/603 • • having further aromatic rings, e.g. diflunisal [7, 2006.01]
- 31/606 • • having amino groups [7, 2006.01]
- 31/609 • • Amides, e.g. salicylamide [7, 2006.01]
- 31/612 • • having the hydroxy group in position 2 esterified, e.g. salicylsulfuric acid (fosfosal A61K 31/661) [7, 2006.01]
- 31/616 • • • by carboxylic acids, e.g. acetylsalicylic acid [7, 2006.01]
- 31/618 • • having the carboxyl group in position 1 esterified, e.g. salsalate [7, 2006.01]
- 31/621 • • • having the hydroxy group in position 2 esterified, e.g. benorylate [7, 2006.01]
- 31/625 • • having heterocyclic substituents, e.g. 4-salicyloylmorpholine (sulfasalazine A61K 31/635) [2, 7, 2006.01]

- 31/63 • Compounds containing para-N-benzene- sulfonyl-N-groups, e.g. sulfanilamide, p-nitrobenzenesulfonohydrazide [2, 2006.01]
- 31/635 • • having a heterocyclic ring, e.g. sulfadiazine [2, 2006.01]
- 31/64 • Sulfonylureas, e.g. glibenclamide, tolbutamide, chlorpropamide [2, 2006.01]
- 31/65 • Tetracyclines [2, 2006.01]
- 31/655 • Azo (—N=N—), diazo (=N_2), azoxy (:N—O—N: or N(=O)—N:), azido (—N_3) or diazoamino (—N=N—N:) compounds [2, 2006.01]
- 31/66 • Phosphorus compounds [2, 2006.01]
- 31/661 • • Phosphorus acids or esters thereof not having P—C bonds, e.g. fosfosal, dichlorvos, malathion [7, 2006.01]
- 31/6615 • • • Compounds having two or more esterified phosphorus acid groups, e.g. inositol triphosphate, phytic acid [7, 2006.01]
- 31/662 • • Phosphorus acids or esters thereof having P—C bonds, e.g. foscarnet, trichlorfon [7, 2006.01]
- 31/663 • • • Compounds having two or more phosphorus acid groups or esters thereof, e.g. clodronic acid, pamidronic acid [7, 2006.01]
- 31/664 • • Amides of phosphorus acids [7, 2006.01]
- 31/665 • • having oxygen as a ring hetero atom, e.g. fosfomycin [2, 2006.01]
- 31/67 • • having sulfur as a ring hetero atom [2, 2006.01]
- 31/675 • • having nitrogen as a ring hetero atom, e.g. pyridoxal phosphate [2, 2006.01]
- 31/683 • • Diesters of a phosphorus acid with two hydroxy compounds, e.g. phosphatidylinositols [7, 2006.01]
- 31/685 • • • one of the hydroxy compounds having nitrogen atoms, e.g. phosphatidylserine, lecithin [2, 7, 2006.01]
- 31/688 • • • both hydroxy compounds having nitrogen atoms, e.g. sphingomyelins [7, 2006.01]
- 31/69 • Boron compounds [2, 2006.01]
- 31/695 • Silicon compounds [2, 2006.01]
- 31/70 • Carbohydrates; Sugars; Derivatives thereof (sorbitol A61K 31/047) [2, 7, 2006.01]

Note(s) [7]

In this group, the expressions are used with the meanings indicated in Note (3) following the title of subclass C07H.

- 31/7004 • • Monosaccharides having only carbon, hydrogen and oxygen atoms [7, 2006.01]
- 31/7008 • • Compounds having an amino group directly attached to a carbon atom of the saccharide radical, e.g. D-galactosamine, ranimustine [7, 2006.01]
- 31/7012 • • Compounds having a free or esterified carboxyl group attached, directly or through a carbon chain, to a carbon atom of the saccharide radical, e.g. glucuronic acid, neuraminic acid (gluconic acid A61K 31/191; ascorbic acid A61K 31/375) [7, 2006.01]
- 31/7016 • • Disaccharides, e.g. lactose, lactulose (lactobionic acid A61K 31/7032) [7, 2006.01]
- 31/702 • • Oligosaccharides, i.e. having three to five saccharide radicals attached to each other by glycosidic linkages [7, 2006.01]
- 31/7024 • • Esters of saccharides [7, 2006.01]
- 31/7028 • • Compounds having saccharide radicals attached to non-saccharide compounds by glycosidic linkages [7, 2006.01]

- 31/7032 • • • attached to a polyol, i.e. compounds having two or more free or esterified hydroxy groups, including the hydroxy group involved in the glycosidic linkage, e.g. monoglucosyl-diacylglycerides, lactobionic acid, gangliosides [7, 2006.01]
- 31/7034 • • • attached to a carbocyclic compound, e.g. phloridzin [7, 2006.01]
- 31/7036 • • • having at least one amino group directly attached to the carbocyclic ring, e.g. streptomycin, gentamycin, amikacin, validamycin, fortimicins [7, 2006.01]
- 31/704 • • • attached to a condensed carbocyclic ring system, e.g. sennosides, thiocolchicosides, escin, daunorubicin, digitoxin [7, 2006.01]
- 31/7042 • • Compounds having saccharide radicals and heterocyclic rings [7, 2006.01]
- 31/7048 • • • having oxygen as a ring hetero atom, e.g. leucoglucosan, hesperidin, erythromycin, nystatin [7, 2006.01]
- 31/7052 • • • having nitrogen as a ring hetero atom, e.g. nucleosides, nucleotides [7, 2006.01]
- 31/7056 • • • containing five-membered rings with nitrogen as a ring hetero atom [7, 2006.01]
- 31/706 • • • containing six-membered rings with nitrogen as a ring hetero atom [7, 2006.01]
- 31/7064 • • • containing condensed or non-condensed pyrimidines [7, 2006.01]
- 31/7068 • • • having oxo groups directly attached to the pyrimidine ring, e.g. cytidine, cytidylic acid [7, 2006.01]
- 31/7072 • • • having two oxo groups directly attached to the pyrimidine ring, e.g. uridine, uridylic acid, thymidine, zidovudine [7, 2006.01]
- 31/7076 • • • containing purines, e.g. adenosine, adenylic acid [7, 2006.01]
- 31/708 • • • having oxo groups directly attached to the purine ring system, e.g. guanosine, guanylic acid [7, 2006.01]
- 31/7084 • • Compounds having two nucleosides or nucleotides, e.g. nicotinamide-adenine dinucleotide, flavine-adenine dinucleotide [7, 2006.01]
- 31/7088 • • Compounds having three or more nucleosides or nucleotides [7, 2006.01]
- 31/7105 • • • Natural ribonucleic acids, i.e. containing only riboses attached to adenine, guanine, cytosine or uracil and having 3'-5' phosphodiester links [7, 2006.01]
- 31/711 • • • Natural deoxyribonucleic acids, i.e. containing only 2'-deoxyriboses attached to adenine, guanine, cytosine or thymine and having 3'-5' phosphodiester links [7, 2006.01]
- 31/7115 • • • Nucleic acids or oligonucleotides having modified bases, i.e. other than adenine, guanine, cytosine, uracil or thymine [7, 2006.01]
- 31/712 • • • Nucleic acids or oligonucleotides having modified sugars, i.e. other than ribose or 2'-deoxyribose [7, 2006.01]
- 31/7125 • • • Nucleic acids or oligonucleotides having modified internucleoside linkage, i.e. other than 3'-5' phosphodiester [7, 2006.01]
- 31/713 • • • Double-stranded nucleic acids or oligonucleotides [7, 2006.01]
- 31/7135 • • Compounds containing heavy metals [7, 2006.01]
- 31/714 • • • Cobalamins, e.g. cyanocobalamin, vitamin B₁₂ [7, 2006.01]
- 31/715 • • Polysaccharides, i.e. having more than five saccharide radicals attached to each other by glycosidic linkages; Derivatives thereof, e.g. ethers, esters [2, 2006.01]
- 31/716 • • • Glucans [7, 2006.01]
- 31/717 • • • Celluloses [7, 2006.01]
- 31/718 • • • Starch or degraded starch, e.g. amylose, amylopectin [7, 2006.01]
- 31/719 • • • Pullulans [7, 2006.01]
- 31/721 • • • Dextrans [7, 2006.01]
- 31/722 • • • Chitin; Chitosan [7, 2006.01]
- 31/723 • • • Xanthans [7, 2006.01]
- 31/724 • • • Cyclodextrins [7, 2006.01]
- 31/726 • • Glycosaminoglycans, i.e. mucopolysaccharides (chondroitin sulfate, dermatan sulfate A61K 31/737) [7, 2006.01]
- 31/727 • • • Heparin; Heparan [7, 2006.01]
- 31/728 • • • Hyaluronic acid [7, 2006.01]
- 31/729 • • • Agar; Agarose; Agaropectin [7, 2006.01]
- 31/731 • • • Carrageenans [7, 2006.01]
- 31/732 • • • Pectin [7, 2006.01]
- 31/733 • • • Fructosans, e.g. inulin [7, 2006.01]
- 31/734 • • • Alginic acid [7, 2006.01]
- 31/736 • • • Glucomannans or galactomannans, e.g. locust bean gum, guar gum [7, 2006.01]
- 31/737 • • Sulfated polysaccharides, e.g. chondroitin sulfate, dermatan sulfate (A61K 31/727 takes precedence) [7, 2006.01]
- 31/738 • • • Cross-linked polysaccharides [7, 2006.01]
- 31/739 • • • Lipopolysaccharides [7, 2006.01]
- 31/74 • • Synthetic polymeric materials [2, 2006.01]
- 31/745 • • Polymers of hydrocarbons [2, 2006.01]
- 31/75 • • • of ethene [2, 2006.01]
- 31/755 • • Polymers containing halogen [2, 2006.01]
- 31/76 • • • of vinyl chloride [2, 2006.01]
- 31/765 • • Polymers containing oxygen [2, 2006.01]
- 31/77 • • • of oxiranes [2, 2006.01]
- 31/775 • • • Phenolic resins [2, 2006.01]
- 31/78 • • • of acrylic acid or derivatives thereof [2, 2006.01]
- 31/785 • • Polymers containing nitrogen [2, 2006.01]
- 31/787 • • • containing heterocyclic rings having nitrogen as a ring hetero atom [7, 2006.01]
- 31/79 • • • Polymers of vinyl pyrrolidone [2, 2006.01]
- 31/795 • • Polymers containing sulfur [2, 2006.01]
- 31/80 • • Polymers containing hetero atoms not provided for in groups A61K 31/755-A61K 31/795 [2, 2006.01]
- 33/00 Medicinal preparations containing inorganic active ingredients [2, 2006.01]**
- 33/02 • • Ammonia; Compounds thereof [2, 2006.01]
- 33/04 • • Sulfur, selenium or tellurium; Compounds thereof [2, 2006.01]
- 33/06 • • Aluminium, calcium or magnesium; Compounds thereof [2, 2006.01]
- 33/08 • • Oxides; Hydroxides [2, 2006.01]
- 33/10 • • Carbonates; Bicarbonates [2, 2006.01]
- 33/12 • • Magnesium silicate [2, 2006.01]
- 33/14 • • Alkali metal chlorides; Alkaline earth metal chlorides [2, 2006.01]
- 33/16 • • Fluorine compounds [2, 2006.01]
- 33/18 • • Iodine; Compounds thereof [2, 2006.01]

- 33/20 • Elemental chlorine; Inorganic compounds releasing chlorine [2, 2006.01]
- 33/22 • Boron compounds [2, 2006.01]
- 33/24 • Heavy metals; Compounds thereof [2, 2006.01]
- 33/26 • • Iron; Compounds thereof [2, 2006.01]
- 33/28 • • Mercury; Compounds thereof [2, 2006.01]
- 33/30 • • Zinc; Compounds thereof [2, 2006.01]
- 33/32 • • Manganese; Compounds thereof [2, 2006.01]
- 33/34 • • Copper; Compounds thereof [2, 2006.01]
- 33/36 • • Arsenic; Compounds thereof [2, 2006.01]
- 33/38 • • Silver; Compounds thereof [2, 2006.01]
- 33/40 • Peroxides [2, 2006.01]
- 33/42 • Phosphorus; Compounds thereof [2, 2006.01]
- 33/44 • Elemental carbon, e.g. charcoal, carbon black [2, 2006.01]
- 35/00 Medicinal preparations containing materials or reaction products thereof with undetermined constitution [2, 2006.01]**
- Note(s) [2006.01, 2015.01]**
1. In this group, classification is made for each active component or material. For each active component or material, classification is then made in the last appropriate place.
 2. When classifying in this group, classification is also made in group B01D 15/08 insofar as subject matter of general interest relating to chromatography is concerned.
- 35/02 • from inanimate materials (carbon A61K 33/44) [2, 2006.01, 2015.01]
- 35/04 • • Tars; Bitumens; Mineral oils; Ammonium bituminosulfonate [2, 2006.01]
- 35/06 • • • Mineral oils, e.g. paraffinic oils or aromatic oils based on aromatic hydrocarbons [2, 2006.01]
- 35/08 • • Mineral waters; Seawater [2, 2006.01, 2015.01]
- 35/10 • • Peat; Amber; Turf; Humus [2, 2006.01, 2015.01]
- 35/12 • Materials from mammals; Compositions comprising non-specified tissues or cells; Compositions comprising non-embryonic stem cells; Genetically modified cells (uncharacterised stem cells A61K 35/545; vaccines or medicinal preparations containing antigens or antibodies A61K 39/00) [2, 2006.01, 2015.01]
- Note(s) [2015.01]**
- If the cells are characterised, classification is made in the group covering the corresponding tissue or tissue of origin.
- 35/13 • • Tumour cells, irrespective of tissue of origin (tumour vaccines A61K 39/00) [2015.01]
- 35/14 • • Blood; Artificial blood (perfluorocarbons A61K 31/02; umbilical cord blood A61K 35/51; haemoglobin A61K 38/42) [2, 2006.01, 2015.01]
- 35/15 • • • Cells of the myeloid line, e.g. granulocytes, basophils, eosinophils, neutrophils, leucocytes, monocytes, macrophages or mast cells; Myeloid precursor cells; Antigen-presenting cells, e.g. dendritic cells (presenting a specific antigen A61K 39/00; therapeutic combinations of antibodies, or fragments thereof, and blood-derived cells A61K 39/00) [2015.01]
- 35/16 • • • Blood plasma; Blood serum (umbilical cord blood A61K 35/51) [2, 2006.01, 2015.01]
- 35/17 • • • Lymphocytes; B-cells; T-cells; Natural killer cells; Interferon-activated or cytokine-activated lymphocytes (when activated by a specific antigen A61K 39/00) [2015.01]
- 35/18 • • • Erythrocytes (haemoglobin A61K 38/42) [2, 2006.01, 2015.01]
- 35/19 • • • Platelets; Megacaryocytes [2015.01]
- 35/20 • • Milk; Whey; Colostrum [2, 2006.01]
- 35/22 • • Urine; Urinary tract, e.g. kidney or bladder; Intraglomerular mesangial cells; Renal mesenchymal cells; Adrenal gland [2, 2006.01, 2015.01]
- 35/24 • • Mucus; Mucous glands; Bursa; Synovial fluid; Arthral fluid; Excreta; Spinal fluid (saliva A61K 35/38) [2, 2006.01, 2015.01]
- 35/26 • • Lymph; Lymph nodes; Thymus; Spleen; Splenocytes; Thymocytes [2, 2006.01, 2015.01]
- 35/28 • • Bone marrow; Haematopoietic stem cells; Mesenchymal stem cells of any origin, e.g. adipose-derived stem cells [2, 2006.01, 2015.01]
- 35/30 • • Nerves; Brain; Eyes; Corneal cells; Cerebrospinal fluid; Neuronal stem cells; Neuronal precursor cells; Glial cells; Oligodendrocytes; Schwann cells; Astroglia; Astrocytes; Choroid plexus; Spinal cord tissue [2, 2006.01, 2015.01]
- 35/32 • • Bones; Osteocytes; Osteoblasts; Tendons; Tenocytes; Teeth; Odontoblasts; Cartilage; Chondrocytes; Synovial membrane [2, 2006.01, 2015.01]
- 35/33 • • Fibroblasts [2015.01]
- 35/34 • • Muscles; Smooth muscle cells; Heart; Cardiac stem cells; Myoblasts; Myocytes; Cardiomyocytes (vascular smooth muscle A61K 35/44) [2, 2006.01, 2015.01]
- 35/35 • • Fat tissue; Adipocytes; Stromal cells; Connective tissues (adipose-derived stem cells A61K 35/28; collagen A61K 38/39) [2015.01]
- 35/36 • • Skin; Hair; Nails; Sebaceous glands; Cerumen; Epidermis; Epithelial cells; Keratinocytes; Langerhans cells; Ectodermal cells (islets of Langerhans A61K 35/39) [4, 2006.01, 2015.01]
- 35/37 • • Digestive system [3, 2006.01, 2015.01]
- 35/38 • • • Stomach; Intestine; Goblet cells; Oral mucosa; Saliva [3, 2006.01, 2015.01]
- 35/39 • • • Pancreas; Islets of Langerhans (Langerhans cells of epidermis A61K 35/36) [3, 2006.01, 2015.01]
- 35/407 • • • Liver; Hepatocytes [3, 2006.01, 2015.01]
- 35/413 • • • Gall bladder; Bile [3, 2006.01, 2015.01]
- 35/42 • • Respiratory system, e.g. lungs, bronchi or lung cells [2, 2006.01, 2015.01]
- 35/44 • • Vessels; Vascular smooth muscle cells; Endothelial cells; Endothelial progenitor cells [2, 2006.01, 2015.01]
- 35/48 • • Reproductive organs [2, 2006.01, 2015.01]
- 35/50 • • • Placenta; Placental stem cells; Amniotic fluid; Amnion; Amniotic stem cells [2, 2006.01, 2015.01]
- 35/51 • • • Umbilical cord; Umbilical cord blood; Umbilical stem cells [2015.01]
- 35/52 • • • Sperm; Prostate; Seminal fluid; Leydig cells of testes [2, 2006.01, 2015.01]
- 35/54 • • • Ovaries; Ova; Ovules; Embryos; Foetal cells; Germ cells [2, 2006.01, 2015.01]
- 35/545 • • • • Embryonic stem cells; Pluripotent stem cells; Induced pluripotent stem cells; Uncharacterised stem cells [2015.01]
- 35/55 • • Glands not provided for in groups A61K 35/22-A61K 35/545, e.g. thyroids, parathyroids or pineal glands [3, 2006.01, 2015.01]

A61K

- 35/56 • Materials from animals other than mammals [2, 2006.01, 2015.01]
- 35/57 • • Birds; Materials from birds, e.g. eggs, feathers, egg white, egg yolk or endothelium corneum gigeriae galli [2015.01]
- 35/58 • • Reptiles (antigens from snakes A61K 39/38) [2, 2006.01, 2015.01]
- 35/583 • • • Snakes; Lizards, e.g. chameleons (therapeutic use of a snake venom protein A61K 38/00) [2015.01]
- 35/586 • • • Turtles; Tortoises, e.g. terrapins [2015.01]
- 35/60 • • Fish, e.g. seahorses; Fish eggs [2, 2006.01]
- 35/612 • • Crustaceans, e.g. crabs, lobsters, shrimps, krill or crayfish; Barnacles [2015.01]
- 35/614 • • Cnidaria, e.g. sea anemones, corals, coral animals or jellyfish [2015.01]
- 35/616 • • Echinodermata, e.g. starfish, sea cucumbers or sea urchins [2015.01]
- 35/618 • • Molluscs, e.g. fresh-water molluscs, oysters, clams, squids, octopus, cuttlefish, snails or slugs [2015.01]
- 35/62 • • Leeches; Worms, e.g. cestodes, tapeworms, nematodes, roundworms, earth worms, ascarids, filarias, hookworms, trichinella or taenia [2, 2006.01]
- 35/63 • • Arthropods (aquatic crustaceans A61K 35/612) [2015.01]
- 35/64 • • • Insects, e.g. bees, wasps or fleas [2, 2006.01, 2015.01]
- 35/644 • • • • Beeswax; Propolis; Royal jelly; Honey [2015.01]
- 35/646 • • • Arachnids, e.g. spiders, scorpions, ticks or mites [2015.01]
- 35/648 • • • Myriapods, e.g. centipedes or millipedes [2015.01]
- 35/65 • • Amphibians, e.g. toads, frogs, salamanders or newts [2015.01]
- 35/655 • • Aquatic animals other than those covered by groups A61K 35/57-A61K 35/65 [2015.01]
- 35/66 • Microorganisms or materials therefrom (fungi, yeasts or candida A61K 36/06) [2, 2006.01, 2015.01]
- 35/68 • • Protozoa, e.g. flagella, amoebas, sporozoans, plasmodium or toxoplasma [2, 2006.01]
- 35/74 • • Bacteria (therapeutic use of a bacterial protein A61K 38/00) [2, 2006.01, 2015.01]
- 35/741 • • • Probiotics (probiotic yeast, e.g. saccharomyces A61K 36/06) [2015.01]
- 35/742 • • • • Spore-forming bacteria, e.g. Bacillus coagulans, Bacillus subtilis, clostridium or Lactobacillus sporogenes [2015.01]
- 35/744 • • • • Lactic acid bacteria, e.g. enterococci, pediococci, lactococci, streptococci or leuconostocs [2015.01]
- 35/745 • • • • • Bifidobacteria [2015.01]
- 35/747 • • • • • Lactobacilli, e.g. L. acidophilus or L. brevis [2015.01]
- 35/748 • • • Cyanobacteria, i.e. blue-green bacteria or blue-green algae, e.g. spirulina (algae, microalgae or microphytes A61K 36/02) [2015.01]
- 35/76 • • Viruses; Subviral particles; Bacteriophages [2, 2006.01, 2015.01]
- 35/761 • • • Adenovirus [2015.01]
- 35/763 • • • Herpes virus [2015.01]
- 35/765 • • • Reovirus; Rotavirus [2015.01]
- 35/766 • • • Rhabdovirus, e.g. vesicular stomatitis virus [2015.01]

- 35/768 • • • Oncolytic viruses not provided for in groups A61K 35/761-A61K 35/766 [2015.01]

36/00 Medicinal preparations of undetermined constitution containing material from algae, lichens, fungi or plants, or derivatives thereof, e.g. traditional herbal medicines [2006.01]

Note(s) [2006.01]

1. In this group, common names of plants, where given, are presented in brackets following their corresponding Latin names.
2. In this group, it is desirable to add the indexing codes A61K 125/00-A61K 135/00.

- 36/02 • Algae [2006.01]
- 36/03 • • Phaeophycota or phaeophyta (brown algae), e.g. Fucus [2006.01]
- 36/04 • • Rhodophycota or rhodophyta (red algae), e.g. Porphyra [2006.01]
- 36/05 • • Chlorophycota or chlorophyta (green algae), e.g. Chlorella [2006.01]
- 36/06 • Fungi, e.g. yeasts [2006.01]
- 36/062 • • Ascomycota [2006.01]
- 36/064 • • • Saccharomycetales, e.g. baker's yeast [2006.01]
- 36/066 • • • Clavicipitaceae [2006.01]
- 36/068 • • • • Cordyceps [2006.01]
- 36/07 • • Basidiomycota, e.g. Cryptococcus [2006.01]
- 36/074 • • • Ganoderma [2006.01]
- 36/076 • • • Poria [2006.01]
- 36/09 • Lichens [2006.01]
- 36/10 • Bryophyta (mosses) [2006.01]
- 36/11 • Pteridophyta or Filicophyta (ferns) [2006.01]
- 36/12 • • Filicopsida or Pteridopsida [2006.01]
- 36/126 • • • Drynaria [2006.01]
- 36/13 • Coniferophyta (gymnosperms) [2006.01]
- 36/14 • • Cupressaceae (Cypress family), e.g. juniper or cypress [2006.01]
- 36/15 • • Pinaceae (Pine family), e.g. pine or cedar [2006.01]
- 36/16 • Ginkgophyta, e.g. Ginkgoaceae (Ginkgo family) [2006.01]
- 36/17 • Gnetophyta, e.g. Ephedraceae (Mormon-tea family) [2006.01]
- 36/18 • Magnoliophyta (angiosperms) [2006.01]
- 36/185 • • Magnoliopsida (dicotyledons) [2006.01]
- 36/19 • • • Acanthaceae (Acanthus family) [2006.01]
- 36/195 • • • • Strobilanthes [2006.01]
- 36/20 • • • Aceraceae (Maple family) [2006.01]
- 36/21 • • • Amaranthaceae (Amaranth family), e.g. pigweed, rockwort or globe amaranth [2006.01]
- 36/22 • • • Anacardiaceae (Sumac family), e.g. smoketree, sumac or poison oak [2006.01]
- 36/23 • • • Apiaceae or Umbelliferae (Carrot family), e.g. dill, chervil, coriander or cumin [2006.01]
- 36/232 • • • • Angelica [2006.01]
- 36/233 • • • • Bupleurum [2006.01]
- 36/234 • • • • Cnidium (snowparsley) [2006.01]
- 36/235 • • • • Foeniculum (fennel) [2006.01]
- 36/236 • • • • Ligusticum (licorice-root) [2006.01]
- 36/237 • • • • Notopterygium [2006.01]
- 36/238 • • • • Saposchnikovia [2006.01]
- 36/24 • • • Apocynaceae (Dogbane family), e.g. plumeria or periwinkle [2006.01]
- 36/25 • • • Araliaceae (Ginseng family), e.g. ivy, aralia, schefflera or tetrapanax [2006.01]
- 36/254 • • • • Acanthopanax or Eleutherococcus [2006.01]

36/258	• • • •	Panax (ginseng) [2006.01]	36/48	• • •	Fabaceae or Leguminosae (Pea or Legume family); Caesalpiniaceae; Mimosaceae; Papilionaceae [2006.01]
36/26	• • •	Aristolochiaceae (Birthwort family), e.g. heartleaf [2006.01]	36/481	• • • •	Astragalus (milkvetch) [2006.01]
36/264	• • • •	Aristolochia (Dutchman's pipe) [2006.01]	36/482	• • • •	Cassia, e.g. golden shower tree [2006.01]
36/268	• • • •	Asarum (wild ginger) [2006.01]	36/483	• • • •	Gleditsia (locust) [2006.01]
36/27	• • •	Asclepiadaceae (Milkweed family), e.g. hoya [2006.01]	36/484	• • • •	Glycyrrhiza (licorice) [2006.01]
36/28	• • •	Asteraceae or Compositae (Aster or Sunflower family), e.g. chamomile, feverfew, yarrow or echinacea [2006.01]	36/485	• • • •	Gueldenstaedtia [2006.01]
36/282	• • • •	Artemisia, e.g. wormwood or sagebrush [2006.01]	36/486	• • • •	Milletia [2006.01]
36/284	• • • •	Atractylodes [2006.01]	36/487	• • • •	Psoralea [2006.01]
36/285	• • • •	Aucklandia [2006.01]	36/488	• • • •	Pueraria (kudzu) [2006.01]
36/286	• • • •	Carthamus (distaff thistle) [2006.01]	36/489	• • • •	Sophora, e.g. necklacepod or mamani [2006.01]
36/287	• • • •	Chrysanthemum, e.g. daisy [2006.01]	36/49	• • •	Fagaceae (Beech family), e.g. oak or chestnut [2006.01]
36/288	• • • •	Taraxacum (dandelion) [2006.01]	36/50	• • •	Fumariaceae (Fumitory family), e.g. bleeding heart [2006.01]
36/289	• • • •	Vladimiria [2006.01]	36/505	• • • •	Corydalis [2006.01]
36/29	• • •	Berberidaceae (Barberry family), e.g. barberry, cohosh or mayapple [2006.01]	36/51	• • •	Gentianaceae (Gentian family) [2006.01]
36/296	• • • •	Epimedium [2006.01]	36/515	• • • •	Gentiana [2006.01]
36/30	• • •	Boraginaceae (Borage family), e.g. comfrey, lungwort or forget-me-not [2006.01]	36/52	• • •	Juglandaceae (Walnut family) [2006.01]
36/31	• • •	Brassicaceae or Cruciferae (Mustard family), e.g. broccoli, cabbage or kohlrabi [2006.01]	36/53	• • •	Lamiaceae or Labiatae (Mint family), e.g. thyme, rosemary or lavender [2006.01]
36/315	• • • •	Isatis, e.g. Dyer's woad [2006.01]	36/532	• • • •	Agastache, e.g. giant hyssop [2006.01]
36/32	• • •	Burseraceae (Frankincense family) [2006.01]	36/533	• • • •	Leonurus (motherwort) [2006.01]
36/324	• • • •	Boswellia, e.g. frankincense [2006.01]	36/534	• • • •	Mentha (mint) [2006.01]
36/328	• • • •	Commiphora, e.g. mecca myrrh or balm of Gilead [2006.01]	36/535	• • • •	Perilla (beefsteak plant) [2006.01]
36/33	• • •	Cactaceae (Cactus family), e.g. pricklypear or Cereus [2006.01]	36/536	• • • •	Prunella or Brunella (selfheal) [2006.01]
36/34	• • •	Campanulaceae (Bellflower family) [2006.01]	36/537	• • • •	Salvia (sage) [2006.01]
36/342	• • • •	Adenophora [2006.01]	36/538	• • • •	Schizonepeta [2006.01]
36/344	• • • •	Codonopsis [2006.01]	36/539	• • • •	Scutellaria (skullcap) [2006.01]
36/346	• • • •	Platycodon [2006.01]	36/54	• • •	Lauraceae (Laurel family), e.g. cinnamon or saffron [2006.01]
36/35	• • •	Caprifoliaceae (Honeysuckle family) [2006.01]	36/55	• • •	Linaceae (Flax family), e.g. Linum [2006.01]
36/355	• • • •	Lonicera (honeysuckle) [2006.01]	36/56	• • •	Loganiaceae (Logania family), e.g. trumpetflower or pinkroot [2006.01]
36/36	• • •	Caryophyllaceae (Pink family), e.g. baby's breath or soapwort [2006.01]	36/57	• • •	Magnoliaceae (Magnolia family) [2006.01]
36/37	• • •	Celastraceae (Staff-tree or Bittersweet family), e.g. tripterygium or spindletree [2006.01]	36/575	• • •	Magnolia [2006.01]
36/38	• • •	Clusiaceae, Hypericaceae or Guttiferae (Hypericum or Mangosteen family), e.g. common St. Johnswort [2006.01]	36/58	• • •	Meliaceae (Chinaberry or Mahogany family), e.g. Azadirachta (neem) [2006.01]
36/39	• • •	Convolvulaceae (Morning-glory family), e.g. bindweed [2006.01]	36/59	• • •	Menispermaceae (Moonseed family), e.g. hyperbaena or coralbead [2006.01]
36/40	• • •	Cornaceae (Dogwood family) [2006.01]	36/60	• • •	Moraceae (Mulberry family), e.g. breadfruit or fig [2006.01]
36/41	• • •	Crassulaceae (Stonecrop family) [2006.01]	36/605	• • • •	Morus (mulberry) [2006.01]
36/42	• • •	Cucurbitaceae (Cucumber family) [2006.01]	36/61	• • •	Myrtaceae (Myrtle family), e.g. teatree or eucalyptus [2006.01]
36/424	• • • •	Gynostemma [2006.01]	36/62	• • •	Nymphaeaceae (Water-lily family) [2006.01]
36/428	• • • •	Trichosanthes [2006.01]	36/63	• • •	Oleaceae (Olive family), e.g. jasmine, lilac or ash tree [2006.01]
36/43	• • •	Cuscutaceae (Dodder family), e.g. Cuscuta epithymum or greater dodder [2006.01]	36/634	• • • •	Forsythia [2006.01]
36/44	• • •	Ebenaceae (Ebony family), e.g. persimmon [2006.01]	36/638	• • • •	Ligustrum, e.g. Chinese privet [2006.01]
36/45	• • •	Ericaceae or Vacciniaceae (Heath or Blueberry family), e.g. blueberry, cranberry or bilberry [2006.01]	36/64	• • •	Orobanchaceae (Broom-rape family) [2006.01]
36/46	• • •	Eucommiaceae (Eucommia family), e.g. hardy rubber tree [2006.01]	36/65	• • •	Paeoniaceae (Peony family), e.g. Chinese peony [2006.01]
36/47	• • •	Euphorbiaceae (Spurge family), e.g. Ricinus (castorbean) [2006.01]	36/66	• • •	Papaveraceae (Poppy family), e.g. bloodroot [2006.01]
			36/67	• • •	Piperaceae (Pepper family), e.g. Jamaican pepper or kava [2006.01]
			36/68	• • •	Plantaginaceae (Plantain Family) [2006.01]
			36/69	• • •	Polygalaceae (Milkwort family) [2006.01]
			36/70	• • •	Polygonaceae (Buckwheat family), e.g. spinyflower or dock [2006.01]
			36/704	• • •	Polygonum, e.g. knotweed [2006.01]
			36/708	• • •	Rheum (rhubarb) [2006.01]

- 36/71 • • • Ranunculaceae (Buttercup family), e.g. larkspur, hepatica, hydrastis, columbine or goldenseal [2006.01]
- 36/714 • • • • Aconitum (monkshood) [2006.01]
- 36/716 • • • • Clematis (leather flower) [2006.01]
- 36/718 • • • • Coptis (goldthread) [2006.01]
- 36/72 • • • Rhamnaceae (Buckthorn family), e.g. buckthorn, chewstick or umbrella-tree [2006.01]
- 36/725 • • • • Ziziphus, e.g. jujube [2006.01]
- 36/73 • • • Rosaceae (Rose family), e.g. strawberry, chokeberry, blackberry, pear or firethorn [2006.01]
- 36/732 • • • • Chaenomeles, e.g. flowering quince [2006.01]
- 36/734 • • • • Crataegus (hawthorn) [2006.01]
- 36/736 • • • • Prunus, e.g. plum, cherry, peach, apricot or almond [2006.01]
- 36/738 • • • • Rosa (rose) [2006.01]
- 36/739 • • • • Sanguisorba (burnet) [2006.01]
- 36/74 • • • Rubiaceae (Madder family) [2006.01]
- 36/744 • • • • Gardenia [2006.01]
- 36/746 • • • • Morinda [2006.01]
- 36/748 • • • • Oldenlandia or Hedyotis [2006.01]
- 36/75 • • • Rutaceae (Rue family) [2006.01]
- 36/752 • • • • Citrus, e.g. lime, orange or lemon [2006.01]
- 36/754 • • • • Evodia [2006.01]
- 36/756 • • • • Phellodendron, e.g. corktree [2006.01]
- 36/758 • • • • Zanthoxylum, e.g. pricklyash [2006.01]
- 36/76 • • • Salicaceae (Willow family), e.g. poplar [2006.01]
- 36/77 • • • Sapindaceae (Soapberry family), e.g. lychee or soapberry [2006.01]
- 36/78 • • • Saururaceae (Lizard's-tail family) [2006.01]
- 36/79 • • • Schisandraceae (Schisandra family) [2006.01]
- 36/80 • • • Scrophulariaceae (Figwort family) [2006.01]
- 36/804 • • • • Rehmannia [2006.01]
- 36/808 • • • • Scrophularia (figwort) [2006.01]
- 36/81 • • • Solanaceae (Potato family), e.g. tobacco, nightshade, tomato, belladonna, capsicum or jimsonweed [2006.01]
- 36/815 • • • • Lycium (desert-thorn) [2006.01]
- 36/82 • • • Theaceae (Tea family), e.g. camellia [2006.01]
- 36/83 • • • Thymelaeaceae (Mezereum family), e.g. leatherwood or false ohelo [2006.01]
- 36/835 • • • • Aquilaria [2006.01]
- 36/84 • • • Valerianaceae (Valerian family), e.g. valerian [2006.01]
- 36/85 • • • Verbenaceae (Verbena family) [2006.01]
- 36/855 • • • • Clerodendrum, e.g. glorybower [2006.01]
- 36/86 • • • Violaceae (Violet family) [2006.01]
- 36/87 • • • Vitaceae or Ampelidaceae (Vine or Grape family), e.g. wine grapes, muscadine or peppervine [2006.01]
- 36/88 • • • Liliopsida (monocotyledons) [2006.01]
- 36/882 • • • Acoraceae (Calamus family), e.g. sweetflag or Acorus calamus [2006.01]
- 36/884 • • • Alismataceae (Water-plantain family) [2006.01]
- 36/886 • • • Aloeaceae (Aloe family), e.g. aloe vera [2006.01]
- 36/888 • • • Araceae (Arum family), e.g. caladium, calla lily or skunk cabbage [2006.01]
- 36/8884 • • • • Arisaema, e.g. Jack in the pulpit [2006.01]
- 36/8888 • • • • Pinellia [2006.01]
- 36/889 • • • Arecaceae, Palmae or Palmaceae (Palm family), e.g. date or coconut palm or palmetto [2006.01]
- 36/8895 • • • • Calamus, e.g. rattan [2006.01]
- 36/89 • • • Cyperaceae (Sedge family) [2006.01]
- 36/8905 • • • • Cyperus (flatsedge) [2006.01]
- 36/894 • • • Dioscoreaceae (Yam family) [2006.01]
- 36/8945 • • • • Dioscorea, e.g. yam, Chinese yam or water yam [2006.01]
- 36/896 • • • Liliaceae (Lily family), e.g. daylily, plantain lily, Hyacinth or narcissus [2006.01]
- 36/8962 • • • • Allium, e.g. garden onion, leek, garlic or chives [2006.01]
- 36/8964 • • • • Anemarrhena [2006.01]
- 36/8965 • • • • Asparagus, e.g. garden asparagus or asparagus fern [2006.01]
- 36/8966 • • • • Fritillaria, e.g. checker lily or mission bells [2006.01]
- 36/8967 • • • • Lilium, e.g. tiger lily or Easter lily [2006.01]
- 36/8968 • • • • Ophiopogon (Lilyturf) [2006.01]
- 36/8969 • • • • Polygonatum (Solomon's seal) [2006.01]
- 36/898 • • • Orchidaceae (Orchid family) [2006.01]
- 36/8984 • • • • Dendrobium [2006.01]
- 36/8988 • • • • Gastrodia [2006.01]
- 36/899 • • • Poaceae or Gramineae (Grass family), e.g. bamboo, corn or sugar cane [2006.01]
- 36/8994 • • • • Coix (Job's tears) [2006.01]
- 36/8998 • • • • Hordeum (barley) [2006.01]
- 36/90 • • • Smilacaceae (Catbrier family), e.g. greenbrier or sarsaparilla [2006.01]
- 36/902 • • • Sparganiaceae (Bur-reed family) [2006.01]
- 36/904 • • • Stemonaceae (Stemona family), e.g. croomia [2006.01]
- 36/906 • • • Zingiberaceae (Ginger family) [2006.01]
- 36/9062 • • • • Alpinia, e.g. red ginger or galangal [2006.01]
- 36/9064 • • • • Amomum, e.g. round cardamom [2006.01]
- 36/9066 • • • • Curcuma, e.g. common turmeric, East Indian arrowroot or mango ginger [2006.01]
- 36/9068 • • • • Zingiber, e.g. garden ginger [2006.01]
- 38/00 Medicinal preparations containing peptides** (peptides containing beta-lactam rings A61K 31/00; cyclic dipeptides not having in their molecule any other peptide link than those which form their ring, e.g. piperazine-2,5-diones, A61K 31/00; ergoline-based peptides A61K 31/48; containing macromolecular compounds having statistically distributed amino acid units A61K 31/74; medicinal preparations containing antigens or antibodies A61K 39/00; medicinal preparations characterised by the non-active ingredients, e.g. peptides as drug carriers, A61K 47/00) [6, 2006.01]
- Note(s) [6]**
1. The terms or expressions used in this group follow exactly the definitions given in Note (1) following the title of subclass C07K.
 2. Preparations containing fragments of peptides or peptides modified by removal or addition of amino acids, by substitution of amino acids by others, or by combination of these modifications are classified as the preparations containing parent peptides. However, preparations containing fragments of peptides having only four or less amino acids are also classified in groups A61K 38/05-A61K 38/07.

3. Preparations containing peptides prepared by recombinant DNA technology are not classified according to the host, but according to the original peptide expressed, e.g. preparations containing HIV peptide expressed in *E. coli* are classified with the preparations containing HIV peptides.
- 38/01 • Hydrolysed proteins; Derivatives thereof [6, 2006.01]
- 38/02 • Peptides of undefined number of amino acids; Derivatives thereof [6, 2006.01]
- 38/03 • Peptides having up to 20 amino acids in an undefined or only partially defined sequence; Derivatives thereof [6, 2006.01]
- 38/04 • Peptides having up to 20 amino acids in a fully defined sequence; Derivatives thereof (gastrins A61K 38/16, somatostatins A61K 38/31, melanotropins A61K 38/34) [6, 2006.01]
- 38/05 • • Dipeptides [6, 2006.01]
- 38/06 • • Tripeptides [6, 2006.01]
- 38/07 • • Tetrapeptides [6, 2006.01]
- 38/08 • • Peptides having 5 to 11 amino acids [6, 2006.01]
- 38/09 • • • Luteinising hormone-releasing hormone (LHRH); Related peptides [6, 2006.01]
- 38/10 • • Peptides having 12 to 20 amino acids [6, 2006.01]
- 38/11 • • • Oxytocins; Vasopressins; Related peptides [6, 2006.01]
- 38/12 • • Cyclic peptides [6, 2006.01]
- 38/13 • • • Cyclosporins [6, 2006.01]
- 38/14 • • Peptides containing saccharide radicals; Derivatives thereof [6, 2006.01]
- 38/15 • • Depsipeptides; Derivatives thereof [6, 2006.01]
- 38/16 • Peptides having more than 20 amino acids; Gastrins; Somatostatins; Melanotropins; Derivatives thereof [6, 2006.01]
- 38/17 • • from animals; from humans [6, 2006.01]
- 38/18 • • • Growth factors; Growth regulators [6, 2006.01]
- 38/19 • • • Cytokines; Lymphokines; Interferons [6, 2006.01]
- 38/20 • • • Interleukins [6, 2006.01]
- 38/21 • • • Interferons [6, 2006.01]
- 38/22 • • • Hormones (derived from pro-opiomelanocortin, pro-enkephalin or pro-dynorphin A61K 38/33, e.g. corticotropin A61K 38/35) [6, 2006.01]
- 38/23 • • • • Calcitonins [6, 2006.01]
- 38/24 • • • • Follicle-stimulating hormone (FSH); Chorionic gonadotropins, e.g. HCG; Luteinising hormone (LH); Thyroid-stimulating hormone (TSH) [6, 2006.01]
- 38/25 • • • • Growth hormone-releasing factor (GH-RF) (Somatoliberin) [6, 2006.01]
- 38/26 • • • • Glucagons [6, 2006.01]
- 38/27 • • • • Growth hormone (GH) (Somatotropin) [6, 2006.01]
- 38/28 • • • • Insulins [6, 2006.01]
- 38/29 • • • • Parathyroid hormone (parathormone); Parathyroid hormone-related peptides [6, 2006.01]
- 38/30 • • • • Insulin-like growth factors (Somatomedins), e.g. IGF-1, IGF-2 [6, 2006.01]
- 38/31 • • • • Somatostatins [6, 2006.01]
- 38/32 • • • • Thymopoietins [6, 2006.01]
- 38/33 • • • derived from pro-opiomelanocortin, pro-enkephalin or pro-dynorphin [6, 2006.01]
- 38/34 • • • • Melanocyte stimulating hormone (MSH), e.g. alpha- or beta-melanotropin [6, 2006.01]
- 38/35 • • • • Corticotropin (ACTH) [6, 2006.01]
- 38/36 • • • Blood coagulation or fibrinolysis factors [6, 2006.01]
- 38/37 • • • • Factors VIII [6, 2006.01]
- 38/38 • • • Albumins [6, 2006.01]
- 38/39 • • • Connective tissue peptides, e.g. collagen, elastin, laminin, fibronectin, vitronectin, cold insoluble globulin (CIG) [6, 2006.01]
- 38/40 • • • Transferrins, e.g. lactoferrins, ovotransferrins [6, 2006.01]
- 38/41 • • Porphyrin- or corrin-ring-containing peptides [6, 2006.01]
- 38/42 • • • Haemoglobins; Myoglobins [6, 2006.01]
- 38/43 • • Enzymes; Proenzymes; Derivatives thereof [6, 2006.01]
- Note(s) [6]**
- In this group:
- proenzymes are classified with the corresponding enzymes;
 - enzymes are generally categorised according to the "Nomenclature and Classification of Enzymes" of the International Commission of Enzymes. Where appropriate, this designation appears in the subgroups below in parenthesis.
- 38/44 • • • Oxidoreductases (1) [6, 2006.01]
- 38/45 • • • Transferases (2) [6, 2006.01]
- 38/46 • • • Hydrolases (3) [6, 2006.01]
- 38/47 • • • • acting on glycosyl compounds (3.2), e.g. cellulases, lactases [6, 2006.01]
- 38/48 • • • • acting on peptide bonds (3.4) [6, 2006.01]
- 38/49 • • • • • Urokinase; Tissue plasminogen activator [6, 2006.01]
- 38/50 • • • • acting on carbon-nitrogen bonds, other than peptide bonds (3.5), e.g. asparaginase [6, 2006.01]
- 38/51 • • • Lyases (4) [6, 2006.01]
- 38/52 • • • Isomerases (5) [6, 2006.01]
- 38/53 • • • Ligases (6) [6, 2006.01]
- 38/54 • • • Mixtures of enzymes or proenzymes covered by more than a single one of groups A61K 38/44-A61K 38/46 or A61K 38/51-A61K 38/53 [6, 2006.01]
- 38/55 • • Protease inhibitors [6, 2006.01]
- 38/56 • • • from plants [6, 2006.01]
- 38/57 • • • from animals; from humans [6, 2006.01]
- 38/58 • • • • from leeches, e.g. hirudin, eglin [6, 2006.01]
- 39/00 Medicinal preparations containing antigens or antibodies** (materials for immunoassay G01N 33/53) [2, 2006.01]
- Note(s) [3]**
1. Preparation of antigen or antibody compositions is also classified in subclass C12N, if the step of cultivating the microorganism is of interest.
 2. Groups A61K 39/002-A61K 39/12 cover preparations containing protozoa, bacteria, viruses, or subunits thereof, e.g. membrane parts.
- 39/002 • Protozoa antigens [3, 2006.01]
- 39/005 • • Trypanosoma antigens [3, 2006.01]
- 39/008 • • Leishmania antigens [3, 2006.01]
- 39/012 • • Coccidia antigens [3, 2006.01]
- 39/015 • • Hemosporidia antigens, e.g. Plasmodium antigens [3, 2006.01]
- 39/018 • • • Babesia antigens, e.g. Theileria antigens [3, 2006.01]

- 39/02 • Bacterial antigens [2, 2006.01]
- 39/04 • • Mycobacterium, e.g. Mycobacterium tuberculosis [2, 3, 2006.01]
- 39/05 • • Corynebacterium; Propionibacterium [3, 2006.01]
- 39/07 • • Bacillus [3, 2006.01]
- 39/08 • • Clostridium, e.g. Clostridium tetani [2, 2006.01]
- 39/085 • • Staphylococcus [3, 2006.01]
- 39/09 • • Streptococcus [3, 2006.01]
- 39/095 • • Neisseria [3, 2006.01]
- 39/10 • • Brucella; Bordetella, e.g. Bordetella pertussis [2, 3, 2006.01]
- 39/102 • • Pasteurella; Haemophilus [3, 2006.01]
- 39/104 • • Pseudomonas [3, 2006.01]
- 39/106 • • Vibrio; Campylobacter [3, 2006.01]
- 39/108 • • Escherichia; Klebsiella [3, 2006.01]
- 39/112 • • Salmonella; Shigella [3, 2006.01]
- 39/114 • • Fusobacterium [3, 2006.01]
- 39/116 • • Polyvalent bacterial antigens [3, 2006.01]
- 39/118 • Chlamydiaceae, e.g. Chlamydia trachomatis or Chlamydia psittaci [3, 2006.01]
- 39/12 • Viral antigens [2, 2006.01]
- 39/125 • • Picornaviridae, e.g. calicivirus [3, 2006.01]
- 39/13 • • • Poliovirus [3, 2006.01]
- 39/135 • • • Foot-and-mouth disease virus [3, 2006.01]
- 39/145 • • Orthomyxoviridae, e.g. influenza virus [3, 2006.01]
- 39/15 • • Reoviridae, e.g. calf diarrhea virus [3, 2006.01]
- 39/155 • • Paramyxoviridae, e.g. parainfluenza virus [3, 2006.01]
- 39/165 • • • Mumps or measles virus [3, 2006.01]
- 39/17 • • • Newcastle disease virus [3, 2006.01]
- 39/175 • • • Canine distemper virus [3, 2006.01]
- 39/187 • • Hog cholera virus [3, 2006.01]
- 39/193 • • Equine encephalomyelitis virus [3, 2006.01]
- 39/20 • • Rubella virus [2, 2006.01]
- 39/205 • • Rhabdoviridae, e.g. rabies virus [3, 2006.01]
- 39/21 • • Retroviridae, e.g. equine infectious anemia virus [3, 2006.01]
- 39/215 • • Coronaviridae, e.g. avian infectious bronchitis virus [3, 2006.01]
- 39/225 • • • Porcine transmissible gastroenteritis virus [3, 2006.01]
- 39/23 • • Parvoviridae, e.g. feline panleukopenia virus [3, 2006.01]
- 39/235 • • Adenoviridae [3, 2006.01]
- 39/245 • • Herpesviridae, e.g. herpes simplex virus [3, 2006.01]
- 39/25 • • • Varicella-zoster virus [3, 2006.01]
- 39/255 • • • Marek's disease virus [3, 2006.01]
- 39/265 • • • Infectious rhinotracheitis virus [3, 2006.01]
- 39/27 • • • Equine rhinopneumonitis virus [3, 2006.01]
- 39/275 • • Poxviridae, e.g. avipoxvirus [3, 2006.01]
- 39/285 • • • Vaccinia virus or variola virus [3, 2006.01]
- 39/29 • • Hepatitis virus [3, 2006.01]
- 39/295 • • Polyvalent viral antigens (vaccinia virus or variola virus A61K 39/285); Mixtures of viral and bacterial antigens [3, 2006.01]
- 39/35 • Allergens [3, 2006.01]
- 39/36 • • from pollen [2, 3, 2006.01]
- 39/38 • Antigen from snakes [2, 2006.01]
- 39/385 • Haptens or antigens, bound to carriers [3, 2006.01]
- 39/39 • characterised by the immunostimulating additives, e.g. chemical adjuvants [3, 2006.01]
- 39/395 • Antibodies (agglutinins A61K 38/36); Immunoglobulins; Immune serum, e.g. antilymphocytic serum [3, 2006.01]
- 39/40 • • bacterial [2, 3, 2006.01]
- 39/42 • • viral [2, 3, 2006.01]
- 39/44 • • Antibodies bound to carriers [2, 3, 2006.01]
- 41/00 **Medicinal preparations obtained by treating materials with wave energy or particle radiation (A61K 31/59 takes precedence) [2, 2006.01]**
- 45/00 **Medicinal preparations containing active ingredients not provided for in groups A61K 31/00-A61K 41/00 [2, 6, 2006.01]**
- 45/06 • Mixtures of active ingredients without chemical characterisation, e.g. antiphlogistics and cardiaca [2, 2006.01]
- 45/08 • Mixtures of an active ingredient and an auxiliary substance neither being chemically characterised, e.g. antihistaminic and surface active substance [2, 2006.01]
- 47/00 **Medicinal preparations characterised by the non-active ingredients used, e.g. carriers or inert additives; Targeting or modifying agents chemically bound to the active ingredient [2, 2006.01]**
- 47/02 • Inorganic compounds [5, 2006.01]
- 47/04 • • Non-metals; Compounds thereof [5, 2006.01]
- 47/06 • Organic compounds, e.g. natural or synthetic hydrocarbons, polyolefins, mineral oil, petrolatum or ozokerite [5, 2006.01]
- 47/08 • • containing oxygen [5, 2006.01]
- 47/10 • • • Alcohols; Phenols; Salts thereof, e.g. glycerol; Polyethylene glycols [PEG]; Poloxamers; PEG/POE alkyl ethers [5, 2006.01]
- 47/12 • • • Carboxylic acids; Salts or anhydrides thereof [5, 2006.01]
- 47/14 • • • Esters of carboxylic acids, e.g. fatty acid monoglycerides, medium-chain triglycerides, parabens or PEG fatty acid esters [5, 2006.01]
- 47/16 • • containing nitrogen [5, 2006.01]
- 47/18 • • • Amines; Amides; Ureas; Quaternary ammonium compounds; Amino acids; Oligopeptides having up to five amino acids [5, 2006.01]
- 47/20 • • containing sulfur, e.g. dimethyl sulfoxide [DMSO], docusate, sodium lauryl sulfate or aminosulfonic acids [5, 2006.01]
- 47/22 • • Heterocyclic compounds, e.g. ascorbic acid, tocopherol or pyrrolidones [5, 2006.01]
- 47/24 • • containing atoms other than carbon, hydrogen, oxygen, halogen, nitrogen or sulfur, e.g. cyclomethicone or phospholipids [5, 2006.01]
- 47/26 • • Carbohydrates, e.g. sugar alcohols, amino sugars, nucleic acids, mono-, di- or oligo-saccharides; Derivatives thereof, e.g. polysorbates, sorbitan fatty acid esters or glycyrrhizin [5, 2006.01]
- 47/28 • • Steroids, e.g. cholesterol, bile acids or glycyrrhetic acid [5, 2006.01]
- 47/30 • Macromolecular organic or inorganic compounds, e.g. inorganic polyphosphates [5, 2006.01]
- 47/32 • • Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds, e.g. carbomers [5, 2006.01]

- 47/34 • • • *Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds, e.g. polyesters, polyamino acids, polysiloxanes, polyphosphazines, copolymers of polyalkylene glycol or poloxamers (A61K 47/10 takes precedence) [5, 2006.01, 2017.01]*
- 47/36 • • • *Polysaccharides; Derivatives thereof, e.g. gums, starch, alginate, dextrin, hyaluronic acid, chitosan, inulin, agar or pectin [5, 2006.01]*
- 47/38 • • • *Cellulose; Derivatives thereof [5, 2006.01]*
- 47/40 • • • *Cyclodextrins; Derivatives thereof [5, 2006.01]*
- 47/42 • • • *Proteins; Polypeptides; Degradation products thereof; Derivatives thereof, e.g. albumin, gelatin or zein (oligopeptides having up to five amino acids A61K 47/18; polyamino acids A61K 47/34) [5, 2006.01, 2017.01]*
- 47/44 • *Oils, fats or waxes according to two or more groups of A61K 47/02-A61K 47/42; Natural or modified natural oils, fats or waxes, e.g. castor oil, polyethoxylated castor oil, montan wax, lignite, shellac, rosin, beeswax or lanolin (synthetic glycerides, e.g. medium-chain triglycerides, A61K 47/14) [5, 2006.01, 2017.01]*
- 47/46 • *Ingredients of undetermined constitution or reaction products thereof, e.g. skin, bone, milk, cotton fibre, eggshell, oxgall or plant extracts [5, 2006.01]*
- 47/50 • *the non-active ingredient being chemically bound to the active ingredient, e.g. polymer-drug conjugates [2017.01]*
- 47/51 • • *the non-active ingredient being a modifying agent [2017.01]*
- 47/52 • • • *the modifying agent being an inorganic compound, e.g. an inorganic ion that is complexed with the active ingredient [2017.01]*
- 47/54 • • • *the modifying agent being an organic compound [2017.01]*
- 47/55 • • • *the modifying agent being also a pharmacologically or therapeutically active agent, i.e. the entire conjugate being a codrug, i.e. a dimer, oligomer or polymer of pharmacologically or therapeutically active compounds [2017.01]*
- 47/56 • • • *the modifying agent being an organic macromolecular compound, e.g. an oligomeric, polymeric or dendrimeric molecule [2017.01]*
- 47/58 • • • *obtained by reactions only involving carbon-to-carbon unsaturated bonds, e.g. poly[meth]acrylate, polyacrylamide, polystyrene, polyvinylpyrrolidone, polyvinylalcohol or polystyrene sulfonic acid resin [2017.01]*
- 47/59 • • • • *obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds, e.g. polyureas or polyurethanes [2017.01]*
- 47/60 • • • • *the organic macromolecular compound being a polyoxyalkylene oligomer, polymer or dendrimer, e.g. PEG, PPG, PEO or polyglycerol [2017.01]*
- 47/61 • • • • *the organic macromolecular compound being a polysaccharide or a derivative thereof [2017.01]*
- 47/62 • • • *the modifying agent being a protein, peptide or polyamino acid [2017.01]*
- 47/64 • • • • *Drug-peptide, drug-protein or drug-polyamino acid conjugates, i.e. the modifying agent being a peptide, protein or polyamino acid which is covalently bonded or complexed to a therapeutically active agent (peptidic linkers A61K 47/65) [2017.01]*
- 47/65 • • • • *Peptidic linkers, binders or spacers, e.g. peptidic enzyme-labile linkers [2017.01]*
- 47/66 • • • • *the modifying agent being a pre-targeting system involving a peptide or protein for targeting specific cells [2017.01]*
- 47/68 • • • *the modifying agent being an antibody, an immunoglobulin or a fragment thereof, e.g. an Fc-fragment [2017.01]*
- 47/69 • • *the conjugate being characterised by physical or galenic forms, e.g. emulsion, particle, inclusion complex, stent or kit [2017.01]*
- 48/00 Medicinal preparations containing genetic material which is inserted into cells of the living body to treat genetic diseases; Gene therapy [5, 2006.01]**
- 49/00 Preparations for testing *in vivo* [3, 2006.01]**
- 49/04 • *X-ray contrast preparations [3, 2006.01]*
- 49/06 • *Nuclear magnetic resonance (NMR) contrast preparations; Magnetic resonance imaging (MRI) contrast preparations [7, 2006.01]*
- 49/08 • • *characterised by the carrier [7, 2006.01]*
- 49/10 • • • *Organic compounds [7, 2006.01]*
- 49/12 • • • • *Macromolecular compounds [7, 2006.01]*
- 49/14 • • • • *Peptides, e.g. proteins [7, 2006.01]*
- 49/16 • • • • • *Antibodies; Immunoglobulins; Fragments thereof [7, 2006.01]*
- 49/18 • • *characterised by a special physical form, e.g. emulsions, microcapsules, liposomes [7, 2006.01]*
- 49/20 • • *containing free radicals [7, 2006.01]*
- 49/22 • *Echographic preparations; Ultrasound imaging preparations [7, 2006.01]*
- 50/00 Electrically conductive preparations for use in therapy or testing *in vivo*, e.g. conductive adhesives or gels to be used with electrodes for electrocardiography (ECG) or for transcutaneous drug administration [2006.01]**
- 51/00 Preparations containing radioactive substances for use in therapy or testing *in vivo* [6, 2006.01]**
- Note(s) [6]**
- In this group, it is desirable to add the indexing codes of groups A61K 101/00-A61K 103/00.
- 51/02 • *characterised by the carrier [6, 2006.01]*
- 51/04 • • *Organic compounds [6, 2006.01]*
- 51/06 • • • *Macromolecular compounds [6, 2006.01]*
- 51/08 • • • *Peptides, e.g. proteins [6, 2006.01]*
- 51/10 • • • • *Antibodies or immunoglobulins; Fragments thereof [6, 2006.01]*
- 51/12 • *characterised by a special physical form, e.g. emulsion, microcapsules, liposomes [6, 2006.01]*
- Indexing scheme associated with group A61K 51/00, relating to the nature of the radioactive substance. [6]**
- 101/00 Radioactive non-metals [6, 2006.01]**
- 101/02 • *Halogens [6, 2006.01]*
- 103/00 Radioactive metals [6, 2006.01]**

A61K

- 103/10 • Technetium; Rhenium [6, 2006.01]
- 103/20 • Indium [6, 2006.01]
- 103/30 • Rare earths [6, 2006.01]
- 103/32 • • Yttrium [6, 2006.01]
- 103/34 • • Gadolinium [6, 2006.01]
- 103/36 • • Ytterbium [6, 2006.01]
- 103/40 • Actinides [6, 2006.01]

Indexing scheme associated with group A61K 36/00, relating to plant parts with medicinal activity. [2006.01]

- 125/00 Containing or obtained from roots, bulbs, tubers, corms or rhizomes [2006.01]

- 127/00 Containing or obtained from leaves [2006.01]

- 129/00 Containing or obtained from bark [2006.01]

- 131/00 Containing or obtained from seeds, nuts, fruits or grains [2006.01]

- 133/00 Containing or obtained from flowers or blossoms [2006.01]

- 135/00 Containing or obtained from stems, stalks, branches, twigs or shoots [2006.01]