

## SECTION C — CHEMISTRY; METALLURGY

### C10 PETROLEUM, GAS OR COKE INDUSTRIES; TECHNICAL GASES CONTAINING CARBON MONOXIDE; FUELS; LUBRICANTS; PEAT

#### C10B DESTRUCTIVE DISTILLATION OF CARBONACEOUS MATERIALS FOR PRODUCTION OF GAS, COKE, TAR, OR SIMILAR MATERIALS (cracking oils C10G; underground gasification of minerals E21B 43/295) [5]

##### Subclass index

##### RETORTS; COKE OVENS

Retorts.....	1/00
Coke ovens.....	3/00-15/00
Structural features of coke ovens	
doors, closures; other features.....	25/00, 27/00, 29/00
heating.....	17/00-23/00
charging devices.....	13/00, 31/00-35/00
safety devices; preventing or removing incrustations.....	41/00, 43/00
other details.....	45/00

##### CARBONISING OR COKING PROCESSES

By destructive distillation.....	47/00-53/00
Coking mineral oils or the like.....	55/00
Other processes.....	57/00

##### FEATURES OF DESTRUCTIVE DISTILLATION PROCESSES IN GENERAL.....7/00, 13/00, 37/00, 39/00, 57/00

##### Retorts or coke ovens

##### **1/00 Retorts**

- 1/02 • Stationary retorts
- 1/04 • • Vertical retorts
- 1/06 • • Horizontal retorts
- 1/08 • • Inclined retorts
- 1/10 • Rotary retorts

##### **3/00 Coke ovens with vertical chambers**

- 3/02 • with heat-exchange devices

##### **5/00 Coke ovens with horizontal chambers**

- 5/02 • with vertical heating flues
- 5/04 • • with cross-over inter-connections
- 5/06 • with horizontal heating flues
- 5/08 • with horizontal and vertical heating flues
- 5/10 • with heat-exchange devices
- 5/12 • • with regenerators
- 5/14 • • • situated in the longitudinal direction of the chambers
- 5/16 • • • • with separated flues
- 5/18 • • • situated in the longitudinal direction of the oven battery
- 5/20 • • with recuperators

##### **7/00 Coke ovens with mechanical conveying means for the raw material inside the oven**

- 7/02 • with rotary scraping devices
- 7/04 • with shaking or vibrating devices
- 7/06 • with endless conveying devices

- 7/08 • • in vertical direction
- 7/10 • with conveyer-screws
- 7/12 • with tilting or rocking means
- 7/14 • with trucks, containers, or trays

##### **9/00 Beehive ovens**

##### **11/00 Coke ovens with inclined chambers**

##### **13/00 Coke ovens with means for bringing and keeping the charge under mechanical pressure**

##### **15/00 Other coke ovens**

- 15/02 • with floor heating

##### Heating of coke ovens

##### **17/00 Preheating of coke ovens**

##### **19/00 Heating of coke ovens by electrical means**

##### **21/00 Heating of coke ovens with combustible gases**

- 21/02 • with lean gas
- 21/04 • with rich gas
- 21/06 • in coke ovens suitable for the use of lean gas or rich gas
- 21/08 • by applying special heating gases
- 21/10 • Regulating or controlling the combustion
- 21/12 • • Burners
- 21/14 • • Devices for reversing the draught

## C10B

- 21/16 • • by controlling or varying the openings between the heating flues and the regenerator flues
- 21/18 • • Recirculating the flue gases
- 21/20 • Methods of heating ovens of the chamber oven type
- 21/22 • • by introducing the heating gas and air at various levels
- 21/24 • • • at the top and the bottom of the vertical heating flues
- 21/26 • • by introducing the heating gas and air at the top of the vertical flues only

### 23/00 Other methods of heating coke ovens

---

#### 25/00 Doors or closures for coke ovens

- 25/02 • Doors; Door frames
- 25/04 • • for ovens with vertical chambers
- 25/06 • • for ovens with horizontal chambers
- 25/08 • • Closing or opening the doors
- 25/10 • • • for ovens with vertical chambers
- 25/12 • • • for ovens with horizontal chambers
- 25/14 • • • Devices for lifting doors
- 25/16 • • Sealing; Means for sealing
- 25/18 • • Cooling
- 25/20 • Lids or closures for charging holes
- 25/22 • • for ovens with vertical chambers
- 25/24 • • for ovens with horizontal chambers

#### 27/00 Arrangements for withdrawal of the distillation gases

- 27/02 • with outlets arranged at different levels in the chamber
- 27/04 • during the charging operation of the oven
- 27/06 • Conduit details, e.g. valves

#### 29/00 Other details of coke ovens

- 29/02 • Brickwork, e.g. casings, linings, walls
- 29/04 • Controlling or preventing expansion or contraction
- 29/06 • Preventing or repairing leakages of the brickwork
- 29/08 • Bracing or foundation of the ovens

### Devices for charging or discharging coke ovens; Mechanical treatments of coal charges

#### 31/00 Charging devices for coke ovens

- 31/02 • for charging vertically
- 31/04 • • coke ovens with horizontal chambers
- 31/06 • for charging horizontally
- 31/08 • • coke ovens with horizontal chambers
- 31/10 • • • with one compact charge
- 31/12 • for liquid materials

#### 33/00 Discharging devices for coke ovens; Coke guides

- 33/02 • Extracting coke with built-in devices, e.g. gears, screws
- 33/04 • Pulling-out devices
- 33/06 • • for horizontal chambers
- 33/08 • Pushers, e.g. rams
- 33/10 • • for horizontal chambers
- 33/12 • Discharge valves
- 33/14 • Coke guides

#### 35/00 Combined charging and discharging devices for coke ovens

#### 37/00 Mechanical treatments of coal charges in the oven

- 37/02 • Levelling charges, e.g. with bars
  - 37/04 • Compressing charges (during coking C10B 47/12)
  - 37/06 • Forming holes in charges
- 

#### 39/00 Cooling or quenching coke

- 39/02 • Dry cooling outside the oven
- 39/04 • Wet quenching
- 39/06 • • in the oven
- 39/08 • • Coke-quenching towers
- 39/10 • combined with agitating means, e.g. rotating tables or drums
- 39/12 • combined with conveying means
- 39/14 • Cars
- 39/16 • combined with sorting
- 39/18 • Coke ramps

#### 41/00 Safety devices, e.g. signalling or controlling devices for use in the discharge of coke

- 41/02 • for discharging coke
- 41/04 • • by electrical means
- 41/06 • • by pneumatic or hydraulic means
- 41/08 • for the withdrawal of the distillation gases

#### 43/00 Preventing or removing incrustations

- 43/02 • Removing incrustations
- 43/04 • • by mechanical means
- 43/06 • • • from conduits, valves or the like
- 43/08 • • with liquids
- 43/10 • • by burning out
- 43/12 • • • Burners
- 43/14 • Preventing incrustations

#### 45/00 Other details

- 45/02 • Devices for producing compact unified coal charges outside the oven

### Carbonising or coking processes

#### 47/00 Destructive distillation of solid carbonaceous materials with indirect heating, e.g. by external combustion

- 47/02 • with stationary charge
- 47/04 • • in shaft furnaces
- 47/06 • • in retorts
- 47/08 • • in beehive ovens
- 47/10 • • in coke ovens of the chamber type
- 47/12 • • in which the charge is subjected to mechanical pressure during coking
- 47/14 • • with the aid of hot liquids, e.g. molten salts
- 47/16 • • with indirect heating means both inside and outside the retorts
- 47/18 • with moving charge
- 47/20 • • according to the "moving bed" technique (C10B 47/26 takes precedence)
- 47/22 • • in dispersed form (C10B 47/26 takes precedence)
- 47/24 • • • according to the "fluidised bed" technique
- 47/26 • • with the aid of hot liquids, e.g. molten salts
- 47/28 • Other processes
- 47/30 • • in rotary ovens or retorts
- 47/32 • • in ovens with mechanical conveying means
- 47/34 • • • with rotary scraping devices
- 47/36 • • • in multi-stage ovens

- 47/38 • • • with shaking or vibrating devices
- 47/40 • • • with endless conveying devices
- 47/42 • • • • in vertical direction
- 47/44 • • • with conveyer-screws
- 47/46 • • • with trucks, containers, or trays
- 47/48 • • • with tilting or rocking means
- 49/00 Destructive distillation of solid carbonaceous materials by direct heating with heat-carrying agents including the partial combustion of the solid material to be treated**
- 49/02 • with hot gases or vapours, e.g. hot gases obtained by partial combustion of the charge
- 49/04 • • while moving the solid material to be treated
- 49/06 • • • according to the "moving bed" technique
- 49/08 • • • in dispersed form
- 49/10 • • • • according to the "fluidised bed" technique
- 49/12 • • • • by mixing tangentially, e.g. in vortex chambers
- 49/14 • with hot liquids, e.g. molten metals
- 49/16 • with moving solid heat-carriers in divided form
- 49/18 • • according to the "moving bed" technique
- 49/20 • • in dispersed form
- 49/22 • • • according to the "fluidised bed" technique
- 51/00 Destructive distillation of solid carbonaceous materials by combined direct and indirect heating**
- 53/00 Destructive distillation, specially adapted for particular solid raw materials or solid raw materials in special form (wet carbonising of peat C10F)**
- 53/02 • of cellulose-containing material (production of pyroligneous acid C10C 5/00)
- 53/04 • of powdered coal
- 53/06 • of oil shale or bituminous rocks
- 53/07 • of synthetic polymeric materials, e.g. tyres (recovery or working-up of waste materials of organic macromolecular compounds or compositions based thereon by dry-heat treatment for obtaining partially depolymerised materials C08J 11/10; production of liquid hydrocarbon mixtures from rubber or rubber waste C10G 1/10) **[2006.01]**
- 53/08 • in the form of briquettes, lumps or the like
- 55/00 Coking mineral oils, bitumen, tar or the like, or mixtures thereof, with solid carbonaceous materials (cracking oils C10G)**
- 55/02 • with solid materials
- 55/04 • • with moving solid materials
- 55/06 • • • according to the "moving bed" technique
- 55/08 • • • in dispersed form
- 55/10 • • • • according to the "fluidised bed" technique
- 57/00 Other carbonising or coking processes; Features of destructive distillation processes in general**
- 57/02 • Multi-step carbonising or coking processes
- 57/04 • using charges of special composition
- 57/06 • • containing additives
- 57/08 • Non-mechanical pretreatment of the charge
- 57/10 • • Drying
- 57/12 • Applying additives during coking
- 57/14 • Features of low-temperature carbonising processes
- 57/16 • Features of high-temperature carbonising processes
- 57/18 • Modifying the properties of the distillation gases in the oven

## C10C WORKING-UP TAR, PITCH, ASPHALT, BITUMEN; PYROLIGNEOUS ACID

- 1/00 Working-up tar (obtaining hydrocarbon oils C10G) [4]**
- 1/02 • Removal of water (by distillation C10C 1/06)
- 1/04 • by distillation
- 1/06 • • Removal of water
- 1/08 • • Winning of aromatic fractions
- 1/10 • • • benzene fraction
- 1/12 • • • naphthalene fraction
- 1/14 • • Winning of tar oils from tar
- 1/16 • • Winning of pitch
- 1/18 • by extraction with selective solvents
- 1/19 • by thermal treatment not involving distillation **[4]**
- 1/20 • Refining by chemical means
- 3/00 Working-up pitch, asphalt, bitumen**
- 3/02 • by chemical means
- 3/04 • • by blowing or oxidising
- 3/06 • by distillation
- 3/08 • by selective extraction
- 3/10 • Melting
- 3/12 • • Devices therefor
- 3/14 • Solidifying; Disintegrating, e.g. granulating
- 3/16 • • by direct contact with liquids
- 3/18 • Removing in solid form from reaction vessels, containers and the like, e.g. by cutting out, by pressing
- 5/00 Production of pyroligneous acid (carbonisation of wood C10B)**

## C10F DRYING OR WORKING-UP OF PEAT [5]

- 5/00 Drying or de-watering peat**
- 5/02 • in the field; Auxiliary means therefor
- 5/04 • by using presses, bandpresses, rolls, or centrifuges (moulding C10F 7/04)
- 5/06 • combined with a carbonisation step for producing turfcoal
- 7/00 Working-up peat (extracting wax from peat C10G)**
- 7/02 • Disintegrating peat (obtaining fibres from peat D01B 1/50)
- 7/04 • by moulding
- 7/06 • • Briquetting
- 7/08 • by extrusion combined with cutting

**C10G CRACKING HYDROCARBON OILS; PRODUCTION OF LIQUID HYDROCARBON MIXTURES, e.g. BY DESTRUCTIVE HYDROGENATION, OLIGOMERISATION, POLYMERISATION** (cracking to hydrogen or synthesis gas C01B; cracking or pyrolysis of hydrocarbon gases to individual hydrocarbons or mixtures thereof of definite or specified constitution C07C; cracking to cokes C10B); **RECOVERY OF HYDROCARBON OILS FROM OIL-SHALE, OIL-SAND, OR GASES; REFINING MIXTURES MAINLY CONSISTING OF HYDROCARBONS; REFORMING OF NAPHTHA; MINERAL WAXES [6]**

### Note(s)

- In this subclass:
  - groups C10G 9/00-C10G 49/00 are limited to one-step processes;
  - combined or multi-step processes are covered by groups C10G 51/00-C10G 69/00;
  - refining or recovery of mineral waxes is covered by group C10G 73/00.
- In this subclass, the following terms or expressions are used with the meanings indicated:
  - "in the presence of hydrogen" or "in the absence of hydrogen" mean treatments in which hydrogen, in free form or as hydrogen generating compounds, is added, or not added, respectively;
  - "hydrotreatment" is used for conversion processes as defined in group C10G 45/00 or group C10G 47/00;
  - "hydrocarbon oils" covers mixtures of hydrocarbons such as tar oils or mineral oils.
- In this subclass, in the absence of an indication to the contrary, classification is made in the last appropriate place.

### Subclass index

PRODUCTION OF LIQUID HYDROCARBON MIXTURES.....	1/00-5/00, 50/00
DISTILLATION OF HYDROCARBON OILS.....	7/00
CRACKING.....	9/00-15/00, 47/00
REFINING HYDROCARBON OILS	
by treatment with acids, with alkalis.....	17/00, 19/00
by extraction with solvents or adsorptive solids.....	21/00, 25/00
by reaction with hydrogen, by oxidation or by other chemical reaction.....	27/00, 29/00, 45/00, 49/00
Other processes.....	31/00, 32/00, 33/00
REFORMING.....	35/00, 59/00-63/00
MULTI-STEP PROCESSES.....	51/00-69/00
OTHER PROCESSES.....	70/00, 71/00
TREATING MINERAL WAXES.....	73/00
INHIBITING CORROSION.....	75/00
SUBJECT MATTER NOT PROVIDED FOR IN OTHER GROUPS OF THIS SUBCLASS.....	99/00

**1/00 Production of liquid hydrocarbon mixtures from oil shale, oil-sand, or non-melting solid carbonaceous or similar materials, e.g. wood, coal** (mechanical winning of oil from oil-shales, oil-sand, or the like B03B)

- 1/02 • by distillation  
 1/04 • by extraction  
 1/06 • by destructive hydrogenation  
 1/08 • • with moving catalysts  
 1/10 • from rubber or rubber waste

**2/00 Production of liquid hydrocarbon mixtures of undefined composition from oxides of carbon [5]**

**3/00 Production of liquid hydrocarbon mixtures from oxygen-containing organic materials, e.g. fatty oils, fatty acids** (production from non-melting solid oxygen-containing carbonaceous materials C10G 1/00)

**5/00 Recovery of liquid hydrocarbon mixtures from gases, e.g. natural gas**

- 5/02 • with solid adsorbents  
 5/04 • with liquid adsorbents  
 5/06 • by cooling or compressing

**7/00 Distillation of hydrocarbon oils**

- 7/02 • Stabilising gasoline by removing gases by fractioning  
 7/04 • De-watering  
 7/06 • Vacuum distillation [3]

- 7/08 • Azeotropic or extractive distillation (refining of hydrocarbon oils, in the absence of hydrogen, by extraction with selective solvents C10G 21/00) [3]  
 7/10 • Inhibiting corrosion during distillation [3]  
 7/12 • Controlling or regulating [3]

### Cracking in the absence of hydrogen

**9/00 Thermal non-catalytic cracking, in the absence of hydrogen, of hydrocarbon oils**

- 9/02 • in retorts  
 9/04 • • Retorts  
 9/06 • by pressure distillation  
 9/08 • • Apparatus therefor  
 9/12 • • • Removing incrustation  
 9/14 • in pipes or coils with or without auxiliary means, e.g. digesters, soaking drums, expansion means  
 9/16 • • Preventing or removing incrustation  
 9/18 • • Apparatus  
 9/20 • • • Tube furnaces  
 9/24 • by heating with electrical means  
 9/26 • with discontinuously preheated non-moving solid material, e.g. blast and run  
 9/28 • with preheated moving solid material  
 9/30 • • according to the "moving bed" technique  
 9/32 • • according to the "fluidised bed" technique

9/34	• by direct contact with inert preheated fluids, e.g. with molten metals or salts	19/067	• with molten alkaline material [3]
9/36	• • with heated gases or vapours	19/073	• with solid alkaline material [3]
9/38	• • • produced by partial combustion of the material to be cracked or by combustion of another hydrocarbon [2]	19/08	• Recovery of used refining agent
9/40	• by indirect contact with preheated fluid other than hot combustion gases	<b>21/00</b>	<b>Refining of hydrocarbon oils, in the absence of hydrogen, by extraction with selective solvents</b> (C10G 17/00, C10G 19/00 take precedence)
9/42	• by passing the material to be cracked in thin streams or as spray on or near continuously heated surfaces	21/02	• with two or more solvents, which are introduced or withdrawn separately
<b>11/00</b>	<b>Catalytic cracking, in the absence of hydrogen, of hydrocarbon oils</b> (cracking in direct contact with molten metals or salts C10G 9/34)	21/04	• • by introducing simultaneously at least two immiscible solvents counter-current to each other
11/02	• characterised by the catalyst used	21/06	• characterised by the solvent used
11/04	• • Oxides	21/08	• • Inorganic compounds only
11/05	• • • Crystalline aluminosilicates, e.g. molecular sieves [3]	21/10	• • • Sulfur dioxide
11/06	• • Sulfides	21/12	• • Organic compounds only
11/08	• • Halides	21/14	• • • Hydrocarbons
11/10	• with stationary catalyst bed	21/16	• • • Oxygen-containing compounds
11/12	• with discontinuously preheated non-moving solid catalysts, e.g. blast and run	21/18	• • • Halogen-containing compounds
11/14	• with preheated moving solid catalysts	21/20	• • • Nitrogen-containing compounds
11/16	• • according to the "moving bed" technique	21/22	• • • Compounds containing sulfur, selenium, or tellurium
11/18	• • according to the "fluidised bed" technique	21/24	• • • Phosphorus-containing compounds
11/20	• by direct contact with inert heated gases or vapours	21/26	• • • Silicon-containing compounds
11/22	• • produced by partial combustion of the material to be cracked	21/27	• • • Organic compounds not provided for in a single one of groups C10G 21/14-C10G 21/26 [3]
		21/28	• Recovery of used solvent
		21/30	• Controlling or regulating [3]
		<b>25/00</b>	<b>Refining of hydrocarbon oils, in the absence of hydrogen, with solid sorbents</b>
<b>15/00</b>	<b>Cracking of hydrocarbon oils by electric means, electromagnetic or mechanical vibrations, by particle radiation or with gases superheated in electric arcs</b>		<b>Note(s) [2006.01]</b>
15/08	• by electric means or by electromagnetic or mechanical vibrations [3]		When classifying in this group, classification is also made in group B01D 15/08 insofar as subject matter of general interest relating to chromatography is concerned.
15/10	• by particle radiation [3]	25/02	• with ion-exchange material
15/12	• with gases superheated in an electric arc, e.g. plasma [3]	25/03	• • with crystalline aluminosilicates, e.g. molecular sieves [3]
		25/05	• • • Removal of non-hydrocarbon compounds, e.g. sulfur compounds [3]
<b>Refining in the absence of hydrogen</b>		25/06	• with moving sorbents or sorbents dispersed in the oil
<b>17/00</b>	<b>Refining of hydrocarbon oils, in the absence of hydrogen, with acids, acid-forming compounds, or acid-containing liquids, e.g. acid sludge</b>	25/08	• • according to the "moving bed" technique
17/02	• with acids or acid-containing liquids, e.g. acid sludge	25/09	• • according to the "fluidised bed" technique [3]
17/04	• • Liquid-liquid treatment forming two immiscible phases	25/11	• • Distillation in the presence of moving sorbents [3]
17/06	• • • using acids derived from sulfur or acid sludge thereof	25/12	• Recovery of used adsorbent
17/07	• • • using halogen acids or oxyacids of halogen (acids generating halogen C10G 27/02) [3]	<b>27/00</b>	<b>Refining of hydrocarbon oils, in the absence of hydrogen, by oxidation</b>
17/08	• with acid-forming oxides (refining with CO <sub>2</sub> or SO <sub>2</sub> as a selective solvent C10G 21/06)	27/02	• with halogen or compounds generating halogen; Hypochlorous acid or salts thereof
17/085	• • with oleum [3]	27/04	• with oxygen or compounds generating oxygen
17/09	• with acid salts [3]	27/06	• • in the presence of alkaline solutions
17/095	• with "solid acids", e.g. phosphoric acid deposited on a carrier [3]	27/08	• • in the presence of copper chloride
17/10	• Recovery of used refining agent	27/10	• • in the presence of metal-containing organic complexes, e.g. chelates, or cationic ion-exchange resins [3]
<b>19/00</b>	<b>Refining hydrocarbon oils, in the absence of hydrogen, by alkaline treatment</b>	27/12	• • with oxygen-generating compounds, e.g. per-compounds, chromic acid, chromates (plumbites or plumbates C10G 19/06) [3]
19/02	• with aqueous alkaline solutions	27/14	• • with ozone-containing gases [3]
19/04	• • containing solubilisers, e.g. solutisers	<b>29/00</b>	<b>Refining of hydrocarbon oils, in the absence of hydrogen, with other chemicals</b>
19/06	• • with plumbites or plumbates	29/02	• Non-metals
		29/04	• Metals, or metals deposited on a carrier

## C10G

- 29/06 • Metal salts, or metal salts deposited on a carrier
- 29/08 • • containing the metal in the lower valency
- 29/10 • • Sulfides
- 29/12 • • Halides [3]
- 29/16 • Metal oxides
- 29/20 • Organic compounds not containing metal atoms
- 29/22 • • containing oxygen as the only hetero atom
- 29/24 • • • Aldehydes or ketones
- 29/26 • • Halogenated hydrocarbons
- 29/28 • • containing sulfur as the only hetero atom, e.g. mercaptans, or sulfur and oxygen as the only hetero atoms

### 31/00 Refining of hydrocarbon oils, in the absence of hydrogen, by methods not otherwise provided for (by distillation C10G 7/00) [2]

- 31/06 • by heating, cooling, or pressure treatment
- 31/08 • by treating with water
- 31/09 • by filtration [3]
- 31/10 • with the aid of centrifugal force
- 31/11 • by dialysis [3]

### 32/00 Refining of hydrocarbon oils by electric or magnetic means, by irradiation, or by using microorganisms [3]

- 32/02 • by electric or magnetic means [3]
- 32/04 • by particle radiation [3]

### 33/00 De-watering or demulsification of hydrocarbon oils (by distillation C10G 7/04)

- 33/02 • with electrical or magnetic means
- 33/04 • with chemical means
- 33/06 • with mechanical means, e.g. by filtration
- 33/08 • Controlling or regulating [3]

### 35/00 Reforming naphtha

#### Note(s)

In this group, the following term is used with the meaning indicated:

- "reforming" means the treatment of naphtha in order to improve the octane number or its aromatic content.

- 35/02 • Thermal reforming
- 35/04 • Catalytic reforming
- 35/06 • • characterised by the catalyst used
- 35/085 • • • containing platinum group metals or compounds thereof [3]
- 35/09 • • • • Bimetallic catalysts in which at least one of the metals is a platinum-group metal [3]
- 35/095 • • • containing crystalline alumino-silicates, e.g. molecular sieves [3]
- 35/10 • • with moving catalysts
- 35/12 • • • according to the "moving bed" technique
- 35/14 • • • according to the "fluidised bed" technique
- 35/16 • with electric, electromagnetic, or mechanical vibrations; by particle radiation
- 35/22 • Starting-up reforming operations [3]
- 35/24 • Controlling or regulating of reforming operations [3]

## Hydrotreatment processes

### 45/00 Refining of hydrocarbon oils using hydrogen or hydrogen-generating compounds [3]

#### Note(s)

Treatment of hydrocarbon oils in the presence of hydrogen-generating compounds not provided for in a single one of groups C10G 45/02, C10G 45/32, C10G 45/44, or C10G 45/58 is covered by group C10G 49/00.

- 45/02 • to eliminate hetero atoms without changing the skeleton of the hydrocarbon involved and without cracking into lower boiling hydrocarbons; Hydrofinishing [3]
- 45/04 • • characterised by the catalyst used [3]
- 45/06 • • • containing nickel or cobalt metal, or compounds thereof [3]
- 45/08 • • • • in combination with chromium, molybdenum, or tungsten metals, or compounds thereof [3]
- 45/10 • • • containing platinum group metals or compounds thereof [3]
- 45/12 • • • containing crystalline alumino-silicates, e.g. molecular sieves [3]
- 45/14 • • with moving solid particles [3]
- 45/16 • • • suspended in the oil, e.g. slurries [3]
- 45/18 • • • according to the "moving bed" technique [3]
- 45/20 • • • according to the "fluidised bed" technique [3]
- 45/22 • • with hydrogen dissolved or suspended in the oil [3]
- 45/24 • • with hydrogen-generating compounds [3]
- 45/26 • • • Steam or water [3]
- 45/28 • • • Organic compounds; Autofining [3]
- 45/30 • • • • characterised by the catalyst used [3]
- 45/32 • Selective hydrogenation of the diolefin or acetylene compounds [3]
- 45/34 • • characterised by the catalyst used [3]
- 45/36 • • • containing nickel or cobalt metal, or compounds thereof [3]
- 45/38 • • • • in combination with chromium, molybdenum or tungsten metals, or compounds thereof [3]
- 45/40 • • • containing platinum group metals or compounds thereof [3]
- 45/42 • • with moving solid particles [3]
- 45/44 • Hydrogenation of the aromatic hydrocarbons [3]
- 45/46 • • characterised by the catalyst used [3]
- 45/48 • • • containing nickel or cobalt metal, or compounds thereof [3]
- 45/50 • • • • in combination with chromium, molybdenum or tungsten metal, or compounds thereof [3]
- 45/52 • • • containing platinum group metals or compounds thereof [3]
- 45/54 • • • containing crystalline alumino-silicates, e.g. molecular sieves [3]
- 45/56 • • with moving solid particles [3]
- 45/58 • to change the structural skeleton of some of the hydrocarbon content without cracking the other hydrocarbons present, e.g. lowering pour point; Selective hydrocracking of normal paraffins (C10G 32/00 takes precedence; improving or increasing the octane number or aromatic content of naphtha C10G 35/00) [3]
- 45/60 • • characterised by the catalyst used [3]
- 45/62 • • • containing platinum group metals or compounds thereof [3]
- 45/64 • • • containing crystalline alumino-silicates, e.g. molecular sieves [3]
- 45/66 • • with moving solid particles [3]

45/68	• • Aromatisation of hydrocarbon oil fractions [3]
45/70	• • • with catalysts containing platinum group metals or compounds thereof [3]
45/72	• Controlling or regulating [3]
<b>47/00</b>	<b>Cracking of hydrocarbon oils, in the presence of hydrogen or hydrogen-generating compounds, to obtain lower boiling fractions</b> (C10G 15/00 takes precedence; destructive hydrogenation of non-melting solid carbonaceous or similar materials C10G 1/06) [3]
47/02	• characterised by the catalyst used [3]
47/04	• • Oxides [3]
47/06	• • Sulfides [3]
47/08	• • Halides [3]
47/10	• • with catalysts deposited on a carrier [3]
47/12	• • • Inorganic carriers [3]
47/14	• • • • the catalyst containing platinum group metals or compounds thereof [3]
47/16	• • • • Crystalline alumino-silicate carriers [3]
47/18	• • • • • the catalyst containing platinum group metals or compounds thereof [3]
47/20	• • • • • the catalyst containing other metals or compounds thereof [3]
47/22	• Non-catalytic cracking in the presence of hydrogen [3]
47/24	• with moving solid particles [3]
47/26	• • suspended in the oil, e.g. slurries [3]
47/28	• • according to the "moving bed" technique [3]
47/30	• • according to the "fluidised bed" technique [3]
47/32	• in the presence of hydrogen-generating compounds [3]
47/34	• • Organic compounds, e.g. hydrogenated hydrocarbons [3]
47/36	• Controlling or regulating [3]
<b>49/00</b>	<b>Treatment of hydrocarbon oils, in the presence of hydrogen or hydrogen-generating compounds, not provided for in a single one of groups C10G 45/02, C10G 45/32, C10G 45/44, C10G 45/58, or C10G 47/00 [3]</b>
49/02	• characterised by the catalyst used [3]
49/04	• • containing nickel, cobalt, chromium, molybdenum, or tungsten metals, or compounds thereof [3]
49/06	• • containing platinum group metals or compounds thereof [3]
49/08	• • containing crystalline alumino-silicates, e.g. molecular sieves [3]
49/10	• with moving solid particles [3]
49/12	• • suspended in the oil, e.g. slurries [3]
49/14	• • according to the "moving bed" technique [3]
49/16	• • according to the "fluidised bed" technique [3]
49/18	• in the presence of hydrogen-generating compounds, e.g. ammonia, water, hydrogen sulfide [3]
49/20	• • Organic compounds [3]
49/22	• Separation of effluents [3]
49/24	• Starting-up hydrotreatment operations [3]
49/26	• Controlling or regulating [3]
<b>50/00</b>	<b>Production of liquid hydrocarbon mixtures from lower carbon number hydrocarbons, e.g. by oligomerisation [6]</b>
50/02	• of hydrocarbon oils for lubricating purposes [6]

## Multi-step processes

### Note(s)

Groups C10G 51/00-C10G 69/00 cover only those combined treating operations where the interest is directed to the relationship between the steps.

<b>51/00</b>	<b>Treatment of hydrocarbon oils, in the absence of hydrogen, by two or more cracking processes only [3]</b>
51/02	• plural serial stages only [3]
51/04	• • including only thermal and catalytic cracking steps [3]
51/06	• plural parallel stages only [3]
<b>53/00</b>	<b>Treatment of hydrocarbon oils, in the absence of hydrogen, by two or more refining processes [3]</b>
53/02	• plural serial stages only [3]
53/04	• • including at least one extraction step [3]
53/06	• • • including only extraction steps, e.g. deasphalting by solvent treatment followed by extraction of aromatics [3]
53/08	• • including at least one sorption step [3]
53/10	• • including at least one acid-treatment step [3]
53/12	• • including at least one alkaline-treatment step [3]
53/14	• • including at least one oxidation step [3]
53/16	• plural parallel stages only [3]
<b>55/00</b>	<b>Treatment of hydrocarbon oils, in the absence of hydrogen, by at least one refining process and at least one cracking process [3]</b>
55/02	• plural serial stages only [3]
55/04	• • including at least one thermal cracking step [3]
55/06	• • including at least one catalytic cracking step [3]
55/08	• plural parallel stages only [3]
<b>57/00</b>	<b>Treatment of hydrocarbon oils, in the absence of hydrogen, by at least one cracking process or refining process and at least one other conversion process [3]</b>
57/02	• with polymerisation [3]
<b>59/00</b>	<b>Treatment of naphtha by two or more reforming processes only or by at least one reforming process and at least one process which does not substantially change the boiling range of the naphtha [3]</b>
59/02	• plural serial stages only [3]
59/04	• • including at least one catalytic and at least one non-catalytic reforming step [3]
59/06	• plural parallel stages only [3]
<b>61/00</b>	<b>Treatment of naphtha by at least one reforming process and at least one process of refining in the absence of hydrogen [3]</b>
61/02	• plural serial stages only [3]
61/04	• • the refining step being an extraction [3]
61/06	• • the refining step being a sorption process [3]
61/08	• plural parallel stages only [3]
61/10	• processes also including other conversion steps [3]
<b>63/00</b>	<b>Treatment of naphtha by at least one reforming process and at least one other conversion process (C10G 59/00, C10G 61/00 take precedence) [3]</b>
63/02	• plural serial stages only [3]
63/04	• • including at least one cracking step [3]
63/06	• plural parallel stages only [3]
63/08	• • including at least one cracking step [3]

## C10G

<b>65/00</b>	<b>Treatment of hydrocarbon oils by two or more hydrotreatment processes only [3]</b>		
65/02	• plural serial stages only [3]	70/02	• by hydrogenation [5]
65/04	• • including only refining steps [3]	70/04	• by physical processes [5]
65/06	• • • at least one step being a selective hydrogenation of the diolefins [3]	70/06	• • by gas-liquid contact [5]
65/08	• • • at least one step being a hydrogenation of the aromatic hydrocarbons [3]	<b>71/00</b>	<b>Treatment by methods not otherwise provided for of hydrocarbon oils or fatty oils for lubricating purposes [3]</b>
65/10	• • including only cracking steps [3]	71/02	• Thickening by voltolising (chemical modification of drying-oils by voltolising C09F 7/04) [3]
65/12	• • including cracking steps and other hydrotreatment steps [3]	<b>73/00</b>	<b>Recovery or refining of mineral waxes, e.g. montan wax</b> (compositions essentially based on waxes C08L 91/00) [3]
65/14	• plural parallel stages only [3]	73/02	• Recovery of petroleum waxes from hydrocarbon oils; De-waxing of hydrocarbon oils [3]
65/16	• • including only refining steps [3]	73/04	• • with the use of filter aids [3]
65/18	• • including only cracking steps [3]	73/06	• • with the use of solvents [3]
<b>67/00</b>	<b>Treatment of hydrocarbon oils by at least one hydrotreatment process and at least one process for refining in the absence of hydrogen only [3]</b>	73/08	• • • Organic compounds [3]
67/02	• plural serial stages only [3]	73/10	• • • Hydrocarbons [3]
67/04	• • including solvent extraction as the refining step in the absence of hydrogen [3]	73/12	• • • Oxygen-containing compounds [3]
67/06	• • including a sorption process as the refining step in the absence of hydrogen [3]	73/14	• • • Halogen-containing compounds [3]
67/08	• • including acid treatment as the refining step in the absence of hydrogen [3]	73/16	• • • Nitrogen-containing compounds [3]
67/10	• • including alkaline treatment as the refining step in the absence of hydrogen [3]	73/18	• • • containing sulfur, selenium or tellurium [3]
67/12	• • including oxidation as the refining step in the absence of hydrogen [3]	73/20	• • • containing phosphorus [3]
67/14	• • including at least two different refining steps in the absence of hydrogen [3]	73/22	• • • Mixtures of organic compounds [3]
67/16	• plural parallel stages only [3]	73/23	• • • Recovery of used solvents [6]
<b>69/00</b>	<b>Treatment of hydrocarbon oils by at least one hydrotreatment process and at least one other conversion process</b> (C10G 67/00 takes precedence) [3]	73/24	• • by formation of adducts [3]
69/02	• plural serial stages only [3]	73/26	• • by flotation [3]
69/04	• • including at least one step of catalytic cracking in the absence of hydrogen [3]	73/28	• • by centrifugal force [3]
69/06	• • including at least one step of thermal cracking in the absence of hydrogen [3]	73/30	• • with electric means [3]
69/08	• • including at least one step of reforming naphtha [3]	73/32	• • Methods of cooling during de-waxing [3]
69/10	• • • hydrocracking of higher boiling fractions into naphtha and reforming the naphtha obtained [3]	73/34	• • Controlling or regulating [3]
69/12	• • including at least one polymerisation or alkylation step [3]	73/36	• Recovery of petroleum waxes from other compositions containing oil in minor proportions, from concentrates or from residues; De-oiling, sweating [3]
69/14	• plural parallel stages only [3]	73/38	• Chemical modification of petroleum waxes [3]
<b>70/00</b>	<b>Working-up undefined normally gaseous mixtures obtained by processes covered by groups C10G 9/00, C10G 11/00, C10G 15/00, C10G 47/00, C10G 51/00 [5]</b>	73/40	• Physical treatment of waxes or modified waxes, e.g. granulation, dispersion, emulsion, irradiation [3]
		73/42	• Refining of petroleum waxes [3]
		73/44	• • in the presence of hydrogen or hydrogen-generating compounds [3]
		<b>75/00</b>	<b>Inhibiting corrosion or fouling in apparatus for treatment or conversion of hydrocarbon oils, in general</b> (C10G 7/10, C10G 9/16 take precedence) [6]
		75/02	• by addition of corrosion inhibitors [6]
		75/04	• by addition of antifouling agents [6]
		<b>99/00</b>	<b>Subject matter not provided for in other groups of this subclass [2006.01]</b>

## C10H PRODUCTION OF ACETYLENE BY WET METHODS [5]

### Subclass index

#### GENERATORS

With non-automatic water feed.....	1/00
With automatic water feed.....	3/00, 5/00
Kipp's or Dobereiner's type.....	7/00, 9/00
Other types.....	11/00-19/00
Details.....	21/00



<b>1/00</b>	<b>Acetylene gas generators with dropwise, gravity, non-automatic water feed</b>	<b>11/00</b>	<b>Acetylene gas generators with submersion of the carbide in water</b>
1/02	• Valves	11/02	• inside the gas-holder
1/04	• • Screw valves	11/04	• with sealing and reaction water separated from each other
1/06	• • Cocks		
1/08	• Other means for controlling the water feed	<b>13/00</b>	<b>Acetylene gas generators with combined dipping and drop-by-drop system</b>
1/10	• Water feed from above through a central or lateral pipe		
1/12	• Water feed from above through porous materials	<b>15/00</b>	<b>Acetylene gas generators with carbide feed, with or without regulation by the gas pressure</b>
<b>3/00</b>	<b>Acetylene gas generators with automatic water feed regulation by means independent of the gas-holder</b>	15/02	• with non-automatic carbide feed
3/02	• with membranes	15/04	• • Closure means at the filling-hopper
3/04	• with floats	15/06	• with automatic carbide feed by valves
3/06	• with pistons	15/08	• • by flap or slide valves
		15/10	• • by float valves
<b>5/00</b>	<b>Acetylene gas generators with automatic water feed regulation by the gas-holder</b>	15/12	• • by measuring valves, including pocket-wheels
5/02	• with overflow for the water	15/14	• with feed worm or feed conveyers
5/04	• by drop-by-drop water valves connected with the gas-holder	15/16	• with feed drums
5/06	• • by drop-by-drop water cocks connected with the gas-holder	15/18	• with movable feed disc and fixed carbide-receptacle
5/08	• with gas-holder-connected water valves or cocks according to the submersion system	15/20	• with carbide feed by cartridges or other packets
		15/22	• with carbide feed of pulverous carbide from receptacles or through the gas-holder
		15/24	• with carbide feed by pistons
<b>7/00</b>	<b>Acetylene gas generators with water feed by Kipp's principle</b>	<b>17/00</b>	<b>High-pressure acetylene gas generators</b>
7/02	• with water feed from below	<b>19/00</b>	<b>Other acetylene gas generators</b>
7/04	• with water feed from above	19/02	• Rotary carbide receptacles
<b>9/00</b>	<b>Acetylene gas generators according to Dobereiner's principle with fixed carbide bell</b>	<b>21/00</b>	<b>Details of acetylene generators; Accessory equipment for, or features of, the wet production of acetylene</b>
9/02	• with water feed from below through porous materials (by capillary feed)	21/02	• Packages of carbide for use in generators, e.g. cartridges
9/04	• with gas cock actuated by the gas-holder	21/04	• • Placing packages in the generator
9/06	• with the depth of the gas outlet pipe regulated by the gas-holder	21/06	• • • Opening devices for packages in the generator
9/08	• with movable gas-holder	21/08	• Safety devices for acetylene generators
9/10	• by wetting the carbide only at the bottom	21/10	• Carbide compositions
		21/12	• Gas-tight sealing means, e.g. liquid seals in generators
		21/14	• Ventilation means; Cooling devices
		21/16	• Removing sludge from generators
<b>C10J</b>	<b>PRODUCTION OF GASES CONTAINING CARBON MONOXIDE AND HYDROGEN FROM SOLID CARBONACEOUS MATERIALS BY PARTIAL OXIDATION PROCESSES INVOLVING OXYGEN OR STEAM (underground gasification of minerals E21B 43/295); CARBURETTING AIR OR OTHER GASES [5]</b>		
<b>1/00</b>	<b>Production of fuel gases by carburetting air or other gases (for internal-combustion engines F02M)</b>	1/20	• Carburetting gases other than air
1/02	• Carburetting air	1/207	• Carburetting by pyrolysis of solid carbonaceous material in a fuel bed (C10J 3/66 takes precedence) [2012.01]
1/04	• • Controlling supply of air	1/213	• Carburetting by pyrolysis of solid carbonaceous material in a carburettor [2012.01]
1/06	• • with materials which are liquid at ordinary temperatures	1/22	• Adding materials to prevent vapour deposition
1/08	• • • by passage of air through or over the surface of the liquid	1/24	• Controlling humidity of the air or gas to be carburetted
1/10	• • • • with the liquid absorbed on carriers	1/26	• using raised temperatures or pressures (C10J 1/207, C10J 1/213 take precedence)
1/12	• • • by atomisation of the liquid	1/28	• Odourising air gas
1/14	• • • Controlling the supply of liquid in accordance with the air supply		
1/16	• • with solid hydrocarbons (C10J 1/207, C10J 1/213 take precedence)		
1/18	• • in rotary carburettors		

**C10J****3/00 Production of gases containing carbon monoxide and hydrogen, e.g. synthesis gas or town gas, from solid carbonaceous materials by partial oxidation processes involving oxygen or steam**

- 3/02 • Fixed-bed gasification of lump fuel
- 3/04 • • Cyclic processes, e.g. alternate blast and run
- 3/06 • • Continuous processes
- 3/08 • • • with ash-removal in liquid state
- 3/10 • • • using external heating
- 3/12 • • • using solid heat-carriers
- 3/14 • • • using gaseous heat-carriers
- 3/16 • • • simultaneously reacting oxygen and water with the carbonaceous material
- 3/18 • • • using electricity
- 3/20 • • Apparatus; Plants
- 3/22 • • • Arrangements or dispositions of valves or flues
- 3/24 • • • • to permit flow of gases or vapours other than upwardly through the fuel bed
- 3/26 • • • • • downwardly
- 3/28 • • • • fully automatic
- 3/30 • • • Fuel charging devices
- 3/32 • • • Devices for distributing fuel evenly over the bed for stirring-up the fuel bed
- 3/34 • • • Grates; Mechanical ash-removing devices
- 3/36 • • • • Fixed grates
- 3/38 • • • • • with stirring beams
- 3/40 • • • • Movable grates
- 3/42 • • • • • Rotary grates

- 3/44 • • • adapted for use on vehicles
- 3/46 • Gasification of granular or pulverulent fuels in suspension
- 3/48 • • Apparatus; Plants
- 3/50 • • • Fuel charging devices
- 3/52 • • • Ash-removing devices
- 3/54 • • Gasification of granular or pulverulent fuels by the Winkler technique, i.e. by fluidisation
- 3/56 • • • Apparatus; Plants
- 3/57 • Gasification using molten salts or metals (C10J 3/02, C10J 3/46 take precedence) [4]
- 3/58 • combined with pre-distillation of the fuel
- 3/60 • • Processes
- 3/62 • • • with separate withdrawal of the distillation products
- 3/64 • • • with decomposition of the distillation products
- 3/66 • • • • by introducing them into the gasification zone
- 3/72 • Other features
- 3/74 • • Construction of shells or jackets
- 3/76 • • • Water jackets; Steam boiler jackets
- 3/78 • • High-pressure apparatus
- 3/80 • • with arrangements for preheating the blast or the water vapour
- 3/82 • • Gas withdrawal means
- 3/84 • • • with means for removing dust or tar from the gas
- 3/86 • • combined with waste-heat boilers

**C10K PURIFYING OR MODIFYING THE CHEMICAL COMPOSITION OF COMBUSTIBLE GASES CONTAINING CARBON MONOXIDE****1/00 Purifying combustible gases containing carbon monoxide (isolation of hydrogen from mixtures containing hydrogen and carbon monoxide C01B 3/50)**

- 1/02 • Dust removal
- 1/04 • by cooling to condense non-gaseous materials
- 1/06 • • combined with spraying with water
- 1/08 • by washing with liquids; Reviving the used wash liquors
- 1/10 • • with aqueous liquids
- 1/12 • • • alkaline-reacting
- 1/14 • • • • organic
- 1/16 • • with non-aqueous liquids
- 1/18 • • • hydrocarbon oils
- 1/20 • by treating with solids; Regenerating spent purifying masses

- 1/22 • • Apparatus, e.g. dry box purifiers
- 1/24 • • • Supporting means for the purifying material
- 1/26 • • Regeneration of the purifying material
- 1/28 • • Controlling the gas flow through the purifiers
- 1/30 • • with moving purifying masses
- 1/32 • with selectively absorptive solids, e.g. active carbon
- 1/34 • by catalytic conversion of impurities to more readily removable materials

**3/00 Modifying the chemical composition of combustible gases containing carbon monoxide to produce an improved fuel, e.g. one of different calorific value, which may be free from carbon monoxide**

- 3/02 • by catalytic treatment
- 3/04 • • reducing the carbon monoxide content
- 3/06 • by mixing with gases

**C10L FUELS NOT OTHERWISE PROVIDED FOR; NATURAL GAS; SYNTHETIC NATURAL GAS OBTAINED BY PROCESSES NOT COVERED BY SUBCLASSES C10G OR C10K; LIQUEFIED PETROLEUM GAS; USE OF ADDITIVES TO FUELS OR FIRES; FIRE-LIGHTERS [5]****1/00 Liquid carbonaceous fuels**

- 1/02 • essentially based on components consisting of carbon, hydrogen, and oxygen only
- 1/04 • essentially based on blends of hydrocarbons
- 1/06 • • for spark ignition
- 1/08 • • for compression ignition
- 1/10 • containing additives

**Note(s)**

1. In groups C10L 1/12-C10L 1/14, in the absence of an indication to the contrary, a compound is classified in the last appropriate place.
2. If an additive is a mixture of compounds, classification is made for each compound of interest.

3. A metal salt or an ammonium salt of a compound is classified as that compound, e.g. a chromium sulfonate is classified as a sulfonate in group C10L 1/24 and not in group C10L 1/30.
- 1/12 • • Inorganic compounds
- 1/14 • • Organic compounds
- 1/16 • • • Hydrocarbons
- 1/18 • • • containing oxygen
- 1/182 • • • • containing hydroxy groups; Salts thereof **[2006.01]**
- 1/183 • • • • • at least one hydroxy group bound to an aromatic carbon atom **[2006.01]**
- 1/185 • • • • Ethers; Acetals; Ketals; Aldehydes; Ketones **[2006.01]**
- 1/188 • • • • Carboxylic acids; Salts thereof **[2006.01]**
- 1/189 • • • • • having at least one carboxyl group bound to an aromatic carbon atom **[2006.01]**
- 1/19 • • • • Esters **[2006.01]**
- 1/192 • • • • Macromolecular compounds **[2006.01]**
- 1/195 • • • • • obtained by reactions involving only carbon-to-carbon unsaturated bonds **[2006.01]**
- 1/196 • • • • • • derived from monomers containing a carbon-to-carbon unsaturated bond and a carboxyl group or salts, anhydrides or esters thereof **[2006.01]**
- 1/197 • • • • • • derived from monomers containing a carbon-to-carbon unsaturated bond and an acyloxy group of a saturated carboxylic or carbonic acid **[2006.01]**
- 1/198 • • • • • obtained otherwise than by reactions involving only carbon-to-carbon unsaturated bonds **[2006.01]**
- 1/20 • • • containing halogen
- 1/22 • • • containing nitrogen
- 1/222 • • • • containing at least one carbon-to-nitrogen single bond **[2006.01]**
- 1/223 • • • • • having at least one amino group bound to an aromatic carbon atom **[2006.01]**
- 1/224 • • • • • Amides; Imides **[2006.01]**
- 1/226 • • • • containing at least one nitrogen-to-nitrogen bond, e.g. azo compounds, azides, hydrazines **[2006.01]**
- 1/228 • • • • containing at least one carbon-to-nitrogen double bond, e.g. guanidines, hydrazones, semicarbazones, imines; containing at least one carbon-to-nitrogen triple bond, e.g. nitriles **[2006.01]**
- 1/23 • • • • containing at least one nitrogen-to-oxygen bond, e.g. nitro-compounds, nitrates, nitrites **[2006.01]**
- 1/232 • • • • containing nitrogen in a heterocyclic ring **[2006.01]**
- 1/233 • • • • • containing nitrogen and oxygen in the ring, e.g. oxazoles **[2006.01]**
- 1/234 • • • • Macromolecular compounds **[2006.01]**
- 1/236 • • • • • obtained by reactions involving only carbon-to-carbon unsaturated bonds **[2006.01]**
- 1/238 • • • • • obtained otherwise than by reactions involving only carbon-to-carbon unsaturated bonds **[2006.01]**
- 1/2383 • • • • • • Polyamines or polyimines, or derivatives thereof **[2006.01]**
- 1/2387 • • • • • • • Polyoxyalkyleneamines **[2006.01]**
- 1/24 • • • containing sulfur, selenium or tellurium
- 1/26 • • • containing phosphorus
- 1/28 • • • containing silicon
- 1/30 • • • containing elements not mentioned in groups C10L 1/16-C10L 1/28
- 1/32 • consisting of coal-oil suspensions or aqueous emulsions
- 3/00 Gaseous fuels; Natural gas; Synthetic natural gas obtained by processes not covered by subclasses C10G, C10K; Liquefied petroleum gas [5]**
- 3/02 • Compositions containing acetylene
- 3/04 • • Absorbing compositions, e.g. solvents
- 3/06 • Natural gas; Synthetic natural gas obtained by processes not covered by C10G, C10K 3/02 or C10K 3/04 **[5]**
- 3/08 • • Production of synthetic natural gas **[5]**
- 3/10 • • Working-up natural gas or synthetic natural gas **[5]**
- 3/12 • Liquefied petroleum gas **[5]**
- 5/00 Solid fuels (produced by solidifying fluid fuels C10L 7/00; peat briquettes C10F 7/06)**
- 5/02 • Briquettes consisting mainly of carbonaceous materials of mineral origin (peat briquettes C10F)
- 5/04 • • Raw material to be used; Pretreatment thereof
- 5/06 • • Briquetting processes
- 5/08 • • • without the aid of extraneous binders
- 5/10 • • • with the aid of binders, e.g. pretreated binders
- 5/12 • • • • with inorganic binders
- 5/14 • • • • with organic binders
- 5/16 • • • • • with bituminous binders, e.g. tar, pitch
- 5/18 • • • • • with naphthalene
- 5/20 • • • • • with sulfite lye
- 5/22 • • • • Methods of applying the binder to the other compounding ingredients; Apparatus therefor
- 5/24 • • Combating dust during briquetting; Safety devices against explosion
- 5/26 • • After-treatment of the briquettes
- 5/28 • • • Heating the briquettes; Coking the binders
- 5/30 • • • Cooling the briquettes
- 5/32 • • • Coating
- 5/34 • • Other details of the briquettes
- 5/36 • • • Shape
- 5/38 • • • • Briquettes consisting of different layers
- 5/40 • essentially based on materials of non-mineral origin
- 5/42 • • on animal substances or products obtained therefrom
- 5/44 • • on vegetable substances
- 5/46 • • on sewage, house, or town refuse
- 5/48 • • on industrial residues or waste materials (C10L 5/42, C10L 5/44 take precedence) **[4]**
- 7/00 Fuels produced by solidifying fluid fuels**
- 7/02 • liquid fuels
- 7/04 • • alcohol
- 8/00 Fuels not provided for in other groups of this subclass [2006.01]**
- 9/00 Treating solid fuels to improve their combustion**
- 9/02 • by chemical means
- 9/04 • • by hydrogenating
- 9/06 • • by oxidation
- 9/08 • by heat treatment, e.g. calcining
- 9/10 • by using additives
- 9/12 • • Oxidation means, e.g. oxygen-generating compounds

## C10L

<b>10/00</b>	<b>Use of additives to fuels or fires for particular purposes</b> (using binders for briquetting solid fuels C10L 5/10; using additives to improve the combustion of solid fuels C10L 9/10) [ <b>1, 2006.01</b> ]	10/14	• for improving low temperature properties [ <b>2006.01</b> ]
10/02	• for reducing smoke development	10/16	• • Pour-point depressants [ <b>2006.01</b> ]
10/04	• for minimising corrosion or incrustation	10/18	• use of detergents or dispersants for purposes not provided for in groups C10L 10/02-C10L 10/16 [ <b>2006.01</b> ]
10/06	• for facilitating soot removal	<b>11/00</b>	<b>Fire-lighters</b>
10/08	• for improving lubricity; for reducing wear [ <b>2006.01</b> ]	11/02	• based on refractory porous bodies
10/10	• for improving the octane number [ <b>2006.01</b> ]	11/04	• consisting of combustible material (matches C06F)
10/12	• for improving the cetane number [ <b>2006.01</b> ]	11/06	• of a special shape
		11/08	• Apparatus for the manufacture thereof

**C10M LUBRICATING COMPOSITIONS** (well drilling compositions C09K 8/02); **USE OF CHEMICAL SUBSTANCES EITHER ALONE OR AS LUBRICATING INGREDIENTS IN A LUBRICATING COMPOSITION** (mould release, i.e. separating, agents for metals B22C 3/00, for plastics or substances in a plastic state, in general B29C 33/56, for glass C03B 40/02; textile lubricating compositions D06M 11/00, D06M 13/00, D06M 15/00; immersion oils for microscopy G02B 21/33) [**4**]

### Note(s)

- In this subclass, the following terms or expressions are used with the meanings indicated:
  - "lubricant" or "lubricating composition" includes cutting oils, hydraulic fluids, metal drawing compositions, flushing oils, slushing oils, or the like;
  - "aliphatic" includes "cycloaliphatic".
- In this subclass, in the absence of an indication to the contrary, classification is made in the last appropriate place. Thus, a compound having an aromatic ring is classified as aromatic regardless of whether the substituent(s) of interest are on the ring or on an aliphatic part of the molecule.
- In this subclass:
  - metal or ammonium salts of a compound are classified as that compound;
  - salts or adducts formed between two or more organic compounds are classified according to all compounds forming the salt or adduct, if of interest;
  - a specified compound, e.g. phenols, acids, substituted by a macromolecular hydrocarbon radical is classified as that compound;
  - base-materials or thickeners or additives consisting of a mixture for which no specific main group is provided are classified in the most indented group covering all essential constituents of the mixture, for example,
    - a base-material mixture of ketone and amide group C10M 105/00;
    - a base-material mixture of ketone and ether group C10M 105/08;
    - an additive mixture of long and short chain esters group C10M 129/00;
    - an additive mixture of short chain aliphatic and aromatic carboxylic acids group C10M 129/26;
  - except for aqueous lubricating compositions containing more than 10% water, which are classified separately, classification is made according to the type of ingredient or mixture of types of ingredient (base-material, thickener or additive) which characterises the composition.
 

Attention is drawn to the fact that a mixture of essential ingredients characterised by only one of its components, rather than by the mixture as a whole, is not classified as a mixture, e.g., a lubricating composition consisting of:

    - a known base-material and a new additive is classified only in the "additive" part of the classification scheme;
    - a known base-material with both a thickener and a further additive as essential ingredients, which may be individually known or not, is classified as a mixture of thickener and additive;
    - a known base-material with a combination of additives as essential ingredients, which may be individually known or not, is classified in the appropriate place for the additive mixture.
- Any part of a composition which is not identified by the classification according to Notes (2) or (3) above, and which itself is determined to be novel and non-obvious, must also be classified in the last appropriate place. The part can be either a single ingredient or a composition in itself.
- Any part of a composition which is not identified by the classification according to Notes (2) to (4) above, and which is considered to represent information of interest for search, may also be classified in the last appropriate place. This can, for example, be the case when it is considered of interest to enable searching of compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information".
- In this subclass, it is desirable to add the indexing codes of subclass C10N.

### Subclass index

#### BASE-MATERIALS

Mineral or fatty oils.....	101/00
Inorganic materials.....	103/00
Non-macromolecular organic compounds.....	105/00
Macromolecular compounds.....	107/00
Compounds of unknown or incompletely defined constitution.....	109/00
Mixtures.....	111/00, 169/00

#### THICKENERS

Inorganic materials.....	113/00
Non-macromolecular organic compounds.....	115/00, 117/00
Macromolecular compounds.....	119/00

Compounds of unknown or incompletely defined constitution.....	121/00
Mixtures.....	123/00, 169/00
ADDITIVES.....	
Inorganic materials.....	125/00
Non-macromolecular organic compounds.....	127/00-139/00
Macromolecular compounds.....	143/00-155/00
Compounds of unknown or incompletely defined constitution.....	159/00
Mixtures.....	141/00, 157/00, 161/00-169/00
COMPOSITIONS CHARACTERISED BY PHYSICAL PROPERTIES.....	171/00
AQUEOUS COMPOSITIONS.....	173/00
WORKING-UP.....	175/00
PREPARATION OR AFTER TREATMENT.....	177/00

#### **Base-materials [4]**

<b>101/00</b>	<b>Lubricating compositions characterised by the base-material being a mineral or fatty oil</b> (containing more than 10% water C10M 173/00) [4]	105/42	• • • Complex esters, i.e. compounds containing at least three esterified carboxyl groups and derived from the combination of at least three different types of the following five types of compound: monohydroxy compounds, polyhydroxy compounds, monocarboxylic acids, polycarboxylic acids and hydroxy carboxylic acids [4]
101/02	• Petroleum fractions [4]		
101/04	• Fatty oil fractions [4]		
<b>103/00</b>	<b>Lubricating compositions characterised by the base-material being an inorganic material</b> (containing more than 10% water C10M 173/00) [4]	105/44	• • • derived from the combination of monocarboxylic acids, dicarboxylic acids and dihydroxy compounds only and having no free hydroxy or carboxyl groups [4]
103/02	• Carbon; Graphite [4]		
103/04	• Metals; Alloys [4]	105/46	• • • derived from the combination of monohydroxy compounds, dihydroxy compounds and dicarboxylic acids only and having no free hydroxy or carboxyl groups [4]
103/06	• Metal compounds [4]		
<b>105/00</b>	<b>Lubricating compositions characterised by the base-material being a non-macromolecular organic compound</b> [4]	105/48	• • • of carbonic acid [4]
105/02	• Well-defined hydrocarbons (petroleum fractions C10M 101/02) [4]	105/50	• containing halogen [4]
105/04	• • aliphatic [4]	105/52	• • containing carbon, hydrogen and halogen only [4]
105/06	• • aromatic [4]	105/54	• • containing carbon, hydrogen, halogen and oxygen [4]
105/08	• containing oxygen [4]	105/56	• containing nitrogen [4]
105/10	• • having hydroxy groups bound to acyclic or cycloaliphatic carbon atoms [4]	105/58	• • Amines, e.g. polyalkylene polyamines, quaternary amines (polyalkylene polyamines with eleven or more monomer units C10M 107/44) [4]
105/12	• • • monohydroxy [4]		
105/14	• • • polyhydroxy [4]	105/60	• • • having amino groups bound to an acyclic or cycloaliphatic carbon atom [4]
105/16	• • having hydroxy groups bound to a carbon atom of a six-membered aromatic ring [4]	105/62	• • • containing hydroxy groups [4]
105/18	• • Ethers, e.g. epoxides [4]	105/64	• • • having amino groups bound to a carbon atom of a six-membered aromatic ring [4]
105/20	• • Aldehydes; Ketones [4]		
105/22	• • Carboxylic acids or their salts [4]	105/66	• • • containing hydroxy groups [4]
105/24	• • • having only one carboxyl group bound to an acyclic carbon atom, cycloaliphatic carbon atom or hydrogen [4]	105/68	• • Amides; Imides [4]
		105/70	• • as ring hetero atom [4]
105/26	• • • having more than one carboxyl group bound to an acyclic carbon atom or cycloaliphatic carbon atom [4]	105/72	• containing sulfur, selenium or tellurium [4]
		105/74	• containing phosphorus [4]
105/28	• • • having only one carboxyl group bound to a carbon atom of a six-membered aromatic ring [4]	105/76	• containing silicon [4]
		105/78	• containing boron [4]
105/30	• • • having more than one carboxyl group bound to a carbon atom of a six-membered aromatic ring [4]	105/80	• containing atoms of elements not provided for in groups C10M 105/02-C10M 105/78 [4]
		<b>107/00</b>	<b>Lubricating compositions characterised by the base-material being a macromolecular compound</b> [4]
105/32	• • Esters [4]	107/02	• Hydrocarbon polymers; Hydrocarbon polymers modified by oxidation [4]
105/34	• • • of monocarboxylic acids [4]	107/04	• • Polyethylene [4]
105/36	• • • of polycarboxylic acids [4]	107/06	• • containing propene [4]
105/38	• • • of polyhydroxy compounds [4]	107/08	• • containing butene [4]
105/40	• • • containing free hydroxy or carboxyl groups [4]	107/10	• • containing aliphatic monomer having more than 4 carbon atoms [4]
		107/12	• • containing aromatic monomer, e.g. styrene [4]

## C10M

- 107/14 • • containing conjugated diene [4]
- 107/16 • • containing non-conjugated diene [4]
- 107/18 • • Hydrocarbon polymers modified by oxidation [4]
- 107/20 • containing oxygen (C10M 107/18 takes precedence) [4]
- 107/22 • • Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 107/24 • • • containing monomers having an unsaturated radical bound to an alcohol, aldehyde, ketonic, ether, ketal or acetal radical [4]
- 107/26 • • • containing monomers having an unsaturated radical bound to an acyloxy radical of a saturated carboxylic or carbonic acid [4]
- 107/28 • • • containing monomers having an unsaturated radical bound to a carboxyl radical, e.g. acrylate [4]
- 107/30 • • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 107/32 • • • Condensation polymers of aldehydes or ketones; Polyesters; Polyethers [4]
- 107/34 • • • Polyoxyalkylenes [4]
- 107/36 • • Polysaccharides, e.g. cellulose [4]
- 107/38 • containing halogen [4]
- 107/40 • containing nitrogen [4]
- 107/42 • • Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 107/44 • • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 107/46 • containing sulfur [4]
- 107/48 • containing phosphorus [4]
- 107/50 • containing silicon [4]
- 107/52 • containing boron [4]
- 107/54 • containing atoms of elements not provided for in groups C10M 107/02-C10M 107/52 [4]

- 109/00 Lubricating compositions characterised by the base-material being a compound of unknown or incompletely defined constitution (C10M 101/00 takes precedence) [4]**

- 109/02 • Reaction products [4]

### Note(s) [2006.01]

When classifying in this group, any reactant of a reaction product which is considered to represent information of interest for search, may also be classified in the last appropriate place in this subclass. This can, for example, be the case when it is considered of interest to enable searching of compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information".

- 111/00 Lubricating compositions characterised by the base-material being a mixture of two or more compounds covered by more than one of the main groups C10M 101/00-C10M 109/00, each of these compounds being essential [4]**
- 111/02 • at least one of them being a non-macromolecular organic compound [4]
- 111/04 • at least one of them being a macromolecular organic compound [4]
- 111/06 • at least one of them being a compound of the type covered by group C10M 109/00 [4]

## Thickeners [4]

### Note(s)

In groups C10M 113/00-C10M 123/00, the following term is used with the meaning indicated:

- "thickener" is an agent which solidifies other liquid components to form a grease (solid lubricants consisting of solid components C10M 101/00-C10M 111/00).

### **113/00 Lubricating compositions characterised by the thickener being an inorganic material [4]**

- 113/02 • Carbon; Graphite [4]
- 113/04 • Sulfur [4]
- 113/06 • Metals; Alloys [4]
- 113/08 • Metal compounds [4]
- 113/10 • Clays; Micaceous [4]
- 113/12 • Silica [4]
- 113/14 • Glass [4]
- 113/16 • Inorganic material treated with organic compounds, e.g. coated [4]

### **115/00 Lubricating compositions characterised by the thickener being a non-macromolecular organic compound other than a carboxylic acid or salt thereof [4]**

- 115/02 • Hydrocarbons (petroleum fractions C10M 121/02) [4]
- 115/04 • containing oxygen [4]
- 115/06 • containing halogen [4]
- 115/08 • containing nitrogen [4]
- 115/10 • containing sulfur [4]
- 115/12 • containing phosphorus [4]

### **117/00 Lubricating compositions characterised by the thickener being a non-macromolecular carboxylic acid or salt thereof [4]**

- 117/02 • having only one carboxyl group bound to an acyclic carbon atom, cycloaliphatic carbon atom or hydrogen [4]
- 117/04 • • containing hydroxy groups [4]
- 117/06 • having more than one carboxyl group bound to an acyclic carbon atom or cycloaliphatic carbon atom [4]
- 117/08 • having only one carboxyl group bound to a carbon atom of a six-membered aromatic ring [4]
- 117/10 • having more than one carboxyl group bound to a carbon atom of a six-membered aromatic ring [4]

### **119/00 Lubricating compositions characterised by the thickener being a macromolecular compound [4]**

- 119/02 • Hydrocarbons polymers; Hydrocarbon polymers modified by oxidation [4]
- 119/04 • containing oxygen (hydrocarbon polymers modified by oxidation C10M 119/02) [4]
- 119/06 • • Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 119/08 • • • containing monomers having an unsaturated radical bound to an alcohol, aldehyde, ketonic, ether, ketal or acetal radical [4]
- 119/10 • • • containing monomers having an unsaturated radical bound to an acyloxy radical of a saturated carboxylic or carbonic acid [4]
- 119/12 • • • containing monomers having an unsaturated radical bound to a carboxyl radical, e.g. acrylate [4]

- 119/14 • • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 119/16 • • • Condensation polymers of aldehydes or ketones; Polyesters; Polyethers [4]
- 119/18 • • • • Polyoxyalkylenes [4]
- 119/20 • • Polysaccharides, e.g. cellulose [4]
- 119/22 • containing halogen [4]
- 119/24 • containing nitrogen [4]
- 119/26 • containing sulfur [4]
- 119/28 • containing phosphorus [4]
- 119/30 • containing atoms of elements not provided for in groups C10M 119/02-C10M 119/28 [4]

**121/00 Lubricating compositions characterised by the thickener being a compound of unknown or incompletely defined constitution [4]**

- 121/02 • Petroleum fractions, e.g. tars [4]
- 121/04 • Reaction products [4]

**Note(s) [2006.01]**

When classifying in this group, any reactant of a reaction product which is considered to represent information of interest for search, may also be classified in the last appropriate place in this subclass. This can, for example, be the case when it is considered of interest to enable searching of compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information".

**123/00 Lubricating compositions characterised by the thickener being a mixture of two or more compounds covered by more than one of the main groups C10M 113/00-C10M 121/00, each of these compounds being essential (inorganic materials coated with organic compounds C10M 113/16) [4]**

- 123/02 • at least one of them being a non-macromolecular compound [4]
- 123/04 • at least one of them being a macromolecular compound [4]
- 123/06 • at least one of them being a compound of the type covered by group C10M 121/00 [4]

**Additives [4]**

**125/00 Lubricating compositions characterised by the additive being an inorganic material [4]**

- 125/02 • Carbon; Graphite [4]
- 125/04 • Metals; Alloys [4]
- 125/06 • Sulfur [4]
- 125/08 • Metal carbides or hydrides [4]
- 125/10 • Metal oxides, hydroxides, carbonates or bicarbonates [4]
- 125/12 • Metal carbonyls [4]
- 125/14 • Water (aqueous lubricating compositions containing more than 10% water C10M 173/00) [4]
- 125/16 • Hydrogen peroxide; Oxygenated water [4]
- 125/18 • Compounds containing halogen [4]
- 125/20 • Compounds containing nitrogen [4]
- 125/22 • Compounds containing sulfur, selenium or tellurium [4]
- 125/24 • Compounds containing phosphorus, arsenic or antimony [4]
- 125/26 • Compounds containing silicon or boron, e.g. silica, sand [4]
- 125/28 • • Glass [4]

- 125/30 • • Clay [4]

**127/00 Lubricating compositions characterised by the additive being a non-macromolecular hydrocarbon (petroleum fractions C10M 159/04) [4]**

- 127/02 • well-defined aliphatic [4]
- 127/04 • well-defined aromatic [4]
- 127/06 • Alkylated aromatic hydrocarbons [4]

**129/00 Lubricating compositions characterised by the additive being an organic non-macromolecular compound containing oxygen [4]**

- 129/02 • having a carbon chain of less than 30 atoms [4]
- 129/04 • • Hydroxy compounds [4]
- 129/06 • • • having hydroxy groups bound to acyclic or cycloaliphatic carbon atoms [4]
- 129/08 • • • • containing at least 2 hydroxy groups [4]
- 129/10 • • • having hydroxy groups bound to a carbon atom of a six-membered aromatic ring [4]
- 129/12 • • • • with condensed rings [4]
- 129/14 • • • • containing at least 2 hydroxy groups [4]
- 129/16 • • Ethers [4]
- 129/18 • • Epoxides [4]
- 129/20 • • • Cyclic ethers having 4 or more ring atoms, e.g. furans, dioxolanes [4]
- 129/22 • • Peroxides; Ozonides [4]
- 129/24 • • Aldehydes; Ketones [4]
- 129/26 • • Carboxylic acids; Salts thereof [4]
- 129/28 • • • having carboxyl groups bound to acyclic or cycloaliphatic carbon atoms [4]
- 129/30 • • • • having 7 or less carbon atoms [4]
- 129/32 • • • • • monocarboxylic [4]
- 129/34 • • • • • polycarboxylic [4]
- 129/36 • • • • • containing hydroxy groups [4]
- 129/38 • • • • • having 8 or more carbon atoms [4]
- 129/40 • • • • • monocarboxylic [4]
- 129/42 • • • • • polycarboxylic [4]
- 129/44 • • • • • containing hydroxy groups [4]
- 129/46 • • • • • cycloaliphatic [4]
- 129/48 • • • having carboxyl groups bound to a carbon atom of a six-membered aromatic ring [4]
- 129/50 • • • • monocarboxylic [4]
- 129/52 • • • • polycarboxylic [4]
- 129/54 • • • • containing hydroxy groups [4]
- 129/56 • • • Acids of unknown or incompletely defined constitution [4]
- 129/58 • • • • Naphthenic acids [4]
- 129/60 • • • • Tall oil acids [4]
- 129/62 • • • • Rosin acids [4]
- 129/64 • • • Acids obtained from polymerised unsaturated acids [4]
- 129/66 • • Epoxidised acids or esters [4]
- 129/68 • • Esters (epoxidised C10M 129/66) [4]
- 129/70 • • • of monocarboxylic acids [4]
- 129/72 • • • of polycarboxylic acids [4]
- 129/74 • • • of polyhydroxy compounds [4]
- 129/76 • • • containing free hydroxy or carboxyl groups [4]
- 129/78 • • • Complex esters, i.e. compounds containing at least three esterified carboxyl groups and derived from the combination of at least three different types of the following five types of compound: monohydroxy compounds, polyhydroxy compounds, monocarboxylic acids, polycarboxylic acids, hydroxy carboxylic acids [4]

## C10M

- 129/80 • • • • derived from the combination of monocarboxylic acids, dicarboxylic acids and dihydroxy compounds only and having no free hydroxy or carboxyl groups [4]
- 129/82 • • • • derived from the combination of monohydroxy compounds, dihydroxy compounds and dicarboxylic acids only and having no free hydroxy or carboxyl groups [4]
- 129/84 • • • • of carbonic acid [4]
- 129/86 • having a carbon chain of 30 or more atoms [4]
- 129/88 • • Hydroxy compounds [4]
- 129/90 • • • having hydroxy groups bound to acyclic or cycloaliphatic carbon atoms [4]
- 129/91 • • • having hydroxy groups bound to a carbon atom of a six-membered aromatic ring [4]
- 129/92 • • Carboxylic acids [4]
- 129/93 • • • having carboxyl groups bound to acyclic or cycloaliphatic carbon atoms [4]
- 129/94 • • • having carboxyl groups bound to a carbon atom of a six-membered aromatic ring [4]
- 129/95 • • Esters [4]

### 131/00 Lubricating compositions characterised by the additive being an organic non-macromolecular compound containing halogen [4]

- 131/02 • containing carbon, hydrogen and halogen only [4]
- 131/04 • • aliphatic [4]
- 131/06 • • aromatic [4]
- 131/08 • containing carbon, hydrogen, halogen and oxygen [4]
- 131/10 • • Alcohols; Ethers; Aldehydes; Ketones [4]
- 131/12 • • Acids; Salts or esters thereof [4]
- 131/14 • Halogenated waxes [4]

### 133/00 Lubricating compositions characterised by the additive being an organic non-macromolecular compound containing nitrogen [4]

- 133/02 • having a carbon chain of less than 30 atoms [4]
- 133/04 • • Amines, e.g. polyalkylene polyamines; Quaternary amines (polyalkylene polyamines with eleven or more monomer units C10M 149/22) [4]
- 133/06 • • • having amino groups bound to acyclic or cycloaliphatic carbon atoms [4]
- 133/08 • • • • containing hydroxy groups [4]
- 133/10 • • • • cycloaliphatic [4]
- 133/12 • • • having amino groups bound to a carbon atom of a six-membered aromatic ring [4]
- 133/14 • • • • containing hydroxy groups [4]
- 133/16 • • Amides; Imides [4]
- 133/18 • • • of carbonic or haloformic acids [4]
- 133/20 • • • • Ureas; Semicarbazides; Allophanates [4]
- 133/22 • • containing a carbon-to-nitrogen double bond, e.g. guanidines, hydrazones, semicarbazones [4]
- 133/24 • • Nitriles [4]
- 133/26 • • containing a nitrogen-to-nitrogen double bond [4]
- 133/28 • • • Azo compounds [4]
- 133/30 • • containing a nitrogen-to-oxygen bond [4]
- 133/32 • • • containing a nitro group [4]
- 133/34 • • • containing a nitroso group [4]
- 133/36 • • • Hydroxylamines [4]
- 133/38 • • Heterocyclic nitrogen compounds [4]
- 133/40 • • • Six-membered ring containing nitrogen and carbon only [4]
- 133/42 • • • • Triazines [4]
- 133/44 • • • Five-membered ring containing nitrogen and carbon only [4]

- 133/46 • • • • Imidazoles [4]
- 133/48 • • • the ring containing both nitrogen and oxygen [4]
- 133/50 • • • • Morpholines [4]
- 133/52 • having a carbon chain of 30 or more atoms [4]
- 133/54 • • Amines [4]
- 133/56 • • Amides; Imides [4]
- 133/58 • • Heterocyclic compounds [4]

### 135/00 Lubricating compositions characterised by the additive being an organic non-macromolecular compound containing sulfur, selenium or tellurium [4]

- 135/02 • Sulfurised compounds [4]
- 135/04 • • Hydrocarbons [4]
- 135/06 • • Esters, e.g. fats [4]
- 135/08 • containing a sulfur-to-oxygen bond [4]
- 135/10 • • Sulfonic acids or derivatives thereof [4]
- 135/12 • Thio-acids; Thiocyanates; Derivatives thereof [4]
- 135/14 • • having a carbon-to-sulfur double bond [4]
- 135/16 • • • thiourea type, i.e. containing the group
 
$$\begin{array}{c} \text{S} \\ || \\ >\text{N}-\text{C}-\text{N}< \end{array} \quad [4]$$
- 135/18 • • • thiocarbamic type, e.g. containing the groups
 
$$\begin{array}{c} \text{S} \\ || \\ >\text{N}-\text{C}-\text{S}- \end{array} \quad \text{or} \quad \begin{array}{c} \text{S} \\ || \\ >\text{N}-\text{C}-\text{O}- \end{array} \quad [4]$$
- 135/20 • Thiols; Sulfides; Polysulfides [4]
- 135/22 • • containing sulfur atoms bound to acyclic or cycloaliphatic carbon atoms [4]
- 135/24 • • • containing hydroxy groups; Derivatives thereof [4]
- 135/26 • • • containing carboxyl groups; Derivatives thereof [4]
- 135/28 • • containing sulfur atoms bound to a carbon atom of a six-membered aromatic ring [4]
- 135/30 • • • containing hydroxy groups; Derivatives thereof [4]
- 135/32 • Heterocyclic sulfur, selenium or tellurium compounds [4]
- 135/34 • • the ring containing sulfur and carbon only [4]
- 135/36 • • the ring containing sulfur and carbon with nitrogen or oxygen [4]

### 137/00 Lubricating compositions characterised by the additive being an organic non-macromolecular compound containing phosphorus [4]

- 137/02 • having no phosphorus-to-carbon bond [4]
- 137/04 • • Phosphate esters [4]
- 137/06 • • • Metal salts [4]
- 137/08 • • • Ammonium or amine salts [4]
- 137/10 • • • Thio derivatives [4]
- 137/12 • • having a phosphorus-to-carbon bond [4]
- 137/14 • • containing sulfur [4]
- 137/16 • • having a phosphorus-to-nitrogen bond [4]

### 139/00 Lubricating compositions characterised by the additive being an organic non-macromolecular compound containing atoms of elements not provided for in groups C10M 127/00-C10M 137/00 [4]

- 139/02 • Esters of silicon acids [4]
- 139/04 • having a silicon-to-carbon bond, e.g. silanes [4]
- 139/06 • having a metal-to-carbon bond (metal complexes of unknown constitution C10M 159/18) [4]



- 141/00 Lubricating compositions characterised by the additive being a mixture of two or more compounds covered by more than one of the main groups C10M 125/00-C10M 139/00, each of these compounds being essential [4]**
- 141/02 • at least one of them being an organic oxygen-containing compound [4]
- 141/04 • at least one of them being an organic halogen-containing compound [4]
- 141/06 • at least one of them being an organic nitrogen-containing compound [4]
- 141/08 • at least one of them being an organic sulfur-, selenium- or tellurium-containing compound [4]
- 141/10 • at least one of them being an organic phosphorus-containing compound [4]
- 141/12 • at least one of them being an organic compound containing atoms of elements not provided for in groups C10M 141/02-C10M 141/10 [4]
- 143/00 Lubricating composition characterised by the additive being a macromolecular hydrocarbon or such hydrocarbon modified by oxidation [4]**
- 143/02 • Polyethene [4]
- 143/04 • containing propene [4]
- 143/06 • containing butene [4]
- 143/08 • containing aliphatic monomer having more than 4 carbon atoms [4]
- 143/10 • containing aromatic monomer, e.g. styrene [4]
- 143/12 • containing conjugated diene [4]
- 143/14 • containing non-conjugated diene [4]
- 143/16 • containing cycloaliphatic monomer [4]
- 143/18 • Oxidised hydrocarbons, i.e. oxidised subsequent to macromolecular formation [4]
- 145/00 Lubricating compositions characterised by the additive being a macromolecular compound containing oxygen (oxidised hydrocarbons C10M 143/18) [4]**
- 145/02 • Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 145/04 • • containing monomers having an unsaturated radical bound to an alcohol, aldehyde, ketonic, ether, ketal or acetal radical [4]
- 145/06 • • containing monomers having an unsaturated radical bound to an acyloxy radical of a saturated carboxylic or carbonic acid [4]
- 145/08 • • • Vinyl esters of a saturated carboxylic or carbonic acid [4]
- 145/10 • • containing monomers having an unsaturated radical bound to a carboxyl radical, e.g. acrylate [4]
- 145/12 • • • monocarboxylic [4]
- 145/14 • • • Acrylate; Methacrylate [4]
- 145/16 • • • polycarboxylic [4]
- 145/18 • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 145/20 • • Condensation polymers of aldehydes or ketones [4]
- 145/22 • • Polyesters [4]
- 145/24 • • Polyethers [4]
- 145/26 • • • Polyoxyalkylenes [4]
- 145/28 • • • • of alkylene oxides containing 2 carbon atoms only [4]
- 145/30 • • • • of alkylene oxides containing 3 carbon atoms only [4]
- 145/32 • • • • of alkylene oxides containing 4 or more carbon atoms [4]
- 145/34 • • • • of two or more specified different types [4]
- 145/36 • • • • etherified [4]
- 145/38 • • • • esterified [4]
- 145/40 • Polysaccharides, e.g. cellulose [4]
- 147/00 Lubricating compositions characterised by the additive being a macromolecular compound containing halogen [4]**
- 147/02 • Monomer containing carbon, hydrogen and halogen only [4]
- 147/04 • Monomer containing carbon, hydrogen, halogen and oxygen [4]
- 149/00 Lubricating compositions characterised by the additive being a macromolecular compound containing nitrogen [4]**
- 149/02 • Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 149/04 • • containing monomers having an unsaturated radical bound to an amino group [4]
- 149/06 • • containing monomers having an unsaturated radical bound to an amido or imido group [4]
- 149/08 • • containing monomers having an unsaturated radical bound to a nitrile group [4]
- 149/10 • • containing monomers having an unsaturated radical bound to a nitrogen-containing hetero ring [4]
- 149/12 • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 149/14 • • a condensation reaction being involved [4]
- 149/16 • • • between the nitrogen-containing monomer and an aldehyde or ketone [4]
- 149/18 • • • Polyamides [4]
- 149/20 • • • Polyureas [4]
- 149/22 • • • Polyamines [4]
- 151/00 Lubricating compositions characterised by the additive being a macromolecular compound containing sulfur, selenium or tellurium [4]**
- 151/02 • Macromolecular compounds obtained by reactions involving only carbon-to-carbon unsaturated bonds [4]
- 151/04 • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 153/00 Lubricating compositions characterised by the additive being a macromolecular compound containing phosphorus [4]**
- 153/02 • Macromolecular compounds obtained by reactions involving only carbon-to-carbon unsaturated bonds [4]
- 153/04 • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds [4]
- 155/00 Lubricating compositions characterised by the additive being a macromolecular compound containing atoms of elements not provided for in groups C10M 143/00-C10M 153/00 [4]**
- 155/02 • Monomer containing silicon [4]
- 155/04 • Monomer containing boron [4]

## C10M

- 157/00** Lubricating compositions characterised by the additive being a mixture of two or more macromolecular compounds covered by more than one of the main groups C10M 143/00-C10M 155/00, each of these compounds being essential [4]
- 157/02 • at least one of them being a halogen-containing compound [4]
- 157/04 • at least one of them being a nitrogen-containing compound [4]
- 157/06 • at least one of them being a sulfur-, selenium- or tellurium-containing compound [4]
- 157/08 • at least one of them being a phosphorus-containing compound [4]
- 157/10 • at least one of them being a compound containing atoms of elements not provided for in groups C10M 157/02-C10M 157/08 [4]

- 159/00** Lubricating compositions characterised by the additive being of unknown or incompletely defined constitution (carboxylic acids with less than 30 carbon atoms in the chain, of unknown or incompletely defined constitution C10M 129/56) [4]
- 159/02 • Natural products [4]
- 159/04 • • Petroleum fractions, e.g. tars, solvents [4]
- 159/06 • • Waxes, e.g. ozocerite, ceresine, petrolatum, slack-wax [4]
- 159/08 • • Fatty oils [4]
- 159/10 • • Rubber [4]
- 159/12 • Reaction products [4]

### Note(s) [2006.01]

When classifying in this group, any reactant of a reaction product which is considered to represent information of interest for search, may also be classified in the last appropriate place in this subclass. This can, for example, be the case when it is considered of interest to enable searching of compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information".

- 159/14 • • obtained by Friedel-Crafts condensation [4]
- 159/16 • • obtained by Mannich reactions [4]
- 159/18 • • Complexes with metals [4]
- 159/20 • • Reaction mixtures having an excess of neutralising base, e.g. so-called overbasic or highly basic products [4]
- 159/22 • • • containing phenol radicals [4]
- 159/24 • • • containing sulfonic radicals [4]

- 161/00** Lubricating compositions characterised by the additive being a mixture of a macromolecular compound and a non-macromolecular compound, each of these compounds being essential [4]

- 163/00** Lubricating compositions characterised by the additive being a mixture of a compound of unknown or incompletely defined constitution and a non-macromolecular compound, each of these compounds being essential [4]

- 165/00** Lubricating compositions characterised by the additive being a mixture of a macromolecular compound and a compound of unknown or incompletely defined constitution, each of these compounds being essential [4]

- 167/00** Lubricating compositions characterised by the additive being a mixture of a macromolecular compound, a non-macromolecular compound and a compound of unknown or incompletely defined constitution, each of these compounds being essential [4]

### Mixtures of base-materials, thickeners and additives [4]

- 169/00** Lubricating compositions characterised by containing as components a mixture of at least two types of ingredient selected from base-materials, thickeners or additives, covered by the preceding groups, each of these compounds being essential [4]

- 169/02 • Mixtures of base-materials and thickeners [4]
- 169/04 • Mixtures of base-materials and additives [4]
- 169/06 • Mixtures of thickeners and additives [4]

### Compositions characterised by physical properties [4]

- 171/00** Lubricating compositions characterised by purely physical criteria, e.g. containing as base-material, thickener or additive, ingredients which are characterised exclusively by their numerically specified physical properties, i.e. containing ingredients which are physically well defined but for which the chemical nature is either unspecified or only very vaguely indicated (chemically defined ingredients C10M 101/00-C10M 169/00; petroleum fractions C10M 101/02, C10M 121/02, C10M 159/04) [4]

- 171/02 • Specified values of viscosity or viscosity index [4]
- 171/04 • Specified molecular weight or molecular weight distribution [4]
- 171/06 • Particles of special shape or size [4]

### Aqueous lubricating compositions [4]

- 173/00** Lubricating compositions containing more than 10% water [4]

- 173/02 • not containing mineral or fatty oils [4]

### Working-up [4]

- 175/00** Working-up used lubricants to recover useful products [4]

- 175/02 • mineral-oil based [4]
- 175/04 • aqueous emulsion based [4]
- 175/06 • by ultrafiltration or osmosis [4]

**Preparation or after-treatment [4]**

**177/00 Special methods of preparation of lubricating compositions; Chemical modification by after-treatment of components or of the whole of a lubricating composition, not covered by other classes [4]**

**C10N INDEXING SCHEME ASSOCIATED WITH SUBCLASS C10M [4]****Note(s)**

- This subclass constitutes an indexing scheme associated with subclass C10M, relating to:
  - metals and the metal of a compound ( C10N 10/00);
  - the properties of the lubricant composition or constituents thereof ( C10N 20/00, C10N 30/00);
  - the use or application of the lubricant composition ( C10N 40/00);
  - the form in which the lubricant composition is applied ( C10N 50/00);
  - chemical modification by after-treatment of lubricant constituents ( C10N 60/00);
  - special methods of preparation ( C10N 70/00);
  - special pretreatment of the material to be lubricated ( C10N 80/00).
- In this subclass, the following terms or expressions are used with the meanings indicated:
  - "lubricant" or "lubricating composition" includes cutting oils, hydraulic fluids, metal drawing compositions, flushing oils, slushing oils, or the like;
  - "aliphatic" includes "cycloaliphatic".

**10/00 Metal present as such or in compounds [4]****Note(s)**

- In this group, metals should be indexed according to their group of the Periodic Table.
- Attention is drawn to Note (3) after the title of section C, which Note indicates to which version of the periodic table of chemical elements the IPC refers.

- 10/02 • Group 1 [4]
- 10/04 • Group 2 [4]
- 10/06 • Group 3 [4]
- 10/08 • Group 4 [4]
- 10/10 • Group 5 [4]
- 10/12 • Group 6 [4]
- 10/14 • Group 7 [4]
- 10/16 • Group 8 [4]

**20/00 Specified physical properties of component of lubricating compositions [4]**

- 20/02 • Viscosity; Viscosity index [4]
- 20/04 • Molecular weight; Molecular weight distribution [4]
- 20/06 • Particles of special shape or size [4]

**30/00 Specified physical or chemical property which is improved by the additive characterising the lubricating composition, e.g. multifunctional additives [4]**

- 30/02 • Pour-point; Viscosity index [4]
- 30/04 • Detergent or dispersant property [4]
- 30/06 • Oiliness; Film-strength; Anti-wear; Resistance to extreme pressure [4]
- 30/08 • Resistance to extreme temperature [4]
- 30/10 • Inhibition of oxidation, e.g. anti-oxidants [4]
- 30/12 • Inhibition of corrosion, e.g. anti-rust agents, anti-corrosives [4]
- 30/14 • Metal deactivation [4]
- 30/16 • Antiseptic; Biocidal [4]
- 30/18 • Anti-foaming property [4]
- 30/20 • Colour, e.g. dyes [4]

**40/00 Specified use or application for which the lubricating composition is intended [4]**

- 40/02 • Bearings [4]
- 40/04 • Oil-bath; Gear-boxes; Automatic transmissions; Traction drives [4]
- 40/06 • Instruments or other precision apparatus, e.g. damping fluids [4]
- 40/08 • Hydraulic fluids, e.g. brake-fluids [4]
- 40/10 • Running-in oil [4]
- 40/12 • Gas-turbines [4]
- 40/13 • • Aircraft turbines [5]
- 40/14 • Electric or magnetic purposes [4]
- 40/16 • • dielectric; Insulating oil [4]
- 40/18 • • in connection with recordings on magnetic tape or disc [4]
- 40/20 • Metal working [4]
- 40/22 • • with essential removal of material [4]
- 40/24 • • without essential removal of material; Punching metal [4]
- 40/25 • Internal-combustion engines [5]
- 40/26 • • Two-stroke [4, 5]
- 40/28 • • Rotary [4, 5]
- 40/30 • Refrigerator lubricant [5]
- 40/32 • Wire, rope or cable lubricants [5]
- 40/34 • Lubricating-sealants [5]
- 40/36 • Release agents [5]

**50/00 Form in which the lubricant is applied to the material being lubricated [4]**

- 50/02 • dissolved or suspended in a carrier which subsequently evaporates to leave a lubricant coating [4]
- 50/04 • Aerosol [4]
- 50/06 • Gaseous phase, at least during working conditions [4]
- 50/08 • solid [4]
- 50/10 • semi-solid; greasy [4]

**60/00 Chemical after-treatment of the constituents of the lubricating composition [4]**

- 60/02 • Reduction, e.g. hydrogenation [4]
- 60/04 • Oxidation, e.g. ozonisation [4]
- 60/06 • by epoxides [4]

## **C10N**

- 60/08 • Halogenation **[4]**
- 60/10 • by sulfur or a compound containing sulfur **[4]**
- 60/12 • by phosphorus or a compound containing phosphorus, e.g.  $P_xS_y$  **[4]**
- 60/14 • by boron or a compound containing boron **[4]**

**70/00 Special methods of preparation [4]**

**80/00 Special pretreatment of the material to be lubricated, e.g. phosphatising or chromatising of a metal [4]**