

## SECTION A — HUMAN NECESSITIES

### A43 FOOTWEAR

#### A43D MACHINES, TOOLS, EQUIPMENT OR METHODS FOR MANUFACTURING OR REPAIRING FOOTWEAR (sewing D05B) [6]

##### Note(s)

In this subclass, a method of manufacturing footwear which is dependent on a distinct machine or tool, is classified in the group covering the machine or tool for the manufacture.

##### Subclass index

MEASUREMENT OF FOOT OR LAST.....	1/00
LASTS.....	3/00
WORKING-UP UPPERS OR STIFFENERS.....	8/00-8/34, 8/38-8/54
PULLING-OVER OR LASTING.....	9/00-23/00
MAKING OR PREPARING PARTS OF SHOES BEFORE ASSEMBLING	
Soles.....	8/36, 8/50, 8/52, 29/00, 35/00, 37/00, 43/00
Heels, heel lifts.....	33/00, 83/00
Shank stiffeners.....	31/00
ASSEMBLING PARTS OF SHOES	
Securing by metallic elements.....	69/00, 71/00, 75/00
Securing by gluing.....	25/00
Securing by other techniques, e.g. welding.....	86/00
Securing soles.....	25/00, 44/00, 67/00, 86/00
Securing heels.....	67/00, 79/00, 81/00, 86/00
Securing welts.....	44/00
OTHER OPERATIONS SUBSEQUENT TO LASTING	
On soles or heels.....	27/00
On welts.....	47/00, 57/00
On inseams.....	51/00, 53/00, 55/00
Other work.....	49/00, 59/00, 85/00
PERFORMING FINISHING OPERATIONS.....	63/00, 87/00-95/00
MAKING, SETTING, OR REMOVING ACCESSORIES.....	39/00, 97/00, 98/00, 100/00
OTHER EQUIPMENT OR MECHANISMS FOR SHOEMAKING OR REPAIRING.....	5/00, 61/00, 111/00-119/00
SUBJECT MATTER NOT PROVIDED FOR IN OTHER GROUPS OF THIS SUBCLASS.....	999/00

##### Measuring devices; Lasts; Tools

- 1/00 Foot or last measuring devices; Measuring devices for shoe parts [1, 2006.01]**
- 1/02 • Foot-measuring devices (measuring the shape, pattern or size of the body for diagnostic purposes A61B 5/103, e.g. measuring physical dimensions A61B 5/107) [1, 2006.01]
- 1/04 • Last-measuring devices [1, 2006.01]
- 1/06 • Measuring devices for the inside measure of shoes, for the height of heels, or for the arrangement of heels [1, 2006.01]
- 1/08 • Measuring devices for shoe parts [1, 2006.01]
- 3/00 Lasts [1, 2006.01]**
- 3/02 • Lasts for making or repairing shoes (making of wooden lasts B27M 3/20) [1, 2006.01]
- 3/04 • Pneumatic lasts; Elastic lasts [1, 2006.01]

- 3/06 • Wedge locks for lasts [1, 2006.01]
- 3/08 • Devices for stretching special parts of shoes [1, 2006.01]
- 3/10 • Devices for removing lasts [1, 2006.01]
- 3/12 • Devices for inserting or reinserting lasts [1, 2006.01]
- 3/14 • Stretching or spreading lasts; Boot-trees; Fillers; Devices for maintaining the shape of the shoe (drying of footwear A47L 23/20) [1, 2006.01]
- 5/00 Hand appliances or hand tools for making or repairing shoes, other than those covered by groups A43D 15/00, A43D 19/00, A43D 95/00, A43D 100/00, A43D 117/00 [1, 2006.01]**
- 5/02 • Stands for making footwear (stands for cleaning shoes A47L 23/16) [1, 2006.01]
- 5/04 • Knives (knives in general B26B) [1, 2006.01]
- 5/06 • Tools for cutting-off the ends of nails or pegs in shoes [1, 2006.01]

## A43D

- 5/08 • Awls (making B21G) [1, 2006.01]
- 5/10 • Shoe-peg rasps (wood rasps B27G 17/06) [1, 2006.01]
- 5/12 • Hand nailing apparatus for shoemaking (A43D 19/02 takes precedence; nailing apparatus in general B25C, B27F) [1, 2006.01]
- 5/14 • • Hand pincers for stapling [1, 2006.01]

- 
- 8/00 Machines for cutting, ornamenting, marking or otherwise working up shoe part blanks** (pulling-over or lasting A43D 9/00-A43D 23/00; making or fastening soles, heels or welts A43D 25/00-A43D 83/00) [3, 2006.01]
  - 8/02 • Cutting-out (cutting in general B26D, B26F; of leather articles in general C14B 5/00) [3, 2006.01]
  - 8/04 • • Stamping-out (A43D 8/10 takes precedence) [3, 2006.01]
  - 8/06 • • • Dies therefor [3, 2006.01]
  - 8/08 • • • Combined stamping-out and bonding, e.g. high frequency electric current being applied between cutting edge and work support [3, 2006.01]
  - 8/10 • • Cutting-out using pattern grading (for trimming A43D 8/38; pattern grading in making clothes A41H 3/00; pattern copying in general B23Q 33/00, B23Q 35/00) [3, 2006.01]
  - 8/12 • • • Patterns or templates therefor [3, 2006.01]
  - 8/14 • • • Applying bindings to pattern edges [3, 2006.01]
  - 8/16 • Ornamentation (by creasing A43D 8/44; of leather in general C14B 1/56) [3, 2006.01]
  - 8/18 • • by punching or perforating (punching for eyelet-setting A43D 100/02) [3, 2006.01]
  - 8/20 • • • Dies therefor [3, 2006.01]
  - 8/22 • • by embossing or printing (printing in general, stamping B41) [3, 2006.01]
  - 8/24 • • • Embossing using heat, e.g. high frequency electric current [3, 2006.01]
  - 8/26 • Marking for future work (A43D 8/16 takes precedence; printing, stamping B41) [3, 2006.01]
  - 8/28 • • Patterns for drawing cut-outs (in making clothes A41H 3/00) [3, 2006.01]
  - 8/30 • • Charting sheet material for subsequent cutting [3, 2006.01]
  - 8/32 • Working on edges or margins (of leather in general C14B 1/02, C14B 11/00) [3, 2006.01]
  - 8/34 • • by skiving (A43D 8/48 takes precedence) [3, 2006.01]
  - 8/36 • • by trimming the margins of sole blanks (trimming as an intermediate operation in shoemaking A43D 27/00, as a finishing operation in shoemaking A43D 87/00) [3, 2006.01]
  - 8/38 • • • by cutting-out, e.g. using templates [3, 2006.01]
  - 8/40 • • by folding, turning in or over, hammering [3, 2006.01]
  - 8/42 • • by singeing, contracting, dyeing [3, 2006.01]
  - 8/44 • Creasing presses (folding on margins A43D 8/40) [3, 2006.01]
  - 8/46 • Splitting (of leather in general C14B 1/02) [3, 2006.01]
  - 8/48 • • combined with skiving [3, 2006.01]
  - 8/50 • • Combined splitting and trimming of the heel-seat portions of sole blanks (of soles fixed to shoe bottoms A43D 27/04) [3, 2006.01]
  - 8/52 • Flexing (of leather in general C14B) [3, 2006.01]

- 8/54 • • by milling [3, 2006.01]
- 8/56 • • of sole blanks by slitting [3, 2006.01]

### Pulling-over or lasting

- 9/00 Devices for binding the uppers upon the lasts** (for the toe ends A43D 15/00) [1, 2006.01]
- 11/00 Machines for preliminary treatment or assembling of upper-parts, counters, or insoles on their lasts preparatory to the pulling-over or lasting operations; Applying or removing protective coverings** [1, 2006.01]
- 11/01 • Machines for applying or securing reinforcements or ornamental straps to uppers (to soles or insoles A43D 43/06) [3, 2006.01]
- 11/02 • • to the margins thereof [1, 3, 2006.01]
- 11/03 • • Coating with thermoplastic materials to stiffen the toe or heel portion [3, 2006.01]
- 11/04 • Machines for seam-pressing or flattening shoe parts, quarters, or the like (on lasted shoes A43D 55/00) [1, 2006.01]
- 11/06 • Machines for temporary buttoning of shoe parts [1, 2006.01]
- 11/08 • Machines for temporary lacing of shoe parts or for cutting-away the lacing strips after lasting [1, 2006.01]
- 11/10 • Devices for holding the lacing portions in position during lasting [1, 2006.01]
- 11/12 • Machines for forming the toe part or heel part of shoes, with or without use of heat [1, 2006.01]
- 11/14 • Devices for treating shoe parts, e.g. stiffeners, with steam or liquid (for soled shoes A43D 95/12) [1, 2006.01]
- 13/00 Machines for pulling-over the uppers when loosely laid upon the last and tacking the toe end** [1, 2006.01]
- 13/02 • Devices for locating caps or stiffeners on pulling-over machines [1, 2006.01]
- 15/00 Pulling-over or lasting machines for binding the toe end with cord, string, or wire; Machines for lasting with clamps; Lasting machines with sewing devices, also for platform shoes** (special sewing machines for leather or shoes D05B) [1, 2006.01]
- 17/00 Pulling-over or lasting machines with oscillating shoe supports** [1, 2006.01]
- 19/00 Hand lasting; Lasting pincers** [1, 2006.01]
- 19/02 • Tacking or nailing devices for use with lasting pincers [1, 2006.01]
- 21/00 Lasting machines** [1, 2006.01]
- 21/02 • with one single lasting gripper [1, 2006.01]
- 21/04 • for lasting the opposite sides of the shoe one after another [1, 2006.01]
- 21/06 • for wooden soles (A43D 21/16, A43D 21/18 take precedence) [1, 2006.01]
- 21/08 • with last supports and toe- or heel-embracing wipers movable both horizontally and vertically (A43D 21/16 takes precedence) [1, 2006.01]
- 21/10 • Bed-lasting machines [1, 2006.01]
- 21/12 • with lasting clamps, shoe-shaped clamps, wipers, stretching straps, or the like for forming the toe or heel parts on the last [1, 2006.01]
- 21/14 • for toe or heel parts, with nailing devices [1, 2006.01]

- 21/16 • with lasting pincers or toe- or heel-embracing wipers [1, 2006.01]
- 21/18 • with lasting pincers and straight-acting wipers, also for forming the shank portions of shoes [1, 2006.01]
- 23/00 Single parts for pulling-over or lasting machines** (nailing devices A43D 75/00) [1, 2006.01]
- 23/02 • Wipers; Sole-pressers; Last-supports; Pincers [1, 2006.01]
- 23/04 • Last-carriers; Shoe-guides [1, 2006.01]
- 23/06 • Devices for cutting-off superfluous material on the uppers or linings [1, 2006.01]
- Making or fastening soles, heels, or welts, or preparing same for fastening to the shoe; Carrying out other operations subsequent to lasting; Turning**
- 25/00 Devices for gluing shoe parts** [1, 2006.01]
- 25/047 • Devices for lasting with adhesives or for gluing together insoles and uppers (A43D 25/18, A43D 25/20 take precedence) [3, 2006.01]
- 25/053 • • with rotating gripping means [3, 2006.01]
- 25/06 • Devices for gluing soles on shoe bottoms (A43D 25/18, A43D 25/20 take precedence) [1, 3, 2006.01]
- 25/07 • • using flexible diaphragm pressing devices [3, 2006.01]
- 25/08 • • Welt hold-down devices [1, 2006.01]
- 25/10 • • Press-pads or other supports of shoe-gluing presses [1, 2006.01]
- 25/12 • Devices for gluing heel-breasts to heels or for gluing coverings on heels (A43D 25/18, A43D 25/20 take precedence) [1, 3, 2006.01]
- 25/14 • Devices for filling the shoe bottom [1, 2006.01]
- 25/16 • Devices for making glued platform shoes [1, 2006.01]
- 25/18 • Devices for applying adhesives to shoe parts (A43D 25/20 takes precedence; applying liquids or other fluent materials to surfaces in general B05) [3, 2006.01]
- 25/20 • Arrangements for activating or for accelerating setting of adhesives, e.g. by using heat [3, 2006.01]
- 27/00 Machines for trimming as an intermediate operation** (working on edges or margins, e.g. by trimming, of shoe part blanks A43D 8/32; trimming as a finishing operation in shoemaking A43D 87/00) [1, 2006.01]
- 27/02 • Soles or heels fixed on shoe bottoms [1, 2006.01]
- 27/04 • • Heel-end portions of soles [1, 3, 2006.01]
- 27/06 • • Heel breast flaps [1, 3, 2006.01]
- 29/00 Machines for making soles from strips of material** [1, 2006.01]
- 31/00 Machines for making or inserting shank stiffeners** [1, 2006.01]
- 31/02 • Machines for making shank stiffeners [1, 2006.01]
- 31/04 • Machines for inserting shank stiffeners [1, 2006.01]
- 33/00 Machines for assembling lifts for heels** (cutting-out heel lifts A43D 8/02) [1, 2006.01]
- 33/02 • Gauges for heel lifts; Magazines for piling up heel lifts [1, 2006.01]
- 33/04 • Nailing machines for building the heels from lifts [1, 2006.01]
- 33/06 • Machines for sorting heel lifts [1, 2006.01]
- 35/00 Presses for shaping pre-existing loose soles, shoe bottoms, or soles fixed to shoe bottoms** (gluing soles on shoe bottoms A43D 25/06) [1, 2006.01]
- 37/00 Machines for roughening soles or other shoe parts preparatory to gluing** [1, 2006.01]
- 39/00 Machines for making foot-supporting pads or instep-raisers for flat feet** [1, 2006.01]
- 43/00 Machines for making stitch lips, or other preparatory treatment of soles or insoles before fixing same** (flexing of soles or insoles A43D 8/52) [1, 2006.01]
- 43/02 • for making stitch lips by cutting [1, 2006.01]
- 43/06 • for applying reinforcing materials to insoles; Attachment of ornamental tapes or ribs, e.g. sewing ribs, on soles, or the like [1, 2006.01]
- 44/00 Machines for attaching welts or randes** [1, 2006.01]
- 47/00 Machines for trimming or butting welts fixed on uppers** [1, 2006.01]
- 49/00 Machines for pounding** [1, 2006.01]
- 51/00 Machines for lip-setting** [1, 2006.01]
- 53/00 Machines for trimming-off surplus material along the in seam** [1, 2006.01]
- 55/00 Machines for flattening, pressing, or rubbing the in seams of lasted shoes** [1, 2006.01]
- 57/00 Machines for attaching the welt ends** [1, 2006.01]
- 59/00 Machines for rasping the lasting-margins of shoes which are sewn through** [1, 2006.01]
- 61/00 Machines for nail-pulling, nail-cutting, or nail-detecting** [1, 2006.01]
- 63/00 Machines for carrying out other finishing operations** [1, 2006.01]
- 67/00 Machines for fastening soles or heels by means of screws or screwed wire** [1, 2006.01]
- 69/00 Shoe-nailing machines** (nailing machines in general B27F) [1, 2006.01]
- 69/02 • using ready-made nails [1, 2006.01]
- 69/04 • with apparatus for separating the nails from a wire or from a strip of metal or other material [1, 2006.01]
- 69/06 • using ready-made staples [1, 2006.01]
- 69/08 • with apparatus for making staples [1, 2006.01]
- 69/10 • using ready-made wooden pegs [1, 2006.01]
- 69/12 • with apparatus for separating the pegs from a strip of wood [1, 2006.01]
- 69/14 • for nailing or stapling the lasted margin on to shoes with wooden soles [1, 2006.01]
- 71/00 Elements of nailing machines; Nail-feeding devices** [1, 2006.01]
- 71/02 • Driving mechanisms for moving the horn; Nail-cutting apparatus connected with the horn [1, 2006.01]
- 75/00 Nailing devices on pulling-over or lasting machines** [1, 2006.01]

## A43D

79/00	<b>Combined heel-pressing and nailing machines [1, 2006.01]</b>	95/20	• Machines for burnishing soles or heels [1, 2006.01]
81/00	<b>Machines for attaching top-lifts [1, 2006.01]</b>	95/22	• Machines for burnishing the edges of soles, with or without devices for edge-indenting [1, 2006.01]
83/00	<b>Heel-presses without nailing apparatus; Machines for pressing single lifts or punching holes for nailing [1, 2006.01]</b>	95/24	• Machines for buffing soles [1, 2006.01]
85/00	<b>Machines or apparatus for turning, e.g. for making turn-shoes [1, 2006.01]</b>	95/26	• Devices for applying wax [1, 2006.01]
86/00	<b>Machines for assembling soles or heels onto uppers, not provided for in groups A43D 25/00-A43D 83/00, e.g. by welding [6, 2006.01]</b>	95/28	• Machines for attaching protectors to soles or heels [1, 2006.01]
<b><u>Performing finishing operations upon uppers, soles, or heels on soled shoes; Making shoe appurtenances</u></b>		97/00	<b>Machines for making pulling-on pieces [1, 2006.01]</b>
87/00	<b>Edge or heel cutters; Machines for trimming the heel breast (trimming machines for wooden heels B27M; copying machines B44B) [1, 2006.01]</b>	98/00	<b>Machines for making laces (of leather C14B; braidings in general D04C); Applying fibre or celluloid to ends of laces (making tags from metal sheet B21D; from wire B21F) [2006.01]</b>
89/00	<b>Sole-levelling machines with rolls [1, 2006.01]</b>	100/00	<b>Setting or removing eyelets, buttons, lacing-hooks, or elastic gussets in shoes [1, 2006.01]</b>
91/00	<b>Stitch-separating or seam-indenting machines [1, 2006.01]</b>	100/02	• Punching and eyelet-setting machines or tools (for garments in general A41H 37/02) [1, 2006.01]
93/00	<b>Edge-indenting machines [1, 2006.01]</b>	100/04	• • inserting invisible eyelets [1, 2006.01]
95/00	<b>Shoe-finishing machines [1, 2006.01]</b>	100/06	• • inserting two eyelets simultaneously [1, 2006.01]
95/02	• Machines for treating or smoothing shoe uppers to remove wrinkles, folds, or the like [1, 2006.01]	100/08	• Setting buttons on footwear (for garments A41H 37/00) [1, 2006.01]
95/04	• Machines for laying channel-flaps [1, 2006.01]	100/10	• Machines or tools for setting lacing-hooks in shoes [1, 2006.01]
95/06	• Machines for colouring or chemical treatment; Ornamenting the sole bottoms (burnishing A43D 95/20) [1, 2006.01]	100/12	• Machines for inserting elastic gussets in shoes [1, 2006.01]
95/08	• Machines or tools for scouring, abrading, or finishing, with or without dust-separating (suction cleaners for removing dust A47L 5/00; domestic cleaning of footwear A47L 23/00) [1, 2006.01]	100/14	• Devices for removing buttons, lacing-hooks, or the like from shoes [1, 2006.01]
95/10	• Drying or heating devices for shoes [1, 2006.01]	<b><u>Other mechanisms for shoemaking or repairing</u></b>	
95/12	• Devices for conditioning, tempering, or moistening (preparatory to pulling-over or lasting A43D 11/14) [1, 2006.01]	111/00	<b>Shoe machines with conveyors for jacked shoes [1, 2006.01]</b>
95/14	• incorporating marking, printing, or embossing apparatus (ornamentation of shoe part blanks A43D 8/16; printing <i>per se</i> , stamping <i>per se</i> B41) [1, 2006.01]	113/00	<b>Machines for making shoes with out-turned flanges of the uppers or for making moccasins [1, 2006.01]</b>
95/16	• Burnishing tools for shoemaking (in general B24D) [1, 2006.01]	115/00	<b>Machines for skiving or removing heel lifts, heels, or soles, or for removing stitches, preparatory to repair [1, 2006.01]</b>
95/18	• • Devices for heating the burnishing tools for shoemaking [1, 2006.01]	117/00	<b>Racks for receiving or transporting shoes or shoe parts; Other conveying means [1, 2006.01]</b>
		119/00	<b>Driving or controlling mechanisms of shoe machines; Frames for shoe machines [1, 2006.01]</b>
		999/00	<b>Subject matter not provided for in other groups of this subclass [2006.01]</b>