

SECTION C — CHEMISTRY; METALLURGY

C09 DYES; PAINTS; POLISHES; NATURAL RESINS; ADHESIVES; COMPOSITIONS NOT OTHERWISE PROVIDED FOR; APPLICATIONS OF MATERIALS NOT OTHERWISE PROVIDED FOR**C09B ORGANIC DYES OR CLOSELY-RELATED COMPOUNDS FOR PRODUCING DYES; MORDANTS; LAKES**
(fermentation or enzyme-using processes to synthesise a desired chemical compound C12P)**Note(s)**

In this subclass, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, a compound is classified in the last appropriate place.

Subclass index

ANTHRACENE DYES.....	1/00, 3/00, 5/00, 6/00, 9/02
AZO DYES	
Prepared by diazotising and coupling	
Monoazo dyes.....	29/00
Disazo and polyazo dyes.....	31/00, 33/00, 35/00
by coupling the diazotised amine with itself.....	37/00
Other azo dyes.....	39/00
Special methods of performing the coupling reaction.....	41/00
Preparation of azo dyes from other azo compounds.....	43/00
Preparation other than by diazotising and coupling.....	27/00
Compounds containing onium groups.....	44/00
Complex metal compounds.....	45/00
Compounds containing other chromophoric systems.....	56/00
Other azo dyes.....	46/00
INDIGOID; DIARYL AND TRIARYL METHANE; OXYKETONE DYES.....	7/00, 9/04, 11/00, 13/00
ACRIDINE, AZINE, OXAZINE, THIAZINE DYES.....	15/00-21/00
QUINOLINE AND POLYMETHINE DYES.....	23/00, 25/00
HYDRAZONE, TRIAZENE DYES.....	26/00
PORPHYRINS, PORPHYRAZINS; SULFUR DYES.....	47/00, 49/00
QUINACRIDONES.....	48/00
FORMAZANE DYES; NITRO AND NITROSO DYES; QUINONE IMIDES; AZOMETHINE DYES.....	50/00, 51/00, 53/00, 55/00
OTHER SYNTHETIC DYES.....	57/00, 59/00
DYES OF NATURAL ORIGIN.....	61/00
REACTIVE DYES.....	62/00
LAKES; MORDANTS; DYESTUFF PREPARATIONS.....	63/00, 65/00, 67/00
OTHER DYES.....	69/00

Anthracene dyes

1/00 Dyes with an anthracene nucleus not condensed with any other ring [1, 2006.01]	1/14 • • • Dyes containing ether groups [1, 2006.01]
1/02 • Hydroxy anthraquinones; Ethers or esters thereof [1, 2006.01]	1/16 • Amino anthraquinones [1, 2006.01]
1/04 • • Preparation by synthesis of the nucleus [1, 2006.01]	1/18 • • Preparation by synthesis of the nucleus [1, 2006.01]
1/06 • • Preparation from starting materials already containing the anthracene nucleus [1, 2006.01]	1/20 • • Preparation from starting materials already containing the anthracene nucleus [1, 2006.01]
1/08 • • • Dyes containing only OH groups [1, 2006.01]	1/22 • • • Dyes with unsubstituted amino groups [1, 2006.01]
1/10 • • • Dyes containing halogen [1, 2006.01]	1/24 • • • sulfonated [1, 2006.01]
1/12 • • • Dyes containing sulfonic acid groups [1, 2006.01]	1/26 • • • Dyes with amino groups substituted by hydrocarbon radicals [1, 2006.01]
	1/28 • • • substituted by alkyl, aralkyl, or cyclo-alkyl groups [1, 2006.01]

- 1/30 • • • • sulfonated [1, 2006.01]
- 1/32 • • • • substituted by aryl groups (anthrimides C09B 1/48) [1, 2006.01]
- 1/34 • • • • sulfonated [1, 2006.01]
- 1/36 • • • Dyes with acylated amino groups [1, 2006.01]
- 1/38 • • • • Urea or thiourea derivatives [1, 2006.01]
- 1/40 • • • • the acyl groups being residues of an aliphatic or araliphatic carboxylic acid [1, 2006.01]
- 1/42 • • • • the acyl groups being residues of an aromatic carboxylic acid [1, 2006.01]
- 1/43 • • • • Dicarboxylic acids [3, 2006.01]
- 1/44 • • • • the acyl groups being residues of a heterocyclic carboxylic acid [1, 2006.01]
- 1/46 • • • • the acyl groups being residues of cyanuric acid or an analogous heterocyclic compound [1, 2006.01]
- 1/467 • • • • attached to two or more anthraquinone rings [3, 2006.01]
- 1/473 • • • • the acyl groups being residues of a sulfonic acid [3, 2006.01]
- 1/48 • • • Anthrimides [1, 2006.01]
- 1/50 • Amino-hydroxy anthraquinones; Ethers or esters thereof [1, 2006.01]
- 1/503 • • unsubstituted amino-hydroxy anthraquinone [2, 2006.01]
- 1/51 • • N-substituted amino-hydroxy anthraquinone [2, 2006.01]
- 1/514 • • • N-aryl derivatives (N-aryl derivatives C09B 1/515) [2, 2006.01]
- 1/515 • • • N-alkyl, N-aralkyl, or N-cycloalkyl derivatives [2, 2006.01]
- 1/516 • • • N-acylated derivatives [2, 2006.01]
- 1/52 • • sulfonated [1, 2006.01]
- 1/54 • • etherified [1, 2006.01]
- 1/56 • Mercapto-anthraquinones [1, 2006.01]
- 1/58 • • with mercapto groups substituted by aliphatic, cycloaliphatic, araliphatic or aryl radicals [3, 2006.01]
- 1/60 • • • substituted by aliphatic, cycloaliphatic or araliphatic radicals [3, 2006.01]
- 1/62 • • with mercapto groups substituted by a heterocyclic ring [3, 2006.01]
- 3/00 Dyes with anthracene nucleus condensed with one or more carbocyclic rings [1, 2006.01]**
- 3/02 • Benzantrones [1, 2006.01]
- 3/04 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/06 • • Preparation from starting materials already containing the benzanthrone nucleus [1, 2006.01]
- 3/08 • • • by halogenation [1, 2006.01]
- 3/10 • • • Amino derivatives [1, 2006.01]
- 3/12 • • Dibenzanthrone [1, 2006.01]
- 3/14 • Perylene derivatives [1, 2006.01]
- 3/16 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/18 • • Preparation from starting materials already containing the perylene nucleus [1, 2006.01]
- 3/20 • • • by halogenation [1, 2006.01]
- 3/22 • Dibenzantrones; Isodibenzantrones [1, 2006.01]
- 3/24 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/26 • • • from dibenzanthronyls [1, 2006.01]
- 3/28 • • • from perylene derivatives [1, 2006.01]
- 3/30 • • Preparation from starting materials already containing the dibenzanthrone or isodibenzanthrone nucleus [1, 2006.01]
- 3/32 • • • by halogenation [1, 2006.01]
- 3/34 • • • by oxidation [1, 2006.01]
- 3/36 • • • by etherification of hydroxy compounds [1, 2006.01]
- 3/38 • • • by introduction of hydrocarbon or acyl residues into amino groups [1, 2006.01]
- 3/40 • Pyranthrone [1, 2006.01]
- 3/42 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/44 • • Preparation from starting materials already containing the pyranthrone nucleus [1, 2006.01]
- 3/46 • • • by halogenation [1, 2006.01]
- 3/48 • • • Amino derivatives [1, 2006.01]
- 3/50 • Dibenzo-pyrenequinones [1, 2006.01]
- 3/52 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/54 • • Preparation from starting materials already containing the dibenzopyrenequinone nucleus [1, 2006.01]
- 3/56 • • • Amino derivatives [1, 2006.01]
- 3/58 • Benzantrones [1, 2006.01]
- 3/60 • Anthanthrones [1, 2006.01]
- 3/62 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/64 • • Preparation from starting materials already containing the anthanthrone nucleus [1, 2006.01]
- 3/66 • • • by halogenation [1, 2006.01]
- 3/68 • • • Amino derivatives [1, 2006.01]
- 3/70 • Benzo-, naphtho-, or anthra-diantrones [1, 2006.01]
- 3/72 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/74 • • Preparation from starting materials already containing the benzo-, naphtho-, or anthra-dianthrone nucleus [1, 2006.01]
- 3/76 • • • by halogenation [1, 2006.01]
- 3/78 • Other dyes in which the anthracene nucleus is condensed with one or more carbocyclic rings [1, 2006.01]
- 3/80 • • Preparation by synthesis of the nucleus [1, 2006.01]
- 3/82 • • Preparation from starting materials already containing the condensed anthracene nucleus [1, 2006.01]
- 5/00 Dyes with an anthracene nucleus condensed with one or more heterocyclic rings with or without carbocyclic rings [1, 2006.01]**
- 5/02 • the heterocyclic ring being condensed in peri position [1, 2006.01]
- 5/04 • • Pyrazolantrones [1, 2006.01]
- 5/06 • • • Benzanthrone-pyrazolanthrone condensation products [1, 2006.01]
- 5/08 • • • Dipyrazolantrones [1, 2006.01]
- 5/10 • • Isothiazolantrones; Isoxazolantrones; Isoselenazolantrones [1, 2006.01]
- 5/12 • • Thiophenantrones [1, 2006.01]
- 5/14 • • Benz-azabantrones (anthrapyridones) [1, 2006.01]
- 5/16 • • Benz-diazabantrones, e.g. anthrapyrimidones [1, 2006.01]
- 5/18 • • Coeroxene; Coerthiene; Coeramidene; Derivatives thereof [1, 2006.01]
- 5/20 • • Flavantrones [1, 2006.01]

5/22	• • • Preparation from starting materials already containing the flavanthrone nucleus [1, 2006.01]	11/16	• • • • Preparation from diarylketones or diarylcarbinols [1, 2006.01]
5/24	• the heterocyclic ring(s) being condensed with an anthraquinone nucleus in 1-2 or 2-3 position [1, 2006.01]	11/18	• • • • Preparation by oxidation [1, 2006.01]
5/26	• • Carbazoles of the anthracene series [1, 2006.01]	11/20	• • • • Preparation from other triarylmethane derivatives [1, 2006.01]
5/28	• • • Anthrimide carbazoles [1, 2006.01]	11/22	• • • containing —OH groups bound to an aryl nucleus [1, 2006.01]
5/30	• • 1.2 azoles of the anthracene series [1, 2006.01]	11/24	• • • Phthaleins containing amino groups [1, 2006.01]
5/32	• • 1.3 azoles of the anthracene series [1, 2006.01]	11/26	• • Triarylmethane dyes in which at least one of the aromatic nuclei is heterocyclic [1, 2006.01]
5/34	• • Anthraquinone acridones or thioxanthones [1, 2006.01]	11/28	• Pyronines [1, 2006.01]
5/36	• • • Amino acridones [1, 2006.01]	13/00	Oxyketone dyes [1, 2006.01]
5/38	• • • Compounds containing acridone and carbazole rings [1, 2006.01]	13/02	• of the naphthalene series, e.g. naphthazarin [1, 2006.01]
5/40	• • • Condensation products of benzanthranyl-amino anthraquinones [1, 2006.01]	13/04	• of the pyrene series [1, 2006.01]
5/42	• • Pyridino anthraquinones [1, 2006.01]	13/06	• of the acetophenone series [1, 2006.01]
5/44	• • Azines of the anthracene series [1, 2006.01]		
5/46	• • • Para-diazines [1, 2006.01]	Acridine, azine, oxazine, or thiazine dyes	
5/48	• • • • Bis-anthraquinonediazines (indanthrone) [1, 2006.01]	15/00	Acridine dyes [1, 2006.01]
5/50	• • • • • Preparation by alkaline melting of 2-amino anthraquinones [1, 2006.01]	17/00	Azine dyes [1, 2006.01]
5/52	• • • • • Preparation by condensation of 1.2-halogeno-amino anthraquinones [1, 2006.01]	17/02	• of the benzene series [1, 2006.01]
5/54	• • • • • Preparation from 2-amino anthrahydroquinones [1, 2006.01]	17/04	• of the naphthalene series [1, 2006.01]
5/56	• • • • • Preparation from starting materials already containing the indanthrene nucleus [1, 2006.01]	17/06	• Fluorindine or its derivatives [1, 2006.01]
5/58	• • • • • • by halogenation [1, 2006.01]	19/00	Oxazine dyes [1, 2006.01]
5/60	• • • Thiazines; Oxazines [1, 2006.01]	19/02	• Bisoxazines prepared from amino quinones [1, 2006.01]
5/62	• Cyclic imides or amidines of peri-dicarboxylic acids of the anthracene, benzanthrene, or perylene series [1, 2006.01]	21/00	Thiazine dyes [1, 2006.01]
6/00	Anthracene dyes not provided for above [2, 2006.01]	Quinoline or polymethine dyes	
7/00	Indigoid dyes [1, 2006.01]	23/00	Methine or polymethine dyes, e.g. cyanine dyes [1, 2006.01]
7/02	• Bis-indole indigos [1, 2006.01]	23/01	• characterised by the methine chain [3, 2006.01]
7/04	• • Halogenation thereof [1, 2006.01]	23/02	• • containing an odd number of :CH groups [1, 3, 2006.01]
7/06	• Indone-thionaphthene indigos [1, 2006.01]	23/04	• • • one :CH group, e.g. cyanines, isocyanines, pseudocyanines [1, 3, 2006.01]
7/08	• Other indole-indigos [1, 2006.01]	23/06	• • • three :CH groups, e.g. carbocyanines [1, 3, 2006.01]
7/10	• Bis-thionaphthene indigos [1, 2006.01]	23/08	• • • more than three :CH groups, e.g. polycarbocyanines [1, 3, 2006.01]
7/12	• Other thionaphthene indigos [1, 2006.01]	23/10	• • containing an even number of :CH groups [1, 3, 2006.01]
9/00	Esters or ester-salts of leuco compounds of vat dyestuffs [1, 2006.01]	23/12	• the polymethine chain being branched [1, 2006.01]
9/02	• of anthracene dyes [1, 2006.01]	23/14	• Styryl dyes [1, 2006.01]
9/04	• of indigoid dyes [1, 2006.01]	23/16	• the polymethine chain containing hetero atoms [1, 2006.01]
11/00	Diaryl- or triarylmethane dyes [1, 2006.01]	25/00	Quinophthalones [1, 2006.01]
11/02	• derived from diarylmethanes [1, 2006.01]	<hr/>	
11/04	• derived from triarylmethanes [1, 2006.01]	26/00	Hydrazone dyes; Triazene dyes [3, 2006.01]
11/06	• • Hydroxy derivatives of triarylmethanes in which at least one —OH group is bound to an aryl nucleus [1, 2006.01]	26/02	• Hydrazone dyes (hydrazone-azo dyes C09B 56/18) [3, 2006.01]
11/08	• • • Phthaleins [1, 2006.01]	26/04	• • cationic [3, 2006.01]
11/10	• • Amino derivatives of triarylmethanes [1, 2006.01]	26/06	• Triazene dyes (triazene-azo dyes C09B 56/20) [3, 2006.01]
11/12	• • • without any —OH group bound to an aryl nucleus [1, 2006.01]		
11/14	• • • • Preparation from aromatic aldehydes, aromatic carboxylic acids or derivatives thereof, and aromatic amines [1, 2006.01]		

Azo dyes**Note(s) [4]**

In groups C09B 27/00-C09B 46/00, arrows in the formulae of the various types of azo dyes indicate which part of an azo dye, prepared by diazotising and coupling, is derived from the diazo component and which part is derived from the coupling component. The arrow is pointing to the part derived from the coupling component.





27/00 Azo dyes in which the azo group is formed in any way other than by diazotising and coupling [1, 2006.01]


- Tartrazines [3, 2006.01]







29/00 Monoazo dyes prepared by diazotising and coupling [1, 2006.01]


- 29/01 • characterised by the diazo component [3, 2006.01]
- 29/02 • • from diazotised o-amino-hydroxy compounds [1, 3, 2006.01]
- 29/03 • • from diazotised o-amino carboxylic acids or o-amino-sulfonic acids [3, 2006.01]
- 29/033 • • from diazotised amines containing a heterocyclic ring [3, 2006.01]
- 29/036 • • • the heterocyclic ring containing only nitrogen as hetero atoms [3, 2006.01]
- 29/039 • • • the heterocyclic ring containing nitrogen and sulfur as hetero atoms [3, 2006.01]
- 29/042 • • • • the hetero ring being a thiazole ring [3, 2006.01]
- 29/045 • • • • • Benzothiazoles [3, 2006.01]
- 29/048 • • • • the hetero ring being a thiadiazole ring [3, 2006.01]
- 29/06 • from coupling components containing amino as the only directing group [1, 2006.01]
- 29/08 • • Amino benzenes [1, 2006.01]
- 29/085 • • • coupled with diazotised anilines [3, 2006.01]
- 29/09 • • • coupled with diazotised amines containing heterocyclic rings [3, 2006.01]
- 29/095 • • Amino naphthalenes [3, 2006.01]
- 29/10 • from coupling components containing hydroxy as the only directing group [1, 2006.01]
- 29/12 • • of the benzene series [1, 2006.01]
- 29/14 • • • Hydroxy carboxylic acids [1, 2006.01]
- 29/15 • • of the naphthalene series [3, 2006.01]
- 29/16 • • • Naphthol-sulfonic acids [1, 3, 2006.01]
- 29/18 • • ortho-Hydroxy carbonamides [1, 2006.01]
- 29/20 • • • of the naphthalene series [1, 2006.01]
- 29/22 • • • of heterocyclic compounds [1, 2006.01]
- 29/24 • from coupling components containing both hydroxy and amino directing groups [1, 2006.01]
- 29/26 • • Amino phenols [1, 2006.01]
- 29/28 • • Amino naphthols [1, 2006.01]
- 29/30 • • • Amino naphtholsulfonic acid [1, 2006.01]
- 29/32 • from coupling components containing a reactive methylene group [1, 2006.01]
- 29/33 • • Aceto- or benzoyl-acetylarylates [3, 2006.01]
- 29/34 • from other coupling components [1, 2006.01]
- 29/36 • • from heterocyclic compounds [1, 2006.01]
- 29/40 • • • containing a five-membered ring with one nitrogen atom as the only ring hetero atom [3, 2006.01]
- 29/42 • • • containing a six-membered ring with one nitrogen atom as the only ring hetero atom [3, 2006.01]

- 29/44 • • • • Quinolines or hydrogenated quinolines [3, 2006.01]
- 29/46 • • • 1,2-Diazoles or hydrogenated 1,2-diazoles [3, 2006.01]
- 29/48 • • • • Amino-1,2-diazoles [3, 2006.01]
- 29/50 • • • • 1,2-Diazolones [3, 2006.01]
- 29/52 • • • Diazines [3, 2006.01]
- 31/00 Disazo or polyazo dyes of the type A → B → C, A → B → C → D, or the like, prepared by diazotising and coupling [1, 2006.01]**
- 31/02 • Disazo dyes [1, 2006.01]
- 31/04 • • from a coupling component "C" containing a directive amino group [1, 2006.01]
- 31/043 • • • Amino benzenes [3, 2006.01]
- 31/047 • • • • containing acid groups, e.g. —COOH, —SO₃H, —PO₃H₂, —OSO₃H, —OPO₂H₂; Salts thereof [3, 2006.01]
- 31/053 • • • Amino naphthalenes [3, 2006.01]
- 31/057 • • • • containing acid groups, e.g. —COOH, —SO₃H, —PO₃H₂, —OSO₃H, —OPO₂H₂; Salts thereof [3, 2006.01]
- 31/06 • • from a coupling component "C" containing a directive hydroxy group [1, 2006.01]
- 31/062 • • • Phenols [3, 2006.01]
- 31/065 • • • • containing acid groups, e.g. —COOH, —SO₃H, —PO₃H₂, —OSO₃H, —OPO₂H₂; Salts thereof [3, 2006.01]
- 31/068 • • • Naphthols [3, 2006.01]
- 31/072 • • • • containing acid groups, e.g. —COOH, —SO₃H, —PO₃H₂, —OSO₃H, —OPO₂H₂; Salts thereof [3, 2006.01]
- 31/075 • • • ortho-Hydroxy carboxylic acid amides [3, 2006.01]
- 31/078 • • • • containing acid groups, e.g. —COOH, —SO₃H, —PO₃H₂, —OSO₃H, —OPO₂H₂; Salts thereof [3, 2006.01]
- 31/08 • • from a coupling component "C" containing directive hydroxy and amino groups [1, 2006.01]
- 31/10 • • from a coupling component "C" containing reactive methylene groups [1, 2006.01]
- 31/11 • • • Aceto- or benzoyl-acetylarylates [3, 2006.01]
- 31/12 • • from other coupling components "C" [1, 2006.01]
- 31/14 • • • Heterocyclic components [1, 2006.01]
- 31/143 • • • • 1,2-Diazoles [3, 2006.01]
- 31/147 • • • • • Pyrazoles [3, 2006.01]
- 31/15 • • • • Indoles [3, 2006.01]
- 31/153 • • • • containing a six-membered ring with one nitrogen atom as the only ring hetero atom [3, 2006.01]
- 31/157 • • • • • Quinolines or hydrogenated quinolines [3, 2006.01]
- 31/16 • Trisazo dyes [1, 2006.01]
- 31/18 • • from a coupling component "D" containing a directive amino group [1, 2006.01]
- 31/20 • • from a coupling component "D" containing a directive hydroxy group [1, 2006.01]
- 31/22 • • from a coupling component "D" containing directive hydroxy and amino groups [1, 2006.01]
- 31/24 • • from a coupling component "D" containing reactive methylene groups [1, 2006.01]
- 31/26 • • from other coupling components "D" [1, 2006.01]
- 31/28 • • • Heterocyclic compounds [1, 2006.01]
- 31/30 • Other polyazo dyes [1, 2006.01]

- 33/00 Disazo or polyazo dyes of the types $A \rightarrow K \leftarrow B$, $A \rightarrow B \rightarrow K \leftarrow C$, or the like, prepared by diazotising and coupling [1, 2006.01]**
- 33/02 • Disazo dyes [1, 2006.01]
- 33/04 • • in which the coupling component is a dihydroxy or polyhydroxy compound [1, 2006.01]
- 33/044 • • • the coupling component being a bis-phenol [3, 2006.01]
- 33/048 • • • the coupling component being a bis-naphthol [3, 2006.01]
- 33/052 • • • the coupling component being a bis-(naphthol-amine) [3, 2006.01]
- 33/056 • • • the coupling component being a bis-(naphthol-urea) [3, 2006.01]
- 33/06 • • in which the coupling component is a diamine or polyamine [1, 2006.01]
- 33/08 • • in which the coupling component is a hydroxy-amino compound [1, 2006.01]
- 33/10 • • • in which the coupling component is an amino naphthol [1, 2006.01]
- 33/12 • • in which the coupling component is a heterocyclic compound [1, 2006.01]
- 33/13 • • • the coupling component being a bis-pyrazolone [3, 2006.01]
- 33/147 • • in which the coupling component is a bis-(o-hydroxy carboxylic acid amide) [3, 2006.01]
- 33/153 • • in which the coupling component is a bis-(aceto-acetyl amide) or a bis-(benzoyl-acetylamide) [3, 2006.01]
- 33/16 • • from other coupling components [1, 2006.01]
- 33/18 • Trisazo or higher polyazo dyes [1, 2006.01]
- 33/22 • • Trisazo dyes of the type $A \rightarrow B \rightarrow K \leftarrow C$ [3, 2006.01]
- 33/24 • • Trisazo dyes of the type  [3, 2006.01]
- 33/26 • • Tetrazo dyes of the type $A \rightarrow B \rightarrow C \rightarrow K \leftarrow D$ [3, 2006.01]
- 33/28 • • Tetrazo dyes of the type $A \rightarrow B \rightarrow K \leftarrow C \leftarrow D$ [3, 2006.01]
- 33/30 • • Tetrazo dyes of the type  [3, 2006.01]
- 33/32 • • Tetrazo dyes of the type  [3, 2006.01]
- 35/00 Disazo or polyazo dyes of the type $A \leftarrow D \rightarrow B$ prepared by diazotising and coupling [1, 2006.01]**
- 35/02 • Disazo dyes [1, 2006.01]
- 35/021 • • characterised by two coupling components of the same type [3, 2006.01]
- 35/023 • • • in which the coupling component is a hydroxy or polyhydroxy compound [3, 2006.01]
- 35/025 • • • in which the coupling component is an amine or polyamine [3, 2006.01]
- 35/027 • • • in which the coupling component is a hydroxy-amino compound [3, 2006.01]
- 35/029 • • • Amino naphthol [3, 2006.01]
- 35/03 • • • in which the coupling component is a heterocyclic compound [3, 2006.01]
- 35/031 • • • containing a six-membered ring with one nitrogen atom as the only ring hetero atom [3, 2006.01]
- 35/033 • • • in which the coupling component is an arylamide of an o-hydroxy carboxylic acid or of a beta-keto-carboxylic acid [3, 2006.01]
- 35/035 • • • in which the coupling component contains an activated methylene group [3, 2006.01]
- 35/037 • • characterised by two coupling components of different types [3, 2006.01]
- 35/039 • • characterised by the tetrazo component [3, 2006.01]
- 35/04 • • • the tetrazo component being a benzene derivative [1, 3, 2006.01]
- 35/06 • • • the tetrazo component being a naphthalene derivative [1, 3, 2006.01]
- 35/08 • • • the tetrazo component being a derivative of biphenyl [1, 3, 2006.01]
- 35/10 • • • • from two coupling components of the same type [1, 3, 2006.01]
- 35/12 • • • • from amines [1, 3, 2006.01]
- 35/14 • • • • from hydroxy compounds [1, 3, 2006.01]
- 35/16 • • • • from hydroxy amines [1, 3, 2006.01]
- 35/18 • • • • from heterocyclic compounds [1, 3, 2006.01]
- 35/20 • • • • from two coupling compounds of different types [1, 3, 2006.01]
- 35/205 • • • the tetrazo component being a derivative of a diaryl- or triaryl-alkane or -alkene [3, 2006.01]
- 35/21 • • • • of diarylmethane or triarylmethane [3, 2006.01]
- 35/215 • • • • of diarylethane or diarylethene [3, 2006.01]
- 35/22 • • • the tetrazo component being a derivative of a diaryl ether [1, 3, 2006.01]
- 35/227 • • • the tetrazo component being a derivative of a diaryl sulfide or diaryl polysulfide [3, 2006.01]
- 35/233 • • • the tetrazo component being a derivative of a diaryl ketone or benzil [3, 2006.01]
- 35/24 • • • the tetrazo component being a derivative of a diaryl amine [1, 3, 2006.01]
- 35/26 • • • the tetrazo component being a derivative of a diaryl urea [1, 3, 2006.01]
- 35/28 • • • the tetrazo component containing two aryl nuclei linked by at least one of the groups —CON₂—, —SO₂N₂—, —SO₂—, or —SO₂O— [1, 3, 2006.01]
- 35/30 • • • • from two identical coupling components [1, 3, 2006.01]
- 35/32 • • • • from two different coupling components [1, 3, 2006.01]
- 35/34 • • • the tetrazo component being heterocyclic [1, 3, 2006.01]
- 35/35 • Trisazo dyes in which the tetrazo component is a diamino-azo-aryl compound [3, 2006.01]
- 35/36 • Trisazo dyes of the type  [1, 2006.01]
- 35/362 • • D is benzene [3, 2006.01]
- 35/364 • • D is naphthalene [3, 2006.01]
- 35/366 • • D is diphenyl [3, 2006.01]
- 35/368 • • D is a diarylether, a diarylsulfide or a diarylpolsulfide [3, 2006.01]
- 35/37 • • D is a diarylamine [3, 2006.01]
- 35/372 • • D is a diarylurea [3, 2006.01]
- 35/374 • • D contains two aryl nuclei linked by at least one of the groups —CON₂—, —SO₂N₂—, —SO₂—, or —SO₂O— [3, 2006.01]
- 35/376 • • D is a heterocyclic compound [3, 2006.01]

- 35/378 • Trisazo dyes of the type  [3, 2006.01]
- 35/38 • Trisazo dyes of the types [1, 2006.01]
- 35/40 • • the component K being a dihydroxy or polyhydroxy compound [1, 2006.01]
- 35/42 • • the component K being a diamine or polyamine [1, 2006.01]
- 35/44 • • the component K being a hydroxy amine [1, 2006.01]
- 35/46 • • • the component K being an amino naphthol [1, 2006.01]
- 35/48 • • the component K being heterocyclic [1, 2006.01]
- 35/50 • Tetrazo dyes [1, 2006.01]

- 35/52 • • of the type  [3, 2006.01]
- 35/54 • • of the type  [3, 2006.01]
- 35/56 • • of the type  [3, 2006.01]
- 35/58 • • of the type  [3, 2006.01]
- 35/60 • • of the type  [3, 2006.01]
- 35/62 • • of the type  [3, 2006.01]
- 35/64 • Higher polyazo dyes, e.g. of the types



- 37/00 **Azo dyes prepared by coupling the diazotised amine with itself [1, 2006.01]**
- 39/00 **Other azo dyes prepared by diazotising and coupling [1, 2006.01]**
- 41/00 **Special methods of performing the coupling reaction [1, 2006.01]**
- 43/00 **Preparation of azo dyes from other azo compounds [1, 2006.01]**
- 43/02 • by sulfonation [1, 2006.01]
- 43/04 • by nitration [1, 2006.01]
- 43/06 • by oxidation [1, 2006.01]
- 43/08 • by reduction (deamination C09B 43/44) [1, 2006.01]
- 43/10 • • with formation of a new azo or an azoxy bridge [1, 2006.01]
- 43/11 • by introducing hydrocarbon radicals or substituted hydrocarbon radicals on primary or secondary amino groups (formation of an amino group by reduction, e.g. of a nitro group, C09B 43/08) [3, 2006.01]
- 43/12 • by acylation of amino groups [1, 2006.01]

- 43/124 • • with monocarboxylic acids, carbamic esters or halides, monoisocyanates, or haloformic acid esters [3, 2006.01]
- 43/128 • • • Aliphatic, cycloaliphatic or araliphatic acids [3, 2006.01]
- 43/132 • • • having the carboxyl group directly attached to an aromatic carbocyclic ring [3, 2006.01]
- 43/136 • • with polyfunctional acylating agents [3, 2006.01]
- 43/14 • • • with phosgene or thiophosgene [1, 3, 2006.01]
- 43/145 • • • with polycarboxylic acids [3, 2006.01]
- 43/15 • • • • with formation of cyclic imides of ortho- or peri-dicarboxylic acids [3, 2006.01]
- 43/155 • • • with di- or poly-isocyanates [3, 2006.01]
- 43/16 • • • linking amino-azo compounds with other amino compounds by cyanuric acid or cyanuric acid residues [1, 3, 2006.01]
- 43/18 • by acylation of hydroxy groups [1, 2006.01]
- 43/20 • • with monocarboxylic acids, carbamic acid esters or halides, monoisocyanates or haloformic acid esters [3, 2006.01]
- 43/22 • • • having the carboxyl group directly attached to an aromatic carbocyclic ring [3, 2006.01]
- 43/24 • • with formation of —O—SO₂—R or —O—SO₃H radicals [3, 2006.01]
- 43/26 • • with polyfunctional acylating agents [3, 2006.01]
- 43/28 • by etherification of hydroxy groups [3, 2006.01]
- 43/30 • by esterification of —COOH or —SO₃H groups [3, 2006.01]
- 43/32 • by reacting carboxyl or sulfonic groups, or derivatives thereof, with amines; by reacting keto groups with amines [3, 2006.01]
- 43/34 • • by reacting ortho- or peri-dicarboxylic dyes [3, 2006.01]
- 43/36 • • with amino anthracene or amino anthraquinone dyes [3, 2006.01]
- 43/38 • • by reacting two or more ortho-hydroxy naphthoic acid dyes with polyamines [3, 2006.01]
- 43/40 • by substituting hetero atoms by radicals containing other hetero atoms [3, 2006.01]
- 43/42 • • by substituting radicals containing hetero atoms for —CN radicals [3, 2006.01]
- 43/44 • by substituting amine groups for hydroxyl groups or hydroxy groups for amine groups; Desacylation of amino-acyl groups; Deaminating [3, 2006.01]

- 44/00 **Azo dyes containing onium groups [3, 2006.01]**
- 44/02 • containing ammonium groups not directly attached to an azo group [3, 2006.01]
- 44/04 • • from coupling components containing amino as the only directing group [3, 2006.01]
- 44/06 • • from coupling components containing hydroxyl as the only directing group [3, 2006.01]
- 44/08 • • from coupling components containing heterocyclic rings [3, 2006.01]
- 44/10 • containing cyclammonium groups attached to an azo group by a carbon atom of the ring system [3, 2006.01]
- 44/12 • • having one nitrogen atom as the only ring hetero atom [3, 2006.01]
- 44/14 • • 1,2-Diazoles or hydrogenated 1,2-diazoles [3, 2006.01]
- 44/16 • • 1,3-Diazoles or hydrogenated 1,3-diazoles [3, 2006.01]
- 44/18 • • having three nitrogen atoms as the only ring hetero atoms [3, 2006.01]
- 44/20 • • Thiazoles or hydrogenated thiazoles [3, 2006.01]

45/00	Complex metal compounds of azo dyes [1, 2006.01]		
45/01	• characterised by the method of metallisation [3, 2006.01]	47/20	• • • Obtaining compounds having sulfur atoms directly bound to the phthalocyanine skeleton [3, 2006.01]
45/02	• Preparation from dyes containing in o-position a hydroxy group and in o1-position hydroxy, alkoxy, carboxyl, amino, or keto groups [1, 2, 2006.01]	47/22	• • • Obtaining compounds having nitrogen atoms directly bound to the phthalocyanine skeleton [3, 2006.01]
45/04	• • Azo compounds in general [1, 2006.01]	47/24	• • • Obtaining compounds having —COOH or —SO ₃ H radicals, or derivatives thereof, directly bound to the phthalocyanine radical [3, 2006.01]
45/06	• • • Chromium compounds [1, 2006.01]	47/26	• • • • Amide radicals [3, 2006.01]
45/08	• • • Copper compounds [1, 2006.01]	47/28	• • Phthalocyanine dyes containing —S—SO ₃ H radicals [3, 2006.01]
45/10	• • • Cobalt compounds [1, 2006.01]	47/30	• • Metal-free phthalocyanines [3, 2006.01]
45/12	• • • other metal compounds [1, 2006.01]	47/32	• • Cationic phthalocyanine dyes [3, 2006.01]
45/14	• • Monoazo compounds [1, 2006.01]	48/00	Quinacridones [1, 2006.01]
45/16	• • • containing chromium [1, 2006.01]	49/00	Sulfur dyes [1, 2006.01]
45/18	• • • containing copper [1, 2006.01]	49/02	• from nitro compounds of the benzene, naphthalene or anthracene series [1, 2006.01]
45/20	• • • containing cobalt [1, 2006.01]	49/04	• from amino compounds of the benzene, naphthalene or anthracene series [1, 2006.01]
45/22	• • • containing other metals [1, 2006.01]	49/06	• from azines, oxazines, thiazines, or thiazoles [1, 2006.01]
45/24	• • Disazo or polyazo compounds [1, 2006.01]	49/08	• from urea derivatives [1, 2006.01]
45/26	• • • containing chromium [1, 2006.01]	49/10	• from diphenylamines, indamines, or indophenols [1, 2006.01]
45/28	• • • containing copper [1, 2006.01]	49/12	• from other compounds [1, 2006.01]
45/30	• • • containing cobalt [1, 2006.01]	50/00	Formazane dyes; Tetrazolium dyes [3, 2006.01]
45/32	• • • containing other metals [1, 2006.01]	50/02	• Tetrazolium dyes [3, 2006.01]
45/34	• Preparation from o-monohydroxy azo compounds having in the o1-position an atom or functional group other than hydroxy, alkoxy, carboxyl, amino, or keto groups [1, 2006.01]	50/04	• Metal-free formazane dyes [3, 2006.01]
45/36	• • by oxidation of hydrogen in o1-position [1, 2006.01]	50/06	• Bis-formazane dyes [3, 2006.01]
45/38	• Preparation from compounds with —OH and —COOH adjacent in the same ring or in peri position [1, 2006.01]	50/08	• Meso-acyl formazane dyes [3, 2006.01]
45/40	• • Chromium compounds [1, 2006.01]	50/10	• Cationic formazane dyes [3, 2006.01]
45/42	• • Copper compounds [1, 2006.01]	51/00	Nitro or nitroso dyes [1, 2006.01]
45/44	• • Cobalt compounds [1, 2006.01]	53/00	Quinone imides [1, 2006.01]
45/46	• • Other metal compounds [1, 2006.01]	53/02	• Indamines; Indophenols [1, 2006.01]
45/48	• Preparation from other complex metal compounds of azo dyes [1, 2006.01]	55/00	Azomethine dyes [1, 2006.01]
46/00	Azo dyes not provided for in groups C09B 27/00-C09B 45/00 [2, 2006.01]	56/00	Azo dyes containing other chromophoric systems [3, 2006.01]
47/00	Porphines; Azaporphines [1, 2006.01]	56/02	• Azomethine-azo dyes [3, 2006.01]
47/04	• Phthalocyanines [1, 3, 2006.01]	56/04	• Stilbene-azo dyes [3, 2006.01]
47/06	• • Preparation from carboxylic acids or derivatives thereof [1, 3, 2006.01]	56/06	• • Bis- or poly-stilbene-azo dyes [3, 2006.01]
47/067	• • • from phthalodinitriles [3, 2006.01]	56/08	• Styryl-azo dyes [3, 2006.01]
47/073	• • Preparation from isoindolenines [3, 2006.01]	56/10	• Formazane-azo dyes [3, 2006.01]
47/08	• • Preparation from other phthalocyanine compounds [1, 3, 2006.01]	56/12	• Anthraquinone-azo dyes [3, 2006.01]
47/10	• • • Obtaining compounds having halogen atoms directly bound to the phthalocyanine skeleton [1, 3, 2006.01]	56/14	• Phthalocyanine-azo dyes [3, 2006.01]
47/12	• • • Obtaining compounds having alkyl radicals, or alkyl radicals substituted by hetero atoms, bound to the phthalocyanine skeleton [3, 2006.01]	56/16	• Methine- or polymethine-azo dyes [3, 2006.01]
47/14	• • • • having alkyl radicals substituted by halogen atoms [3, 2006.01]	56/18	• Hydrazone-azo dyes [3, 2006.01]
47/16	• • • • having alkyl radicals substituted by nitrogen atoms [3, 2006.01]	56/20	• Triazene-azo dyes [3, 2006.01]
47/18	• • • Obtaining compounds having oxygen atoms directly bound to the phthalocyanine skeleton [3, 2006.01]	57/00	Other synthetic dyes of known constitution [1, 2006.01]
		57/02	• Coumarine dyes [3, 2006.01]
		57/04	• Isoindoline dyes [3, 2006.01]
		57/06	• Naphtholactam dyes [3, 2006.01]
		57/08	• Naphthalimide dyes; Phthalimide dyes [3, 2006.01]
		57/10	• Metal complexes of organic compounds not being dyes in uncomplexed form [3, 2006.01]
		57/12	• Perinones, i.e. naphthoylene-aryl-imidazoles [3, 2006.01]

- 57/14 • Benzoxanthene dyes; Benzothioxanthene dyes [3, 2006.01]
- 59/00 **Artificial dyes of unknown constitution [1, 2006.01]**
- 61/00 **Dyes of natural origin prepared from natural sources [1, 2006.01]**
- 62/00 **Reactive dyes, i.e. dyes which form covalent bonds with the substrates or which polymerise with themselves [1, 3, 2006.01]**
- 62/002 • with the linkage of the reactive group being alternatively specified [3, 2006.01]
- 62/004 • Anthracene dyes [3, 2006.01]
- 62/006 • Azo dyes [3, 2006.01]
- 62/008 • Monoazo dyes [3, 2006.01]
- 62/01 • Disazo or polyazo dyes [3, 2006.01]
- 62/012 • Metal complex azo dyes [3, 2006.01]
- 62/014 • Nitro dyes [3, 2006.01]
- 62/016 • Porphines; Azaporphines [3, 2006.01]
- 62/018 • Formazane dyes [3, 2006.01]
- 62/02 • with the reactive group directly attached to a heterocyclic ring [1, 2006.01]
- 62/022 • the heterocyclic ring being alternatively specified [3, 2006.01]
- 62/024 • Anthracene dyes [3, 2006.01]
- 62/026 • Azo dyes [3, 2006.01]
- 62/028 • Monoazo dyes [3, 2006.01]
- 62/03 • Disazo or polyazo dyes [3, 2006.01]
- 62/032 • Metal complex azo dyes [3, 2006.01]
- 62/034 • Nitro dyes [3, 2006.01]
- 62/036 • Porphines; Azaporphines [3, 2006.01]
- 62/038 • Formazane dyes [3, 2006.01]
- 62/04 • to a triazine ring [1, 2006.01]
- 62/06 • Anthracene dyes [1, 2006.01]
- 62/08 • Azo dyes [1, 2006.01]
- 62/085 • Monoazo dyes [3, 2006.01]
- 62/09 • Disazo or polyazo dyes [3, 2006.01]
- 62/095 • Metal complex azo dyes [3, 2006.01]
- 62/10 • Porphines; Azaporphines [1, 2006.01]
- 62/12 • to a pyridazine ring [1, 2006.01]
- 62/14 • Anthracene dyes [1, 2006.01]
- 62/16 • Azo dyes [1, 2006.01]
- 62/165 • Monoazo dyes [3, 2006.01]
- 62/17 • Disazo or polyazo dyes [3, 2006.01]
- 62/175 • Metal complex azo dyes [3, 2006.01]
- 62/18 • Porphines; Azaporphines [1, 2006.01]
- 62/20 • to a pyrimidine ring [1, 2006.01]
- 62/22 • Anthracene dyes [1, 2006.01]
- 62/24 • Azo dyes [1, 2006.01]
- 62/245 • Monoazo dyes [3, 2006.01]
- 62/25 • Disazo or polyazo dyes [3, 2006.01]
- 62/255 • Metal complex azo dyes [3, 2006.01]
- 62/26 • Porphines; Azaporphines [1, 2006.01]
- 62/28 • to a pyrazine ring [1, 2006.01]
- 62/30 • Anthracene dyes [1, 2006.01]
- 62/32 • Azo dyes [1, 2006.01]
- 62/325 • Monoazo dyes [3, 2006.01]
- 62/33 • Disazo or polyazo dyes [3, 2006.01]
- 62/335 • Metal complex azo dyes [3, 2006.01]
- 62/34 • Porphines; Azaporphines [1, 2006.01]
- 62/343 • to a five-membered ring [3, 2006.01]
- 62/345 • Anthracene dyes [3, 2006.01]
- 62/347 • Azo dyes [3, 2006.01]
- 62/35 • Monoazo dyes [3, 2006.01]
- 62/353 • Disazo or polyazo dyes [3, 2006.01]
- 62/355 • Metal complex azo dyes [3, 2006.01]
- 62/357 • Porphines; Azaporphines [3, 2006.01]
- 62/36 • to some other heterocyclic ring [1, 2006.01]
- 62/38 • Anthracene dyes [1, 2006.01]
- 62/40 • Azo dyes [1, 2006.01]
- 62/405 • Monoazo dyes [3, 2006.01]
- 62/41 • Disazo or polyazo dyes [3, 2006.01]
- 62/415 • Metal complex azo dyes [3, 2006.01]
- 62/42 • Porphines; Azaporphines [1, 2006.01]
- 62/44 • with the reactive group not directly attached to a heterocyclic ring [1, 2006.01]
- 62/443 • the reactive group being alternatively specified [3, 2006.01]
- 62/445 • Anthracene dyes [3, 2006.01]
- 62/447 • Azo dyes [3, 2006.01]
- 62/45 • Monoazo dyes [3, 2006.01]
- 62/453 • Disazo or polyazo dyes [3, 2006.01]
- 62/455 • Metal complex azo dyes [3, 2006.01]
- 62/457 • Porphines; Azaporphines [3, 2006.01]
- 62/463 • Formazane dyes [3, 2006.01]
- 62/465 • the reactive group being an acryloyl group, a quaternised or non-quaternised aminoalkyl carbonyl group, or a $(-N)_n-CO-A-O-X$ or $(-N)_n-CO-A-Hal$ group, wherein A is an alkylene or alkylidene group, X is hydrogen or an acyl radical of an organic or inorganic acid, Hal is a halogen atom, and n is 0 or 1 [3, 2006.01]
- 62/467 • Anthracene dyes [3, 2006.01]
- 62/47 • Azo dyes [3, 2006.01]
- 62/473 • Monoazo dyes [3, 2006.01]
- 62/475 • Disazo or polyazo dyes [3, 2006.01]
- 62/477 • Metal complex azo dyes [3, 2006.01]
- 62/483 • Porphines; Azaporphines [3, 2006.01]
- 62/485 • the reactive group being a halo-cyclobutyl-carbonyl, halo-cyclobutyl-vinyl-carbonyl, or halo-cyclobutenyl-carbonyl group [3, 2006.01]
- 62/487 • Anthracene dyes [3, 2006.01]
- 62/489 • Azo dyes [3, 2006.01]
- 62/491 • Monoazo dyes [3, 2006.01]
- 62/493 • Disazo or polyazo dyes [3, 2006.01]
- 62/495 • Metal complex azo dyes [3, 2006.01]
- 62/497 • Porphines; Azaporphines [3, 2006.01]
- 62/503 • the reactive group being an esterified or non-esterified hydroxyalkyl sulfonyl or mercaptoalkyl sulfonyl group, a quaternised or non-quaternised aminoalkyl sulfonyl group, a heterylmercapto alkyl sulfonyl group, a vinyl sulfonyl or a substituted vinyl sulfonyl group, or a thiophene-dioxide group [3, 2006.01]
- 62/505 • Anthracene dyes [3, 2006.01]
- 62/507 • Azo dyes [3, 2006.01]
- 62/51 • Monoazo dyes [3, 2006.01]
- 62/513 • Disazo or polyazo dyes [3, 2006.01]
- 62/515 • Metal complex azo dyes [3, 2006.01]
- 62/517 • Porphines; Azaporphines [3, 2006.01]
- 62/523 • the reactive group being an esterified or non-esterified hydroxyalkyl sulfonyl amido or hydroxyalkyl amino sulfonyl group, a quaternised or non-quaternised amino alkyl sulfonyl amido group, or a substituted alkyl amino sulfonyl group, or a halogen alkyl sulfonyl amido or halogen alkyl amino sulfonyl group or a vinyl sulfonylamido or a substituted vinyl sulfonamido group [3, 2006.01]

- 62/525 • • • Anthracene dyes [3, 2006.01]
 62/527 • • • Azo dyes [3, 2006.01]
 62/53 • • • Monoazo dyes [3, 2006.01]
 62/533 • • • Disazo or polyazo dyes [3, 2006.01]
 62/535 • • • Metal complex azo dyes [3, 2006.01]
 62/537 • • • Porphines; Azaporphines [3, 2006.01]
 62/54 • • the reactive group being an epoxy or halohydrin group [1, 3, 2006.01]
 62/56 • • • Anthracene dyes [1, 2006.01]
 62/58 • • • Azo dyes [1, 2006.01]
 62/585 • • • Monoazo dyes [3, 2006.01]
 62/59 • • • Disazo or polyazo dyes [3, 2006.01]
 62/595 • • • Metal complex azo dyes [3, 2006.01]
 62/60 • • • Porphines; Azaporphines [1, 2006.01]
 62/62 • • the reactive group being an ethylenimino or N-acylated ethylenimino group or a —CO—NH—CH₂—CH₂—X group, wherein X is a halogen atom, a quaternary ammonium group or O-acyl and acyl is derived from an organic or inorganic acid, or a beta-substituted ethylamine group [1, 2006.01]
 62/64 • • • Anthracene dyes [1, 2006.01]
 62/66 • • • Azo dyes [1, 2006.01]
 62/665 • • • Monoazo dyes [3, 2006.01]
 62/67 • • • Disazo or polyazo dyes [3, 2006.01]
 62/675 • • • Metal complex azo dyes [3, 2006.01]
 62/68 • • • Porphines; Azaporphines [1, 2006.01]
 62/763 • • the reactive group being a N-methylol group or an O-derivative thereof [3, 2006.01]
 62/765 • • • Anthracene dyes [3, 2006.01]
 62/767 • • • Azo dyes [3, 2006.01]
 62/77 • • • Monoazo dyes [3, 2006.01]
 62/773 • • • Disazo or polyazo dyes [3, 2006.01]
 62/775 • • • Metal complex azo dyes [3, 2006.01]
 62/777 • • • Porphines; Azaporphines [3, 2006.01]
 62/78 • • with other reactive groups [1, 2006.01]
 62/80 • • • Anthracene dyes [1, 2006.01]
 62/82 • • • Azo dyes [1, 2006.01]
 62/825 • • • Monoazo dyes [3, 2006.01]
 62/83 • • • Disazo or polyazo dyes [3, 2006.01]
 62/835 • • • Metal complex azo dyes [3, 2006.01]
 62/84 • • • Porphines; Azaporphines [1, 2006.01]
- 67/02 • Dyestuff preparations characterised by special physical forms, e.g. tablets, films [3, 2006.01]
 67/04 • Grinding or milling (C09B 67/14 takes precedence) [3, 2006.01]
 67/06 • Drying [3, 2006.01]
 67/08 • Coated particulate pigments or dyes [3, 2006.01]
 67/10 • Influencing the physical properties by treatment with a liquid, e.g. solvents (C09B 67/14, C09B 67/18, C09B 67/20 take precedence) [3, 2006.01]
 67/12 • • of phthalocyanines [3, 2006.01]
 67/14 • Influencing the physical properties by treatment with an acid [3, 2006.01]
 67/16 • • of phthalocyanines [3, 2006.01]
 67/18 • Influencing the physical properties by treatment with an amine [3, 2006.01]
 67/20 • Preparations of organic pigments [3, 2006.01]
 67/22 • Mixtures of different pigments or dyes or solid solutions of pigments or dyes [3, 2006.01]
 67/24 • Preparations of acid dyes or reactive dyes [3, 2006.01]
 67/26 • • in liquid form [3, 2006.01]
 67/28 • Preparations of vat or sulfur dyes [3, 2006.01]
 67/30 • • in liquid form [3, 2006.01]
 67/32 • Preparations of cationic or basic dyes [3, 2006.01]
 67/34 • • in liquid form [3, 2006.01]
 67/36 • Azoic dyestuff preparations [3, 2006.01]
 67/38 • Preparations of disperse dyes [3, 2006.01]
 67/40 • • in liquid form [3, 2006.01]
 67/42 • Preparations of dyes not provided for in a single one of groups C09B 67/24-C09B 67/40 [3, 2006.01]
 67/44 • • Solutions [3, 2006.01]
 67/46 • • Dispersions [3, 2006.01]
 67/48 • Crystalline modifications of pigments or dyestuff (C09B 67/24 takes precedence) [3, 2006.01]
 67/50 • • of phthalocyanines [3, 2006.01]
 67/52 • • of quinacridones [3, 2006.01]
 67/54 • Separation; Purification (C09B 67/06, C09B 67/10 take precedence) [3, 2006.01]
-
- 69/00 **Dyes not provided for by a single group of this subclass [2, 2006.01]**
 69/02 • Dyestuff salts, e.g. salts of acid dyes with basic dyes (for Na, K, or NH₄ + salts of dyes or for chlorides, sulfates or chlorozincates, see the relevant dye groups) [3, 2006.01]
 69/04 • • of anionic dyes with nitrogen containing compounds [3, 2006.01]
 69/06 • • of cationic dyes with organic acids [3, 2006.01]
 69/08 • Dyes containing a splittable water solubilising group [3, 2006.01]
 69/10 • Polymeric dyes; Reaction products of dyes with monomers or with macromolecular compounds [3, 2006.01]

Lakes; Mordants; Dyestuff preparations

- 63/00 **Lakes [1, 2006.01]**
 65/00 **Compositions containing mordants [1, 2006.01]**
 67/00 **Influencing the physical, e.g. the dyeing or printing, properties of dyestuffs without chemical reaction, e.g. by treating with solvents; Process features in the making of dyestuff preparations; Dyestuff preparations of a special physical nature, e.g. tablets, films [1, 2006.01]**