## SECTION B — PERFORMING OPERATIONS; TRANSPORTING

## B30 PRESSES

**PRESSES IN GENERAL; PRESSES NOT OTHERWISE PROVIDED FOR** (producing ultra-high pressure or ultra-high pressure and high temperature to effect modifications of a substance, e.g. for making artificial diamonds B01J 3/00) [2]

## **Subclass index**

PRESSES CHARACTERISED BY OPERATION OF PRESSING MECHANISMS	.1/00, 3/00, 5/00, 7/00
PRESSES FOR SPECIAL PURPOSES	.9/00, 11/00
OTHER PRESSES	
DETAILS, ACCESSORIES, CONTROL	.15/00
OTHER PRESSING METHODS	.13/00

1/00	Presses, using a press ram, characterised by the
	features of the drive therefor, pressure being
	transmitted directly, or through simple thrust or
	tension members only, to the press ram or
	platen [1, 2006.01]

- 1/02 by lever mechanism (by toggle mechanism B30B 1/10) **[1, 2006.01]**
- 1/04 • operated by hand or foot **[1, 2006.01]**
- 1/06 operated by cams, eccentrics, or cranks [1, 2006.01]
- 1/08 • operated by fluid-pressure means [1, 2006.01]
- 1/10 by toggle mechanism **[1, 2006.01]**
- 1/12 • operated by hand or foot [1, 2006.01]
- 1/14 operated by cams, eccentrics, or cranks [1, 2006.01]
- 1/16 • operated by fluid-pressure means **[1, 2006.01]**
- 1/18 by screw means **[1, 2006.01]**
- 1/20 driven by hand **[1, 2006.01]**
- 1/22 driven through friction disc means [1, 2006.01]
- 1/23 • operated by fluid-pressure means [2, 2006.01]
- 1/24 by rack-and-pinion means **[1, 2006.01]**
- 1/26 by cams, eccentrics, or cranks [1, 2006.01]
- the cam, crank, or eccentric being disposed below the lower platen or table and operating to pull down the upper platen or slide [1, 2006.01]
- 1/30 by the pull of chains or ropes **[1, 2006.01]**
- 1/32 by plungers under fluid pressure [1, 2006.01]
- 1/34 • involving a plurality of plungers acting on the platen (gas operated B30B 1/38) [1, 2006.01]
- 1/36 having telescoping plungers (gas operated B30B 1/38) **[1, 2006.01]**
- 1/38 • wherein the plungers are operated by pressure of a gas, e.g. steam, air [1, 2006.01]
- 1/40 by wedge means [1, 2006.01]
- 1/42 by magnetic means, e.g. electromagnetic [2, 2006.01]
- 3/00 Presses characterised by the use of rotary pressing members, e.g. rollers, rings, discs [1, 2006.01]
- 3/02 co-operating with a fixed member **[1, 2006.01]**
- 3/04 co-operating with one another, e.g. with co-operating cones [1, 2006.01]

- arranged one within another, e.g. with a roller disposed within a rotating ring and co-operating with the inner surface thereof [1, 2006.01]
- 5/00 Presses characterised by the use of pressing means other than those mentioned in groups B30B 1/00 and B30B 3/00 [1, 2006.01]
- wherein the pressing means is in the form of a flexible element, e.g. diaphragm, urged by fluid pressure [1, 2, 2006.01]
- 5/04 wherein the pressing means is in the form of an endless band [1, 2006.01]
- 5/06 • co-operating with another endless band **[1, 2006.01]**
- 7/00 Presses characterised by a particular arrangement of the pressing members [1, 2006.01]
- 7/02 having several platens arranged one above the other [1, 2006.01]
- wherein pressing is effected in different directions simultaneously or in turn [1, 2006.01]
- 9/00 Presses specially adapted for particular purposes [1, 2006.01]
- 9/02 for squeezing-out liquid from liquid-containing material, e.g. juice from fruits, oil from oil-containing material (kitchen equipment A47J; filtering, e.g. straining solids from liquids, using presses in combination with filtering elements B01D; expelling water from textile fabrics or laundry D06C, D06F; drying F26) [1, 2006.01]
- 9/04 using press rams **[1, 2006.01]**
- 9/06 • co-operating with permeable casings or strainers [1, 2006.01]
- 9/08 • co-operating with a rotary casing [1, 2006.01]
- 9/10 • without use of a casing **[1, 2006.01]**
- 9/12 using pressing worms or screws co-operating with a permeable casing **[1, 2006.01]**
- 9/14 • operating with only one screw or worm **[1, 2006.01]**
- 9/16 • operating with two or more screws or worms [1, 2006.01]
- 9/18 • with means for adjusting the outlet for the solid [1, 2006.01]

IPC (2025.01), Section B 1

9/20	• • using rotary pressing members, other than worms	11/24	• • using screws or worms [1, 2006.01]
	or screws, e.g. rollers, rings, discs [1, 2006.01]	11/26	<ul> <li>using press rams [1, 2006.01]</li> </ul>
9/22	<ul> <li>using a flexible element, e.g. diaphragm, urged by</li> </ul>	11/28	<ul> <li>using perforated rollers or discs [1, 2006.01]</li> </ul>
	fluid pressure (connection of valves to inflatable	11/30	• • using directly-acting fluid pressure [1, 2006.01]
	elastic bodies B60C 29/00) [1, 3, 2006.01]	11/34	• for coating articles, e.g. tablets [1, 2006.01]
9/24	<ul> <li>using an endless pressing band [1, 2006.01]</li> </ul>		, and a second s
9/26	<ul> <li>Permeable casings or strainers [1, 2006.01]</li> </ul>	12/00	Presses not provided for in groups B30B 1/00-
9/28	<ul> <li>for forming shaped articles (from material in powder,</li> </ul>		B30B 11/00 [2, 2006.01]
	granular, or paste form, e.g. briquetting presses,	42.400	
	B30B 11/00) <b>[1, 2006.01]</b>	13/00	Methods of pressing not special to the use of presses
9/30	<ul> <li>for baling; Compression boxes therefor (baling hay,</li> </ul>		of any one of the preceding main groups B30B 1/00-
	straw, or the like A01F) [1, 2006.01]		B30B 12/00 [1, 2, 2006.01]
9/32	<ul> <li>for consolidating scrap metal or for compacting used</li> </ul>	15/00	Details of, or accessories for, presses; Auxiliary
	cars [1, 2006.01]		measures in connection with pressing (safety devices
11/00	Donato and all advantage for the second and advantage of t		F16P) [1, 2006.01]
11/00	Presses specially adapted for forming shaped articles from material in particulate or plastic state, e.g.	15/02	• Dies; Inserts therefor or mountings thereof; Moulds
	briquetting presses or tabletting presses (apparatus		(extrusion dies B30B 11/22) <b>[1, 2006.01]</b>
	for forming or shaping of dough A21C 3/00,	15/04	• Frames; Guides [1, 2006.01]
	A21C 11/00; apparatus for shaping clay or mixtures	15/06	• Platens or press rams [1, 2006.01]
	containing cement B28B; apparatus for shaping of	15/08	Accessory tools, e.g. knives; Mountings
	plastic or substances in a plastic state B29, e.g. for		therefor <b>[1, 2006.01</b> ]
	compression moulding B29C 43/00, for extrusion	15/10	• Brakes specially adapted for presses [1, 2006.01]
	moulding B29C 48/00) [1, 2006.01]	15/12	• Clutches specially adapted for presses [1, 2006.01]
11/02	<ul> <li>using a ram exerting pressure on the material in a</li> </ul>	15/14	Control arrangements for mechanically-driven
	moulding space [1, 2006.01]		presses [1, 2006.01]
11/04	<ul> <li>co-operating with a fixed mould [1, 2006.01]</li> </ul>	15/16	<ul> <li>Control arrangements for fluid-driven presses (pumps</li> </ul>
11/06	<ul> <li>each charge of the material being compressed</li> </ul>		per se F04; hydraulic accumulators per se F15B;
	against the previously formed		valves <u>per se</u> F16K) <b>[1, 2006.01]</b>
	body <b>[1, 2006.01]</b>	15/18	<ul> <li>controlling the reciprocating motion of the</li> </ul>
11/08	<ul> <li>co-operating with moulds carried by a turn-</li> </ul>		ram <b>[1, 2006.01]</b>
	table <b>[1, 2006.01]</b>	15/20	• • controlling the speed of the ram, e.g. the speed
11/10	• • • intermittently rotated [1, 2006.01]		of the approach, pressing or return
11/12	<ul> <li>co-operating with moulds on the circumference of</li> </ul>		strokes [1, 2006.01]
	a rotating drum [1, 2006.01]	15/22	<ul> <li>controlling the degree of pressure applied by the</li> </ul>
11/14	<ul> <li>co-operating with moulds on a movable carrier</li> </ul>		ram during the pressing stroke [1, 2006.01]
	other than a turn-table or a rotating	15/24	<ul> <li>controlling the movement of a plurality of</li> </ul>
	drum [1, 2006.01]		actuating members to maintain parallel movement
11/16	• using pocketed rollers, e.g. two co-operating		of the platen or press beam [1, 2006.01]
44/40	pocketed rollers [1, 2006.01]	15/26	<ul> <li>Programme control arrangements [1, 2006.01]</li> </ul>
11/18	• using profiled rollers [1, 2006.01]	15/28	<ul> <li>Arrangements for preventing distortion of, or damage</li> </ul>
11/20	Roller-and-ring machines, i.e. with roller disposed		to, presses or parts thereof [1, 2006.01]
	within a ring and co-operating with the inner surface	15/30	<ul> <li>Feeding material to presses [1, 2006.01]</li> </ul>
11/22	of the ring [1, 2006.01]	15/32	<ul> <li>Discharging presses [1, 2006.01]</li> </ul>
11/22	• Extrusion presses; Dies therefor (extruding by the use of roller and ring machines R30R 11/20) [1, 2006 01]	15/34	<ul> <li>Heating or cooling presses or parts</li> </ul>
	of roller-and-ring machines B30B 11/20) [1, 2006.01]		thereof <b>[1, 2006.01]</b>

2 IPC (2025.01), Section B