

# SEQUENCE LISTING

<110> INSERM

<120> METHOD FOR ABSOLUTE QUANTIFICATION OF POLYPEPTIDES

<130> BCT

<160> 13

<170> PatentIn version 3.3

<210> 1

<211> 12

<212> PRT

<213> Artificial

<220>

<223> fragment

<400> 1

Asn	Val	Thr	Val	Gln	Glu	Leu	Asp	Leu	Gln	Ala	Arg
1				5					10		

<210> 2

<211> 10

<212> PRT

<213> Artificial

<220>

<223> fragment

<400> 2

Gln	Asn	Thr	Val	Pro	Leu	Glu	Thr	Val	Lys
1				5					10

<210> 3

<211> 12

<212> PRT

<213> Artificial

<220>

<223> fragment

<400> 3

Tyr	Asn	Leu	Tyr	Asn	Ser	Asp	Val	Phe	Asp	Gly	Lys
1				5					10		

<210> 4

<211> 11

<212> PRT

<213> Artificial

<220>

<223> fragment

<400> 4

His Gln Leu Thr Gln Ile His Gly Leu Tyr Arg  
1 5 10

<210> 5  
<211> 10  
<212> PRT  
<213> Artificial

<220>  
<223> fragment

<400> 5

Leu Pro Thr Pro Ile Glu Leu Pro Leu Lys  
1 5 10

<210> 6  
<211> 22  
<212> PRT  
<213> Artificial

<220>  
<223> fragment

<400> 6

Asn Thr Asp Gly Ser Ile Ser Leu Ile Ile Phe Pro Ser Pro Tyr Tyr  
1 5 10 15

Ser Pro Ala Phe Thr Lys  
20

<210> 7  
<211> 12  
<212> PRT  
<213> Artificial

<220>  
<223> fragment

<400> 7

Gln Leu Ala Ile Ser Thr Leu Asp Phe Glu Ile Arg  
1 5 10

<210> 8  
<211> 55  
<212> DNA  
<213> Artificial

<220>  
<223> primer

<400> 8	
ggggacaagt ttgtacaaaa aagcaggcta tattcaacca tgggtgcgaa agtta	55
<210> 9	
<211> 53	
<212> DNA	
<213> Artificial	
<220>	
<223> primer	
<400> 9	
ggggaccact ttgtacaaga aagctgggta tgacaatata cccgggacga cct	53
<210> 10	
<211> 30	
<212> DNA	
<213> Artificial	
<220>	
<223> primer	
<400> 10	
tgaccccgcg gaagcgagaa aagcgaagaa	30
<210> 11	
<211> 43	
<212> DNA	
<213> Artificial	
<220>	
<223> primer	
<400> 11	
taaattcccg gggttaacttg tatataaata tatatcaata tgc	43
<210> 12	
<211> 36	
<212> DNA	
<213> Artificial	
<220>	
<223> primer	
<400> 12	
tgaccccgcg gatctacaaa cgataatata aaggat	36
<210> 13	
<211> 39	
<212> DNA	
<213> Artificial	
<220>	
<223> primer	
<400> 13	

atttaacccg ggtaattaa tttctgcttc tatagtttt

39