

SQL text.txt
SEQUENCE LISTING

```

<110> Yisum Research Development Company of the Hebrew
      University of Jerusalem Ltd.

<120> ISOLATED PEPTIDES DERIVED FROM THE B7 LIGAND DIMER INTERFACE AND
      USES THEREOF

<130> 2403983

<150> US 62/133,639
<151> 2015-03-16

<160> 56

<170> PatentIn version 3.5

<210> 1
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> pB2-2

<400> 1
Asp Leu Pro Cys Gln Phe Ala Asn Ser Gln Asn
1          5          10

<210> 2
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> D-Ala-pB2-2

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> x equals to D-Ala

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> x equals to D-Ala

<400> 2
Xaa Asp Leu Pro Cys Gln Phe Ala Asn Ser Gln Asn Xaa
1          5          10

<210> 3
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> pB2-3

<400> 3
His His Lys Lys Pro Thr Gly Met Ile Arg
1          5          10

```

SQL text.txt

<210> 4
 <211> 12
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> D-Ala-pB2-3

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equal to D-Ala

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> x equal to D-Ala

<400> 4

Xaa His His Lys Lys Pro Thr Gly Met Ile Arg Xaa
 1 5 10

<210> 5
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB2-4

<400> 5

Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met
 1 5 10

<210> 6
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> D-Ala-pB2-4

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals to D--Ala

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> x equals to D--Ala

<400> 6

Xaa Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met Xaa
 1 5 10

<210> 7
 <211> 7

SQL text.txt

<212> PRT
 <213> Artificial Sequence

<220>
 <223> pB2-5

<400> 7

Met Leu Lys Ile Gln Ala Tyr
 1 5

<210> 8
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> D-Ala-pB2-5

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals to D--Ala

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> x equals to D--Ala

<400> 8

Xaa Met Leu Lys Ile Gln Ala Tyr Xaa
 1 5

<210> 9
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB2-6

<400> 9

Asp Ser Asp Ser Trp Thr Leu Arg
 1 5

<210> 10
 <211> 10
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> D-Ala-pB2-6

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals to D-Ala

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)

SQL text.txt

<223> x equals to D-Ala

<400> 10

Xaa Asp Ser Asp Ser Trp Thr Leu Arg Xaa
 1 5 10

<210> 11

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> pB2-7

<400> 11

Met Gly Arg Thr Ser Phe Asp Ser Asp Ser
 1 5 10

<210> 12

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> D-Ala-pB2-7

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> x equals to D-Ala

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> x equals to D-Ala

<400> 12

Xaa Met Gly Arg Thr Ser Phe Asp Ser Asp Ser Xaa
 1 5 10

<210> 13

<211> 110

<212> PRT

<213> Homo sapiens

<400> 13

Pro Leu Lys Ile Gln Ala Tyr Phe Asn Glu Thr Ala Asp Leu Pro Cys
 1 5 10 15

Gln Phe Ala Asn Ser Gln Asn Gln Ser Leu Ser Glu Leu Val Val Phe
 20 25 30

Trp Gln Asp Gln Glu Asn Leu Val Leu Asn Glu Val Tyr Leu Gly Lys
 35 40 45

Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met Gly Arg Thr Ser Phe
 50 55 60

SQL text.txt

Asp Ser Asp Ser Trp Thr Leu Arg Leu His Asn Leu Gln Ile Lys Asp
65 70 75 80

Lys Gly Leu Tyr Gln Cys Ile Ile His His Lys Lys Pro Thr Gly Met
85 90 95

Ile Arg Ile His Gln Met Asn Ser Glu Leu Ser Val Leu Ala
100 105 110

<210> 14
<211> 110
<212> PRT
<213> Homo sapiens

<400> 14

Phe Cys Ser Gly Val Ile His Val Thr Lys Glu Val Lys Glu Val Ala
1 5 10 15

Thr Leu Ser Cys Gly His Asn Val Ser Val Glu Glu Leu Ala Gln Thr
20 25 30

Arg Ile Tyr Trp Gln Lys Glu Lys Lys Met Val Leu Thr Met Met Ser
35 40 45

Gly Asp Met Asn Ile Trp Pro Glu Tyr Lys Asn Arg Thr Ile Phe Asp
50 55 60

Ile Thr Asn Asn Leu Ser Ile Val Ile Leu Ala Leu Arg Pro Ser Asp
65 70 75 80

Glu Gly Thr Tyr Glu Cys Val Val Leu Lys Tyr Glu Lys Asp Ala Phe
85 90 95

Lys Arg Glu His Leu Ala Glu Val Thr Leu Ser Val Lys Ala
100 105 110

<210> 15
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> p12A

<400> 15

Tyr Asn Lys Lys Lys Ala Thr Val Gln Glu Leu Asp
1 5 10

<210> 16
<211> 8
<212> PRT
<213> Artificial Sequence

SQL text.txt

```

<220>
<223> p2TA
<400> 16
Ser Pro Met Leu Val Ala Tyr Asp
1 5

<210> 17
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> p1TA
<400> 17
His Val Lys Gly Lys His Leu Cys Pro
1 5

<210> 18
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> A peptide derived from B7-2 homodimer interface
<400> 18
Phe Asn Glu Thr Ala Asp Leu Pro
1 5

<210> 19
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> A peptide derived from B7-2 homodimer interface, abutted by D-Ala
on both termini

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> x equals to D-Ala

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> x equals to Ala
<400> 19
Xaa Phe Asn Glu Thr Ala Asp Leu Pro Xaa
1 5 10

<210> 20
<211> 8
<212> PRT
<213> Artificial Sequence

```

SQL text.txt

```

<220>
<223> Peptide derived from B7-2 homodimer interface

<400> 20

Asn Gln Ser Leu Ser Glu Leu Val
1          5

<210> 21
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> A Peptide derived from B7-2 homodimer interface, abutted by D-Ala
      on both termini

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> x equals to Ala

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> x equals to D-Ala

<400> 21

Xaa Asn Gln Ser Leu Ser Glu Leu Val Xaa
1          5          10

<210> 22
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-2 homodimer interface

<400> 22

Tyr Leu Gly Lys Glu Lys Phe Asp
1          5

<210> 23
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-2 homodimer interface, abutted by D-Ala
      on both termini

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> x- equals to d-Ala

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> x equals to D-Ala

```

SQL text.txt

<400> 23

Xaa	Tyr	Leu	Gly	Lys	Glu	Lys	Phe	Asp	Xaa
1				5					10

<210> 24

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide derived from B7-2 homodimer interface

<400> 24

Thr	Leu	Arg	Leu	His	Asn	Leu	Gln
1				5			

<210> 25

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide derived from B7-2 homodimer interface, abutted by D-Ala on both termini

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> x equals to D-Ala

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> x equals D-Ala

<400> 25

Xaa	Thr	Leu	Arg	Leu	His	Asn	Leu	Gln	Xaa
1				5					10

<210> 26

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide derived from B7-2 homodimer interface

<400> 26

Tyr	Met	Gly	Arg	Thr	Ser	Phe	Asp	Ser	Asp
1				5					10

<210> 27

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide derived from B7-2 homodimer interface, abutted by D-Ala

SQL text.txt

on both termini

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals D-Ala

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> x equals D-Ala

<400> 27

Xaa Tyr Met Gly Arg Thr Ser Phe Asp Ser Asp Xaa
 1 5 10

<210> 28
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Peptide derived from the homodimer interface of B7-1

<400> 28

Val Lys Glu Val Ala Thr Leu Ser
 1 5

<210> 29
 <211> 10
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Peptide derived from B7-1 homodimer interface, abutted by D-Ala
 on both termini

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals D-Ala

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> x equals D-Ala

<400> 29

Xaa Val Lys Glu Val Ala Thr Leu Ser Xaa
 1 5 10

<210> 30
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Peptide derived from B7-1 homodimer interface

<400> 30

SQL text.txt

Val Glu Glu Leu Ala Gln Thr Arg
1 5

<210> 31
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-1 homodimer interface, abutted by D-Ala
on both termini

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> x equals D-Ala

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> x equals D-Ala

<400> 31

Xaa Val Glu Glu Leu Ala Gln Thr Arg Xaa
1 5 10

<210> 32
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-1 homodimer interface

<400> 32

Met Ser Gly Asp Met Asn Ile Trp
1 5

<210> 33
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-1 homodimer interface, abutted by D-Ala
on both termini

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> x equals D-Ala

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> x equals D-Ala

<400> 33

Xaa Met Ser Gly Asp Met Asn Ile Trp Xaa

SQL text.txt

```

1          5          10

<210> 34
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-1 homodimer interface

<400> 34
Ser Ile Val Ile Leu Ala Leu Arg
1          5

<210> 35
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-1 homodimer interface, abutted by D-Ala
on both termini

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> x equals D-Ala

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> x equals D-Ala

<400> 35
Xaa Ser Ile Val Ile Leu Ala Leu Arg Xaa
1          5          10

<210> 36
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-1 homodimer interface

<400> 36
Tyr Lys Asn Arg Thr Ile Phe Asp Ile Thr
1          5          10

<210> 37
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Peptide derived from B7-1 homodimer interface, abutted by D-Ala
on both termini

<220>

```

SQL text.txt

<221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals D-Ala

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> x equals D-Ala

<400> 37

Xaa Tyr Lys Asn Arg Thr Ile Phe Asp Ile Thr Xaa
 1 5 10

<210> 38
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB1-4, derived from B7-1 homodimer interface

<400> 38

Met Asn Ile Trp Pro Glu Tyr Lys
 1 5

<210> 39
 <211> 10
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB1-4, derived from B7-1 homodimer interface, abutted by D-Ala on both termini

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals D-Ala

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> x equals D-Ala

<400> 39

Xaa Met Asn Ile Trp Pro Glu Tyr Lys Xaa
 1 5 10

<210> 40
 <211> 10
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB1-7, derived from B7-1 homodimer interface

<400> 40

Lys Asn Arg Thr Ile Phe Asp Ile Thr Asn
 1 5 10

SQL text.txt

<210> 41
 <211> 12
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB1-7, derived from B7-1 homodimer interface, abutted by D-Ala on both termini

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals D-Ala

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> x equals D-Ala

<400> 41

Xaa Lys Asn Arg Thr Ile Phe Asp Ile Thr Asn Xaa
 1 5 10

<210> 42
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB1-6, derived from B7-1 homodimer interface

<400> 42

Asp Ile Thr Asn Asn Leu Ser Ile Val
 1 5

<210> 43
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pB1-6, derived from B7-1 homodimer interface, abutted by D-Ala on both termini

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals D-ALA

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> x equals D-Ala

<400> 43

Xaa Asp Ile Thr Asn Asn Leu Ser Ile Val Xaa
 1 5 10

<210> 44

SQL text.txt

<211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Peptide derived from B7-2 homodimer interface

<400> 44

Leu Gly Lys Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met Gly Arg
 1 5 10 15

Thr Ser Phe Asp Ser Asp Ser Trp Thr Leu Arg Leu His Asn
 20 25 30

<210> 45
 <211> 32
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Peptide derived from B7-2 homodimer interface, abutted by D-Ala
 on both termini

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> x equals D-Ala

<220>
 <221> MISC_FEATURE
 <222> (32)..(32)
 <223> x equals D-Ala

<400> 45

Xaa Leu Gly Lys Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met Gly
 1 5 10 15

Arg Thr Ser Phe Asp Ser Asp Ser Trp Thr Leu Arg Leu His Asn Xaa
 20 25 30

<210> 46
 <211> 28
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Peptide derived from B7-1 homodimer interface

<400> 46

Ser Gly Asp Met Asn Ile Trp Pro Glu Tyr Lys Asn Arg Thr Ile Phe
 1 5 10 15

Asp Ile Thr Asn Asn Leu Ser Ile Val Ile Leu Ala
 20 25

<210> 47
 <211> 30
 <212> PRT

SQL text.txt

<213> Artificial Sequence

<220>

<223> Peptide derived from B7-1 homodimer interface, abutted by D-Ala on both termini

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> x equals D-Ala

<220>

<221> MISC_FEATURE

<222> (30)..(30)

<223> x equals D-Ala

<400> 47

Xaa Ser Gly Asp Met Asn Ile Trp Pro Glu Tyr Lys Asn Arg Thr Ile
1 5 10 15

Phe Asp Ile Thr Asn Asn Leu Ser Ile Val Ile Leu Ala Xaa
20 25 30

<210> 48

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide derived from B7-1 homodimer interface pB1-8

<400> 48

Tyr Lys Asn Arg Thr Ile Phe Asp
1 5

<210> 49

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide derived from B7-1 homodimer interface, abutted by D-Ala on both termini

D-Ala-pB1-8

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> x equals D-Ala

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> x equals D-Ala

<400> 49

Xaa Tyr Lys Asn Arg Thr Ile Phe Asp Xaa
1 5 10

SQL text.txt

<210> 50
 <211> 110
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Variant of SEQ ID NO. 13, in which N-terminal P is replaced by M
 (underlined)

<400> 50

Met Leu Lys Ile Gln Ala Tyr Phe Asn Glu Thr Ala Asp Leu Pro Cys
 1 5 10 15

Gln Phe Ala Asn Ser Gln Asn Gln Ser Leu Ser Glu Leu Val Val Phe
 20 25 30

Trp Gln Asp Gln Glu Asn Leu Val Leu Asn Glu Val Tyr Leu Gly Lys
 35 40 45

Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met Gly Arg Thr Ser Phe
 50 55 60

Asp Ser Asp Ser Trp Thr Leu Arg Leu His Asn Leu Gln Ile Lys Asp
 65 70 75 80

Lys Gly Leu Tyr Gln Cys Ile Ile His His Lys Lys Pro Thr Gly Met
 85 90 95

Ile Arg Ile His Gln Met Asn Ser Glu Leu Ser Val Leu Ala
 100 105 110

<210> 51
 <211> 27
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer for B7-2 cloning

<400> 51
 gacgtcgacg gaaggcttgc acagggt

27

<210> 52
 <211> 32
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer for B7-2 cloning

<400> 52
 cacgcggccg cccaggtcat gagccattaa gc

32

<210> 53
 <211> 27
 <212> DNA
 <213> Artificial Sequence

SQL text.txt

<220>
 <223> Primer for preparing B7-2-GFP fusion construct
 <400> 53
 tactcgagat gggactgagt aacattc 27

<210> 54
 <211> 30
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer for preparing B7-2-GFP fusion construct
 <400> 54
 gtccgcggtg aagcatgtac acttttgtcg 30

<210> 55
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer for preparing B7-2C/Cherry vector
 <400> 55
 gtctctcgtc cttccgg 17

<210> 56
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer for preparing B7-2C/Cherry vector
 <400> 56
 ctaacttcag tcaacctg 18