

MLB-000501PC_ST25
SEQUENCE LISTING

<110> Mainline Biosciences (Shanghai) Co., Ltd.
<120> PEPTIDIC PAIN MODULATORS AND METHODS FOR PRODUCING AND USING THE SAME
<130> MLB-000501PC
<160> 115
<170> PatentIn version 3.5
<210> 1
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> May be substituted with mono- or di-halide or with mono- or di-alkyl

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Cys, Ala, hCys, or Pen

<220>
<221> MISC_FEATURE
<222> (2)..(6)
<223> optionally a cyclic structure is formed by a disulfide linkage

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> optionally a cyclic structure is formed by a disulfide linkage

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Optionally substituted Phe

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Phe, Leu, Met, Met(O), Gly, Nle, Ser, or substituted Ser

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Pro, Ala, Leu, Cys, hCys, or Pen

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Cys, hCys, Pen, Ser, Leu, Ala, Val, or Aib

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Terminated with -L-R, where L is O, NH, or NMe; and R is benzyl
 or substituted benzyl

<400> 1

Tyr Xaa Gly Phe Xaa Xaa Xaa Trp
 1 5

<210> 2
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic construct

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> May be substituted with mono- or di-halide or with mono- or
 di-alkyl

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Cys, hCys, or Pen

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two
 thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Optionally substituted Phe

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Phe, Leu, Met, Met(O), Gly, Nle, Ser, or substituted Ser

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Cys, hCys, or Pen

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Ser, Leu, Ala, Val, or Aib

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Terminated with -L-R, where L is O, NH, or NMe; and R is benzyl
 or substituted benzyl

<400> 2

Tyr Xaa Gly Phe Xaa Xaa Xaa Trp
 1 5

<210> 3

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> May be substituted with mono- or di-halide or with mono- or di-alkyl

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Cys, hCys, or Pen

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Optionally substituted Phe

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Phe, Leu, Met, Met(O), Gly, Nle, Ser, or substituted Ser

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Pro, Ala, or Leu

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Cys, hCys, or Pen

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Terminated with -L-R, where L is O, NH, or NMe; and R is benzyl or substituted benzyl

<400> 3

Tyr Xaa Gly Phe Xaa Xaa Xaa Trp
 1 5

<210> 4
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> May be substituted with mono- or di-halide or with mono- or di-alkyl

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Cys, Ala, hCys, or Pen

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Optionally substituted Phe

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Phe, Leu, Met, Met(O), Gly, Nle, Ser, or substituted Ser

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Terminated with -L-R, where L is O, NH, or NMe; and R is benzyl or substituted benzyl

<400> 4

Tyr Xaa Gly Phe Xaa Pro Leu Trp
 1 5

<210> 5
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-Methyl substituted

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(2',4'-(CF3)2)

<400> 5

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 6
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-Methyl Substituted

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 6

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 7
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-Methyl Substituted

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)

<223> terminated by -NH-Bn(3'-CF3)

<400> 7

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 8

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> N-methyl substituted

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> D-isomer

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(4'-CF3)

<400> 8

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 9

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> N-methylated

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> D-isomer

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(5'-CF3)

<400> 9

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 10
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> N-methylated

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(6'-CF3)

<400> 10

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 11
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> N-methylated

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-difluoro)

<400> 11

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 12
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-dichloro)

<400> 12

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 13
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-dibromo)

<400> 13

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 14

<211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(2',4'-difluoro)

<400> 14

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 15
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(2',4'-dichloro)

<400> 15

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 16
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> N-methylated

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(2',4'-dibromo)

<400> 16

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 17
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> N-methylated

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(2',4'-dimethyl)

<400> 17

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 18
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-dimethyl)

<400> 18

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 19
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF₃)₂)

<400> 19

Tyr Cys Gly Phe Met Pro Cys Trp
 1 5

<210> 20
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 20

Tyr Cys Gly Phe Met Cys Leu Trp
 1 5

<210> 21
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 21

Tyr Cys Gly Phe Met Pro Xaa Trp
 1 5

<210> 22
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 22

Tyr Cys Gly Phe Met Xaa Leu Trp
 1 5

<210> 23
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 23

Tyr Xaa Gly Phe Met Pro Cys Trp
 1 5

<210> 24
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 24

Tyr Xaa Gly Phe Met Cys Leu Trp
 1 5

<210> 25
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 25

Tyr Xaa Gly Phe Met Pro Xaa Trp
 1 5

<210> 26
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Homocysteine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 26

Tyr Xaa Gly Phe Met Xaa Leu Trp
1 5

<210> 27

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Homocysteine

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Penicillamine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 27

Tyr Xaa Gly Phe Met Pro Xaa Trp
1 5

<210> 28

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 28

Tyr Xaa Gly Phe Met Xaa Leu Trp
 1 5

<210> 29
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 29

Tyr Xaa Gly Phe Met Pro Xaa Trp
 1 5

<210> 30
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 30

Tyr Xaa Gly Phe Met Xaa Leu Trp
 1 5

<210> 31
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 31

Tyr Cys Gly Phe Met Pro Xaa Trp
 1 5

<210> 32
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5')-(CF3)2

<400> 32

Tyr Cys Gly Phe Met Xaa Leu Trp
 1 5

<210> 33
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5')-(CF3)2

<400> 33

Tyr Xaa Gly Phe Met Pro Cys Trp
 1 5

<210> 34
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 34

Tyr Xaa Gly Phe Met Cys Leu Trp
 1 5

<210> 35
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 35

Tyr Cys Gly Phe Xaa Pro Cys Trp

1

5

<210> 36
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 36

Tyr Cys Gly Phe Xaa Cys Leu Trp
 1 5

<210> 37
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 37

Tyr Cys Gly Phe Xaa Pro Xaa Trp
1 5

<210> 38

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(6)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> norleucine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Homocysteine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated by -NH-Bn(3',5'-(CF3)2)

<400> 38

Tyr Cys Gly Phe Xaa Xaa Leu Trp
1 5

<210> 39

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Homocysteine

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 39

Tyr Xaa Gly Phe Xaa Pro Cys Trp
 1 5

<210> 40
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 40

Tyr Xaa Gly Phe Xaa Cys Leu Trp
 1 5

<210> 41
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE

<222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 41

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 42
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 42

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
1 5

<210> 43

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> norleucine

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> penicillamine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 43

Tyr Cys Gly Phe Xaa Pro Xaa Trp
1 5

<210> 44

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(6)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 44

Tyr Cys Gly Phe Xaa Xaa Leu Trp
 1 5

<210> 45
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 45

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 46
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> penicillamine

<220>
<221> MISC_FEATURE
<222> (2)..(6)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> penicillamine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> homocysteine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 46

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
1 5

<210> 47
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> penicillamine

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> penicillamine

<220>
<221> MISC_FEATURE

<222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)
 <400> 47

Tyr Xaa Gly Phe Xaa Pro Cys Trp
 1 5

<210> 48
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 48

Tyr Xaa Gly Phe Xaa Cys Leu Trp
 1 5

<210> 49
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two

thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> penicillamine

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> homocysteine

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

 <400> 49

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 50
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 50

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
 1 5

<210> 51
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 51

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 52
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 52

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
 1 5

<210> 53
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 53

Tyr Cys Gly Phe Met Pro Cys Trp
 1 5

<210> 54
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)

<223> N-methylated

<220>

<221> MISC_FEATURE

<222> (2)..(6)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 54

Tyr Cys Gly Phe Met Cys Leu Trp
1 5

<210> 55

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> N-methylated

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> homocysteine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 55

Tyr Cys Gly Phe Met Pro Xaa Trp
1 5

<210> 56

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 56

Tyr Cys Gly Phe Met Xaa Leu Trp
 1 5

<210> 57
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 57

Tyr Cys Gly Phe Xaa Pro Cys Trp
 1 5

<210> 58
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 58

Tyr Cys Gly Phe Xaa Cys Leu Trp
 1 5

<210> 59
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 59

Tyr Xaa Gly Phe Xaa Pro Cys Trp
 1 5

<210> 60
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 60

Tyr Xaa Gly Phe Xaa Cys Leu Trp
 1 5

<210> 61
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 61

Tyr Cys Gly Phe Met Pro Cys Trp
 1 5

<210> 62
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 62

Tyr Cys Gly Phe Met Cys Leu Trp
 1 5

<210> 63
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 63

Tyr Cys Gly Phe Met Pro Xaa Trp
 1 5

<210> 64
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 64

Tyr Cys Gly Phe Met Xaa Leu Trp
 1 5

<210> 65
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 65

Tyr Xaa Gly Phe Met Pro Cys Trp
 1 5

<210> 66
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 66

Tyr Xaa Gly Phe Met Cys Leu Trp
 1 5

<210> 67
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 67

Tyr Xaa Gly Phe Met Pro Xaa Trp
 1 5

<210> 68
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE

<222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)
 <400> 68

Tyr Xaa Gly Phe Met Xaa Leu Trp
 1 5

<210> 69
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 69

Tyr Xaa Gly Phe Met Pro Xaa Trp
 1 5

<210> 70
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two

thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-penicillamine

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

 <400> 70

Tyr Xaa Gly Phe Met Xaa Leu Trp
 1 5

<210> 71
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 71

Tyr Xaa Gly Phe Met Pro Xaa Trp
 1 5

<210> 72
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 72

Tyr Xaa Gly Phe Met Xaa Leu Trp
 1 5

<210> 73
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 73

Tyr Cys Gly Phe Met Pro Xaa Trp
 1 5

<210> 74
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(6)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> D-penicillamine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 74

Tyr Cys Gly Phe Met Xaa Leu Trp
1 5

<210> 75
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> penicillamine

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 75

Tyr Xaa Gly Phe Met Pro Cys Trp
1 5

<210> 76
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> penicillamine

<220>
<221> MISC_FEATURE
<222> (2)..(6)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 76

Tyr Xaa Gly Phe Met Cys Leu Trp
1 5

<210> 77
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> norleucine

<220>
<221> MISC_FEATURE

<222> (7)..(7)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 77

Tyr Cys Gly Phe Xaa Pro Cys Trp
 1 5

<210> 78
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 78

Tyr Cys Gly Phe Xaa Cys Leu Trp
 1 5

<210> 79
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two

thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-homocysteine

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

 <400> 79

Tyr Cys Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 80
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 80

Tyr Cys Gly Phe Xaa Xaa Leu Trp
 1 5

<210> 81
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> homocysteine

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> norleucine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5')-(CF₃)₂

<400> 81

Tyr Xaa Gly Phe Xaa Pro Cys Trp
1 5

<210> 82
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> homocysteine

<220>
<221> MISC_FEATURE
<222> (2)..(6)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> norleucine

<220>

<221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 82

Tyr Xaa Gly Phe Xaa Cys Leu Trp
 1 5

<210> 83
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 83

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 84
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 84

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
 1 5

<210> 85
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 85

Tyr Cys Gly Phe Xaa Pro Xaa Trp
1 5

<210> 86

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(6)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> norleucine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> D-penicillamine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 86

Tyr Cys Gly Phe Xaa Xaa Leu Trp
1 5

<210> 87

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> penicillamine

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 87

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 88
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 88

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
 1 5

<210> 89

<211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 89

Tyr Xaa Gly Phe Xaa Pro Cys Trp
 1 5

<210> 90
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> penicillamine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)

<223> norleucine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> D-isomer

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 90

Tyr Xaa Gly Phe Xaa Cys Leu Trp
1 5

<210> 91

<211> 8

<212> PRT

<213> Artificial sequence

<220>

<223> synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> penicillamine

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> norleucine

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> D-homocysteine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 91

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
1 5

<210> 92

<211> 8

<212> PRT

<213> Artificial sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> penicillamine

<220>
<221> MISC_FEATURE
<222> (2)..(6)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> norleucine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> D-homocysteine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5')-(CF3)2

<400> 92

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
1 5

<210> 93
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> homocysteine

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> norleucine

<220>

<221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 93

Tyr Xaa Gly Phe Xaa Pro Xaa Trp
 1 5

<210> 94
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> homocysteine

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-penicillamine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 94

Tyr Xaa Gly Phe Xaa Xaa Leu Trp
 1 5

<210> 95
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 95

Tyr Cys Gly Phe Met Pro Cys Trp
 1 5

<210> 96
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 96

Tyr Cys Gly Phe Met Cys Leu Trp
 1 5

<210> 97
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF₃)₂)

<400> 97

Tyr Cys Gly Phe Met Pro Xaa Trp
 1 5

<210> 98
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> D-homocysteine

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 98

Tyr Cys Gly Phe Met Xaa Leu Trp
 1 5

<210> 99
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> N-methylated

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> norleucine

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 99

Tyr Cys Gly Phe Xaa Pro Cys Trp
 1 5

<210> 100
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE

<222> (1)..(1)
<223> N-methylated

<220>
<221> MISC_FEATURE
<222> (2)..(6)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> norleucine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 100

Tyr Cys Gly Phe Xaa Cys Leu Trp
1 5

<210> 101
<211> 8
<212> PRT
<213> Artificial sequence

<220>
<223> synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> N-methylated

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> homocysteine

<220>
<221> MISC_FEATURE
<222> (2)..(7)
<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> norleucine

<220>
<221> MISC_FEATURE
<222> (7)..(7)

<223> D-cysteine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 101

Tyr Xaa Gly Phe Xaa Pro Cys Trp
1 5

<210> 102

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> N-methylated

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> homocysteine

<220>

<221> MISC_FEATURE

<222> (2)..(6)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> norleucine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> D-isomer

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 102

Tyr Xaa Gly Phe Xaa Cys Leu Trp
1 5

<210> 103

<211> 8

<212> PRT

<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Phenyl ring of tyrosine substituted with 3',5'-dimethyl

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 103

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 104
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Phenyl ring of tyrosine substituted with 2',6'-dimethyl

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-isomer

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 104

Tyr Ala Gly Phe Met Pro Leu Trp
1 5

<210> 105
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 3',5'-difluoro

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 105

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 106
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 3',5'-dichloro

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 106

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 107
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>

<221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 3',5'-dibromo

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 107

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 108
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 2',6'-difluoro

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 108

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 109
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 2',6'-dichloro

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 109

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 110
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 2',6'-dibromo

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 110

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 111
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> D-isomer

<220>
 <221> MISC_FEATURE

<222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)
 <400> 111

Tyr Ala Gly Phe Met Pro Leu Trp
 1 5

<210> 112
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 3',5'-dimethyl

<220>
 <221> MISC_FEATURE
 <222> (2)..(6)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 112

Tyr Cys Gly Phe Met Cys Leu Trp
 1 5

<210> 113
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Phenyl ring of tyrosine substituted with 3',5'-dimethyl

<220>
 <221> MISC_FEATURE
 <222> (2)..(7)
 <223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)

<223> homocysteine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 113

Tyr Cys Gly Phe Met Pro Xaa Trp
1 5

<210> 114

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Phenyl ring of tyrosine substituted with 2',6'-dimethyl

<220>

<221> MISC_FEATURE

<222> (2)..(6)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 114

Tyr Cys Gly Phe Met Cys Leu Trp
1 5

<210> 115

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Phenyl ring of tyrosine substituted with 2',6'-dimethyl

<220>

<221> MISC_FEATURE

<222> (2)..(7)

<223> forms a cyclic structure by a disulfide linkage between two thiol-functional groups

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> homocysteine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> terminated with -NH-Bn(3',5'-(CF3)2)

<400> 115

Tyr Cys Gly Phe Met Pro Xaa Trp
1 5