Ref.: Examples and IPO practices page: 7.2.7.1

NUMBERING OF APPLICATIONS AND PRIORITY APPLICATIONS - FORMER PRACTICES

Editorial Note by the International Bureau

The following survey provides examples of application and priority application numbers assigned by industrial property offices (IPOs) in the past, as well as information on the codes used for indicating the type of industrial property rights, position of different parts of application number and other relevant remarks. This survey complements the survey "Numbering of applications and priority applications – Current practices", which is published in Part 7.2.6 of the WIPO Handbook.



Ref.: Examples and IPO practices page: 7.2.7.2

NUMBERING OF APPLICATIONS AND PRIORITY APPLICATIONS – FORMER PRACTICES

Document prepared by the Secretariat

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number			
AU AUSTRALIA	69179/91 10611/92 39945/89	69179/91 10611/92 39945/89 Used from January 1, 1989, to July 5, 2002 for: Patents, International applications filed under the PCT (Finternational phase), International patent applications under the PCT (PCT applications in the national phase) Used from January 1, 1989, to May 23, 2001 for: Innovation/simple/short-term/petty patent applications (Innovations) The above examples			
	Code for the type Year designation Serial number: Code for interna Control number/ Further remarks: Machine—readable p Slash separates the Code for the type of numbering system	calendar fixed length of 5 digits in positions 1 to 5. all use: N/A rr/Check digit: N/A presentation of application numbers is the same as print presentation described above. e main body of application number from the year of filing. of IP rights hadn't been used by IP Australia before it moved to 10 digit application			
AU AUSTRALIA	1991PF1774 1993PL6640 1995PN0367 1999PP8031	1991PF1774 1993PL6640 1995PN0367 1999PP8031	Used from January 1, 1989, to July 5, 2002 for: Provisional patent applications (Provisional patents)		
	Description: In the above examples 1991PF1774 - Provisional Patent application filed directly at IPAU in 1991 1993PL6640 - Provisional Patent application filed directly at IPAU in 1993 1995PN0367 - Provisional Patent application filed directly at IPAU in 1995 1999PP8031 - Provisional Patent application filed directly at IPAU in 1999 Code for the type of IP rights: position 5 Provisional patent applications (Provisional patents)		ional Patent application filed directly at IPAU in 1993 ional Patent application filed directly at IPAU in 1995 ional Patent application filed directly at IPAU in 1999 5 blications (Provisional patents)		
			ver the course of the decades.		



Ref.: Examples and IPO practices page: 7.2.7.3

Country or Organization	Example of Application Number	Recommend Presentation Abbreviated F as a Priorin Applicatio Number	n in Form Remarks ty n
CN CHINA	93100001.7	93100001.	7 Used from April 1, 1985 to September 30, 2003 for: Patents, Utility Models / Utility certificates, Industrial designs Used from January 1993 to September 30, 2003 for: International patent applications under the PCT (PCT applications in the national phase), International utility model applications under the PCT (PCT applications in the national phase)
check digit 7 filed at SIP Code for the type of IP rights: position 3 Patents International patent app (PCT applications in the Utility Models / Utility ce International utility mode (PCT applications in the Industrial designs For PCT applications in the national pha			
		ca fix I use: N Check digit: or cc ch	digits in positions 1-2 indicate the year of filing according to Gregorian alendar. xed length of five digits in positions 4-8. //A ne check digit in position 9, separated by a dot. The algorithm for omputing the check digit was adapted by the ISO 7064:1983 (MOD11-2 heck digit algorithm). pplication numbers is the same as print presentation described above. of counted for defining the position of elements of the application



Ref.: Examples and IPO practices page: 7.2.7.4

Country	Example of	Recommended Presentation in	n		
or Organization	Application Number	Abbreviated For as a Priority Application Number	m Remarks		
DE	Z 3 S 80015 VIII/21a1	Z 3 S 80015 VIII/21	a1 Used from 1877 to 1968 for: Patents		
GERMANY	S 71482	S 71482	Used from 1891 to 1967		
	R 41613 / 21 Wz	R 41613 / 21 W	for: Utility Models / Utility certificates		
			Used from 1894 to 1994 for: Trademarks		
	 Description: Position 1: first letter of the applicant name Position 2 and following: continuous numbering for this letter (see "Serial number", below) Position 7 (before '/'): patent department (this part was present for patents after 1928) Position 8 (after '/'): for patents after 1928, classification by German DPK classification for trademarks: classification of goods followed by "Wz" (from German				
	Code for the type of IP rights: only for trademarks, positions 9-10 Trademarks				
	 Year designation: N/A Serial number: variable length of 1 up to 6 digits, beginning at position 2. There are separate numbering cycles for each letter in position 1. Code for internal use: The first letter of the applicant name is coded in position 1. 				
	The patent department is coded in Roman numbers before the slash ('/'), for patents filed after 1928. (The patent department was probably not publically known.) The classification according to the German classification (DPK) or the classification of goods was coded after the slash. DPK was available for public, as well as the classification for trademarks. Control number/Check digit: N/A				
	Further remarks:	le presentation of t	rademark application numbers, the classification information was xample, R41613.		
	Note: Separators usuapplication number.	used (slash, space)	are not counted for defining the position of elements of the		
DE	P 18 00 001.6 P 18 00 001.6 Used from October 1, 1968, to December 31, 1994 for: Patents				
GERMANY	P 44 45 678.6 P 44 45 678.6		for: Patents		
	 Description: P YYNNNNN.C, where "P" is the type of IP rights (patent), YY is a coded year designation (see "Year designation" below), NNNNN is a serial number and C is a control number. In the above example P 18 00 001.6 – patent application filed in 1968. Code for the type of IP rights: position 1 				
	0	Patents	P		
	Year designation	tions 2-3 provide codified information about the year of filing ording to Gregorian calendar. The code is computed by subtracting 50 the two-digit-year, i.e. the year 1968 is coded as follows: 0=18.			
	Serial number: Code for interne	year	length of 5 digits in positions 4-8. The numbering restarted every .		
	Code for internaControl number/	Check digit: posit	tion 9 separated by a dot ".", the algorithm for computing the control ber is unknown.		
	Further remarks: Machine–readable p	resentation of appl	ication numbers is the same as print presentation described above.		
	Note: Separators unumber.	used (dot, space) a	re not counted for defining the position of elements of the application		



Ref.: Examples and IPO practices page: 7.2.7.5

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
DE GERMANY	28 60 001.3 33 79 999.7 38 82 001.5 33 90 003.5	28 60 001.3 33 79 999.7 38 82 001.5 33 90 003.5	Used from 1978 to 1988 for: European patent applications with DE designation Used from 1983 to 1994 for: International patent applications under the PCT (PCT applications in the national phase)
	- Description: In the above exal 28 60 33 90 - Code for the type 0 - Year designation - Serial number: - Code for interna - Control number/ Further remarks: Machine—readable p	0 001.3 – EP patent application with DE designation filed in 1978; 0 003.5 – PCT application with DE designation entering the national phase filed in pe of IP rights: position 3 European patent applications with DE designation	
DE GERMANY	Code for the type Vear designation Serial number: Code for interna Control number/	"Musterregister" = reginer of IP rights: position Industrial Designs N/A variable I use: N/A	Used until June 30, 1988 for: Industrial Designs IR" is the type of IP rights (industrial designs, from German istry of designs) and NNNNN is a serial number. s 1-2 MR length of up to 5 digits in positions 3-7, continuous numbering.
	presentation describ	ed above.	ole presentation of application numbers was different from the print punted for defining the position of elements of the application



Ref.: Examples	and IPO practices			page: 7.2.7.6	
Country or Organization	Example of Application Number	Recommend Presentation Abbreviated I as a Priori Application Number	n in Form ity on	Remarks	
DE GERMANY	1 95 01 234.8 1 94 75 010.8 1 96 80 001.3 5 00 12 345.4 6 02 12 345.3 G 68 00 001.6 92 12 345.7 2 97 12 345.9 T 87 50 002.7 2 95 75 001.4 M 88 03 034.2 4 98 12 345.6 4 99 09 150.7 4 00 50 001.9 3 95 12 345.3 3 07 99 200.4	1 95 01 234 1 94 75 010 1 96 80 001 5 00 12 345 6 02 12 345 2 97 12 345 2 97 12 345 2 95 75 001 M 88 03 03 4 98 12 345 4 99 09 150 4 00 50 001 3 95 12 345 3 07 99 200	0.8 1.3 5.4 5.3 1.6 .7 5.9 2.7 1.4 4.2 5.6 0.7 1.9 5.3	Used from 1995 to 2003 for: Patents, International patent applications un (PCT applications in the national phase), SPCs (Protection Certificates) Used from 1989 to 2003 for: Granted European patents with DE designat Used from 1968 to 2003 for: Utility Models / Utility certificates Used from 1987 to 2003 for: Layout-designs (topographies) of integrated Used from 1995 to 2007 for: Trademarks, Geographical indications Used from July 1, 1988, to 2007 for: Design patents, Typographies	Supplementary tion circuits
	In the above exampl	serial number and C is a control digit. kamples: s and patent-related: 1 95 01 234.8 is a patent application filed in 1 94 75 010.8 – SPC filed in 1994 (this is the patent has a separate number) 1 96 80 001.3 – PCT in the national phase 5 00 12345.4 – granted EP filed in 2000 in G 6 02 12345.3 – granted EP filed in 2002 in E models: G 68 00001.6 – utility model dated 1968 92 12345.7 – utility model dated 1992 2 97 12345.9 – utility model dated 1997 raphies: T 87 50 002.7 – topography dated 1987 (unt	11 234.8 is a patent application filed in 1995 15 010.8 – SPC filed in 1994 (this is the SPC numb 15 has a separate number) 16 001.3 – PCT in the national phase 17 2345.4 – granted EP filed in 2000 in German 17 2345.3 – granted EP filed in 2002 in English 18 20001.6 – utility model dated 1968 18 345.7 – utility model dated 1992		
	Designs and	typographies:	3 95 1 3 07 9 M 88 0 4 98 1 4 99 0 4 00 5	2345.3 – trademark application dated 1995 19200.4 – geographical indication dated 2007 193034.2 – design application dated 1988 (until Jun 2345.6 – design dated 1998 (after June 30, 1998) 19 150.7 – design dated 1999 (after June 30, 1998) 19 001.9 – typography dated 2000	,
Code for the type of IP rights: position 1 (see also "Serial roop Patents		,			
	o Trademar o Geograph o Design pa	ksical indications tentsnies	two di	of integrated circuits	.06.1998) or 4



Ref.: Examples and IPO practices page: 7.2.7.7

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
	numberin For topog For IP rig 00001-74 75001-79 99001-99 For IP rig ranges in 00001-74 75001-79 80001-99 For IP rig 99000-99	fixed I mbers are consecutive grestarted every year graphies filed until 1990. The code "1", the following 1999: national patent a 1999 SPCs (years 1999) SPCs (years 2000) The code "2", (utility most the serial number were 1999: utility models 1999: topographies 1999: utility models 1999: topographies 1999: topographical in 1999: geographical in 1999: topographies (buse: N/A Check digit: N/A Check digit: N/A Check digit: Assurright to the second 1999: topographies (buse: N/A Check digit: Assurright topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A Check digit: N/A the second 1999: topographies (buse: N/A	dels or topographies filed after 1994) the following numbering re used: om PCT application in the national phase ng numbering ranges in the serial number were used: dications ng numbering ranges in the serial number were used: etween 1998 and the end of 2004) on 9 separated by a dot "." ned algorithm: modulo 8 algorithm: each digit of the base, from o left, is multiplied by 2, 3, 4, 5 etc., respectively. The products of eparate digits are summed and then divided by 8. The remainder
	· ·	resentation of applica	Division is subtracted from 8 to give the check digit. tion numbers is the same as print presentation described above. not counted for defining the position of elements of the application



Ref.: Examples and IPO practices page: 7.2.7.8

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks	
DE GERMANY	WP 22 f7 / 9269 AP A01D / 260 426 1	WP 22 f7 / 9269 AP A01D / 260 426 1	Used from 1949 to 1990 in the former German Democratic Republic (GDR) for: Patents	
	- Description:		e subtypes of patents (see below). Positions 3-6 contain tion. Positions 7 and following (after the slash '/') contain mber.	
			951, additional numbers were inserted in positions 3-4 and the tion was provided only in positions 5-6, like, for example, in WP 22	
		After 1951, the very I	ast digit is a check digit (like in "AP A01D / 260 426 1", above).	
	- Code for the typ	e of IP rights: positio Exclusive patent	ns 1-2 AP	
	0	,	(from German "Ausschließungspatent")	
		atents are similar to a patent in the regular sense. Economic patents were for inventioned companies or state organizations. These economic patents could be used by an anies.		
	 Year designation 	n: N/A		
	Serial number:Code for interna	e length from position 7 onwards, continuous numbering. ication information was indicated in positions 5-6 or, after 1951, in ns 3-6 as IPC.		
	 Control number/ 	951, the last digit of the application number (no separators used); orithm for computing it is unknown		
	Further remarks: A slash separated c	lassification information	on from the serial number.	
	presentation describ	ed above.	able presentation of application numbers was different from the print re not counted for defining the position of elements of the	



Ref.: Examples and IPO practices page: 7.2.7.9

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
DE GERMANY	- Code for the type o o O - Year designation - Serial number: - Code for interna - Control number/ Further remarks: It is unknown whether presentation describe.	in some cases, classif prefixed by DDR (Ger e of IP rights: position Utility Models / Utility of Trademarks	Used from 1949 to 1963 in the former German Democratic Republic (GDR) for: Utility Models / Utility certificates Used from 1949 to 1990 in the former German Democratic Republic (GDR) for: Trademarks Used from 1985 to 1990 in the former German Democratic Republic (GDR) for: Geographical Indications which could be prefixed by indication of the type of IP rights and, fication information (see below). The whole number could also be man abbreviation for German Democratic Republic) is 1-2 (or after the abbreviation DDR) certificates
DE GERMANY	- Code for the typ	U7124 is an originator MP7121 design paten e of IP rights: position Industrial designs Originator's certificate	Used from 1952 to 1990 in the former German Democratic Republic (GDR) for: Industrial designs Used from 1973 to 1990 in the former German Democratic Republic (GDR) for: Originator's certificates, Design patents all design with serial number 5497 r's certificate with serial number 7124 at with serial number 7121 at (or 1-2)
	 Year designatior Serial number: Code for interna Control number/ Further remarks: 	n: N/A fixed ler number I use: N/A Check digit: N/A er the machine–readal	ngth of 4 digits after the prefix (positions 3-6 or 2-5), continuous ing, last part of the number. Die presentation of application numbers is different from the print



Ref.: Examples and IPO practices page: 7.2.7.10

EE ESTONIA - - - -		e of IP rights: N/A two digit calenda fixed len use: N/A	Used from May 23, 1994, to December 31, 1998 for: Patents, International patent applications under the PCT (PCT applications in the national phase) 00010 - patent application filed in 1998 with serial number 10. is in positions 1-2 indicate the year of filing according to Gregorian r agth of five digits in positions 3-7
- - -	Code for the type Year designation Serial number: Code for internal Control number/0	e of IP rights: N/A two digit calenda fixed len use: N/A	ts in positions 1-2 indicate the year of filing according to Gregorian r
	lachine-readable p	ŭ	ion numbers is the same as print presentation described above.
EE ESTONIA	U9800001	U9800001	Used from May 23, 1994, to December 31, 1998 for: Utility Models / Utility certificates, International utility model applications under the PCT (PCT applications in the national phase)
	Code for the type Code for the type Year designation Serial number: Code for internal Control number/Curther remarks:	number 1. e of IP rights: position Utility Models / Utility of International utility mo (PCT applications in the time two digits calenda fixed len use: N/A Check digit: N/A	certificates U del applications under the PCT ne national phase) U is in positions 2-3 indicate the year of filing according to Gregorian
EE ESTONIA	9900001 Description:	9900001 In the above example number 1 e of IP rights: N/A : two digit calenda fixed len use: N/A	Used from October 1, 1992, to December 31, 1999 for: Trademarks 9900001 - trademark application filed in 1999 with serial is in positions 1-2 indicate the year of filing according to Gregorian



Ref.: Examples and IPO practices page: 7.2.7.11

サ原子 大阪 特願平11-123456 特願平11-123456 特願平11-123456 特願平11-123456 特願平11-123456 特願平11-123456 特願平11-123456 けで: Patents, Design patents, Utility Models / Utility certificates, Trademarks - Description: 特願アソ-ZZZZZZ, where leading 2 Kanji letters indicate a type of IP rights, the third Kanji letter is an era name of Japanese calendar, YY is the year of filing according to Japanese calendar, ZZZZZZ is the serial number - Code for the type of IP rights: positions 1-2 (Kanji letters)	Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
Kanji letter is an era name of Japanese calendar, YY is the year of filing according to Japanese calendar, ZZZZZZ is the serial number - Code for the type of IP rights: positions 1-2 (Kanji letters)		特願平11-123456	特願平11-123456	for: Patents, Design patents, Utility Models / Utility certificates,
Serial number: fixed length of six digits in positions 6-11. Code for internal use: N/A Control number/Check digit: N/A Further remarks: Hyphen is used as a separator between the year designation and the serial number. For machine-readable presentation, ten digits were used: YYYYZZZZZZ, where YYYY is a year designation according to Gregorian calendar and ZZZZZZ is a serial number. Note: Separators used (hyphen) are not counted for defining the position of elements of the application		- Code for the type o o o Tyear designation - Serial number: - Code for internal - Control number/ Further remarks: Hyphen is used as a For machine-readab according to Gregori	Kanji letter is an era n Japanese calendar, Z e of IP rights: position Patents Design patents Utility Models / Utility Trademarks Position A Kanji following the Japa fixed ler I use: N/A Check digit: N/A separator between th le presentation, ten dig an calendar and ZZZZ	ame of Japanese calendar, YY is the year of filing according to ZZZZZ is the serial number s 1-2 (Kanji letters) 特額 意願 意願 書類



Ref.: Examples and IPO practices page: 7.2.7.12

KR ⁵		Number		
REPUBLIC OF KOREA	특허 95-012345 or 특 1995-012345 특허 95-701234 or 특 1995-701234 실용 95-012345 or 실 1995-012345	95–012345 95–701234 95–012345 U	Used until the end of 1998 for: Patents, International patent applications under the PCT (PCT applications in the national phase), Utility Models / Utility certificates, International utility model applications under the PCT (PCT applications in the national phase)	
- - - - Fu Se 6 0	Code for the type Code for the type Code for the type Code for internal Control number/Courther remarks: Cerial numbers of int	of filing according to Gregorian calendar. fixed length of six digits in positions 6-11 (or 5-10) after the hyphen. Annual numbering system. N/A		



Ref.: Examples and IPO practices page: 7.2.7.13

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
KR REPUBLIC OF KOREA	상표95-012345 or 상1995-012345 의장 95012345 or 의 1995-012345	95–012345	Used until the end of 1998 for: Trademarks, Industrial designs
	 Code for the type Year designation Serial number: Code for internal Control number/ 	number 012345 e of IP rights: position Trademarks Industrial designs two digit calenda fixed ler number I use: N/A Check digit: N/A	상표 의장 ts in positions 1-2 indicate the year of filing according to Gregorian
KR REPUBLIC OF KOREA	 Code for the type Year designation Serial number: Code for internation Control number/ 	e of IP rights: N/A two digiting calenda fixed ler number luse: N/A Check digit: N/A	Used until the end of 1998 for: Layout-designs (topographies) of integrated circuits -0012 is an application filed in 1995 with a serial number 0012 is in positions 1-2 indicate the year of filing according to Gregorian r. ogth of four digits in positions 3-6 after the hyphen. Annual ing system.



Ref.: Examples and IPO practices page: 7.2.7.14

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks	
LT	IP 0001	IP 0001	Used from July 1, 1991, to December 31, 1994,	
LITHUANIA	ZP 00001	ZP 00001	for: Patents, Trademarks, Industrial designs	
	PP 001	PP 001		
	- Vear designation - Serial number: - Code for interna - Control number/ Further remarks: Codes RP and RL w	 Code for the type of IP rights: positions 1-2 ○ Patents ○ Trademarks ○ Industrial designs ○ Vear designation: Two digits in positions 1-2 indicate the year of filing according to Gregorian calendar. Serial number: Continuous series. Variable length of up to four digits (for patents) up to five digits (for trademarks) up to three digits (for industrial designs). Code for internal use: N/A Control number/Check digit: N/A Further remarks: Codes RP and RL were used for registrations of the former Soviet Union. Note: Separators used (space) are not counted for defining the position of elements of the application 		
LT	95-001	95-001	Used from January 1, 1995, to December 21, 1999 for: Patents, Trademarks, Industrial designs	
LITHUANIA	95-0001	95-0001	ioi. I atolito, Itauelliaino, iliuuottiai ueolylio	
	95-001	95-001		
	 Year designation Serial number: Code for internal Control number/ 	calendar. Annual series. Fixed length of three digits in positions 3-5 (for patents and industrial designs); four digits in positions 3-6 (for trademarks). use: N/A		



Ref.: Examples and IPO practices page: 7.2.7.15

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
RU RUSSIAN FEDERATION	94000180	RU93043072	Used from January 1, 1992, to January 31, 1994 for: Patents, International patent applications under the PCT (PCT applications in the national phase), Design patents, Utility Models / Utility certificates, Trademarks
			YY is a year designation, NNNNNN - serial number re: where RU is a national code, YY - year designation, NNNNNN
		e of IP rights: N/A	
	Year designation	-	ts in positions 1-2 indicate the year of filing according to Gregorian ar.
	Serial number:		ngth of six digits in positions 3-8. All six positions should be filled, eeded – by zeros.
	Code for internalControl number/		
	"application number"); it is placed after the n does not form the pa	in the publications of corresponding patents (in the field e application number and separated from it by a slash (/). This art of the application number but follows it on these publications
			cated in the machine–readable presentation of application resentation is the same as print presentation described above
RU RUSSIAN FEDERATION	930044	For this type of IP rights, the concepts of "priority" and "priority application" are not provided	Used from January 1, 1992, to December 31, 1999 for: Layout-designs (topographies) of integrated circuits, Computer Programs Databases
		NNNN, where YY is a e of IP rights: N/A	year designation and NNNN is a serial number.
	 Year designation 	-	ts in positions 1-2 indicate the year of filing according to Gregorian
	 Serial number: 	number	ngth of four digits in positions 3-6. Annual numbering system (the ing started at "0001" every year)
	 Code for internal use: N/A Control number/Check digit: N/A Further remarks: Machine-readable presentation of application numbers is the same as print presentation described about 		
SA SAUDI ARABIA	08290767	08290767	Used from July 26, 1989, until November 29, 2008 for: Patents
SAUDI AKABIA	Description: SA GGHH YYYY, where SA is a national code, GG – year of filing (Gregorian calendar – year of filing (Islamic calendar), YYYY – serial number. Code for the type of IP rights: N/A		
	Year designation	n: two digi calenda	ts in positions 1-2 indicate the year of filing according to Gregorian ar, ts in positions 3-4 indicate the year of filing according to Islamic
	Serial number: Code for internal Control number/	calenda fixed lei use: N/A	
	Further remarks: Machine–readable presentation of application numbers is the same as print presentation des		

Ref.: Examples and IPO practices page: 7.2.7.16

	Ī	Ī			
Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks		
sĸ	O-57125-90	O-57125-90	Used until December 31, 1992		
SLOVAKIA	V-25142/92	PVZ 25142/92	for: Trademarks, Industrial Designs		
	PVZ 25142/92				
	Description: In the above examples O-57125-90 – trademark application filed in 1990 V-25142/92 and PVZ 25142/92 – industrial design applications filed in 1993 Code for the type of IP rights: position 1 (or 1-3) Trademarks				
		(from Slovak "Ochranná známka")			
	o Industrial designs PVZ or V				
	(from Slovak "Priemyselný vzor") – Year designation: two digits in positions 7-8 (or 9-10) indicate the year of filing according to				
	Gregorian calendar - Serial number: variable length in positions 2-6 or 4-8 (between code for the type and the year designation). The serial number was allotted in comparison.				
	ascending order.				
	Code for internal use: N/AControl number/Check digit: N/A				
			the serial number there is a hyphen (or space) and between the ere is a hyphen or slash.		
	Note: Separators us application no		re not counted for defining the position of elements of the		
SU SOVIET UNION	64421 21189	For this type of IP rights, the concepts of "priority" and "priority application" are not provided	Used from January 1, 1965, to December 31, 1991 for: Design patents, International utility model applications under the PCT (PCT applications in the national phase), Industrial Design Certificates		
		e of IP rights: N/A n: N/A variable I use: N/A	21189 - Design patent application with serial number 21189. length, continuous numbering, last part of the number.		
	Further remarks: Machine–readable presentation of application numbers is the same as print presentation described above.				
SU SOVIET UNION	182	For this type of IP rights, the concepts of "priority" and "priority application" are not provided	Used from January 1, 1990, to December 31, 1991 for: Layout-designs (topographies) of integrated circuits, Computer Programs Databases		
		variable I use: N/A	rial number length, continuous numbering.		
	Further remarks: Machine–readable presentation of application numbers is the same as print presentation described above.				



Ref.: Examples and IPO practices page: 7.2.7.17

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
SU SOVIET UNION	4916608	SU2765960	Used from 1924 to December 31, 1992 for: Patents, International patent applications under the PCT (PCT applications in the national phase), Trademarks, Author's certificate for an invention, Inventor's certificates of addition
	 Description: For application numbers: NN - continuing numbering series. For priority application numbers: SUNN, where SU is a national code and NN - proceeding serial number. Code for the type of IP rights: N/A Year designation: N/A Serial number: variable length, continuous numbering series. Code for internal use: N/A Control number/Check digit: N/A 		
	Further remarks:		
	The application number on patent publications was followed by a slash and some internal office information (usually, index of the examination department). This additional information does not form the part of the application number.		
	The examiner department index was not indicated in the machine–readable rendering of the patent.		
	Machine–readable presentation of application numbers is the same as print presentation described above.		
UA	94105979	94105979	Used from July 1, 1994, to December 31, 1999
UKRAINE	96103829	96103829	for: Patents, International patent applications under the PCT (PCT applications in the national phase), Utility Models / Utility
	97052271	97052271	certificates, International utility model applications under the PCT (PCT applications in the national phase), Trademarks,
	98010008	98010008	Industrial designs
	99020675	99020675	
	 Description: YYMMNNNN, where YY are two last digits of the year of filing, MM – month of filing, NNNN - serial number 		
		e of IP rights: N/A	to in positions 4.0 indicate the way of filling a second series 0.
	 Year designation 		ts in positions 1-2 indicate the year of filing according to Gregorian r, two digits in positions 3-4 indicate the month.
	 Serial number: 		ngth of four digits in positions 5-8.
	Code for internal	slash. For example, 96103829/M – international patent application file 1996 under the PCT (national phase) with a serial number 3829. This code was not available for public.	
	 Control number/Check digit: N/A 		
	Further remarks: Machine–readable presentation of application numbers is the same as print presentation described above		



Ref.: Examples and IPO practices page: 7.2.7.18

Country or Organization	Example of Application Number	Recommended Presentation in Abbreviated Form as a Priority Application Number	Remarks
UA	2000031611	2000031611	Used from January 1, 2000, to December 31, 2004
UKRAINE	2001128827	2001128827	for: Patents, International patent applications under the PCT (PCT applications in the national phase), Utility Models / Utility
	2002043110	2002043110	certificates, International utility model applications under the PCT (PCT applications in the national phase), Trademarks,
	2003098487	2003098487	Industrial designs, Layout-designs (topographies) of integrated
	20041211014	20041211014	circuits, Qualified indications of origin of goods
	- Description:	YYYYMMNNNN, when number	re YYYY is the year of filing, MM – month of filing, NNNN - serial
	 Code for the typ 	e of IP rights: N/A	
	 Year designation 		ts in positions 1-4 indicate the year of filing according to Gregorian r, two digits in positions 3-4 indicate the month.
	 Serial number: 	variable	length of four or five digits in positions 7-10 (or 7-11)
	slash. F 200003		er code placed after the application number and separated by a For example:
			031611/M - international patent application filed in 2000 under the (national phase) with a serial number 1611,
		200408 ⁻	1195/I - patent application filed in 2004 with a serial number 1195
		,	n-resident. de was not available for public.
			ac was not available for public.
	 Control number/ 	Check digit: N/A	
	Further remarks:		
	Machine–readable presentation of application numbers is the same as print presentation described above.		

[End of document]