



## HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION

Ref.: Archives

**NOTICE:** This file contains information that was previously published in the *WIPO Handbook on Industrial Property Information and Documentation*, but that has become outdated.

page: 3.30.1

### STANDARD ST.30

#### RECOMMENDATION CONCERNING A STANDARD MAGNETIC TAPE FORMAT FOR THE EXCHANGE IN MACHINE-READABLE FORM OF BIBLIOGRAPHIC DATA, ABSTRACTS AND FULL TEXTS OF PATENT DOCUMENTS

#### INTRODUCTION

1. This recommendation specifies the requirements for a generalized magnetic tape format for the exchange of records, containing bibliographic data, abstracts or full texts of patent documents. It does not define the content of individual records but attempts to standardize the assignment of tags, indicators and identifiers and their use in datafields occurring in such records.
2. This recommendation describes a generalized structure designed specially for communications between data processing systems and not for use as a processing format within systems. Although this recommendation is designed for magnetic tape, its structure may also be used for other data carriers.
3. Wherever possible, this recommendation has been based on existing international standards, in particular on existing WIPO Standards and on those elaborated by the International Organization for Standardization (ISO). Due reference has been made to such standards in those parts of the present recommendation for which they are of particular relevance. Standards being of fundamental importance to this recommendation as a whole are given in the following references.

#### REFERENCES

4. The following standards are of fundamental importance to this recommendation:
  - (a) WIPO Standard [ST.3](#) – Two-Letter Code for Countries, Organizations and the Like;
  - (b) WIPO Standard [ST.9](#) – Recommendation concerning Bibliographic Data on and relating to Patent Documents;
  - (c) WIPO Standard [ST.8](#) – Standard Recording of International Patent Classification Symbols on Machine-Readable Records;
  - (d) ISO 1001, Information processing – Magnetic tape labelling and file structure for information interchange;

This document relates to information interchange utilizing magnetic tape, by providing magnetically recorded labels to identify and structure files, and by providing a standard structure for the blocks containing the records that constitute a file. It also specifies a block spanning technique;

- (e) ISO 2709, Documentation – Format for bibliographic information interchange on magnetic tape;

This document specifies the requirements for a generalized exchange format which will hold records describing all forms of material capable of bibliographic description as well as related records such as authority records, but does not, however, assign any meaning to tags, indicators or identifiers. The present recommendation closely follows the generalized structure described in ISO 2709 and the terminology used therein;

- (f) ISO 8601 – Data elements and interchange formats—information interchange—representation of dates and times;

- (g) ISO/R 639-1967 – Symbols for languages, countries and authorities. (This Standard will be applied only insofar as languages are to be coded, as to countries and authorities, see (a), above).

In addition to the above standards, various other ISO standards are also relevant which deal with the character sets to be used for the recording of letters, figures, punctuation marks, chemical, mathematical and Greek symbols, signs dealing with paragraphs, tables and embedded images, and other special symbols likely to be met with in patent documents.



DEFINITIONS

- 5. For the purpose of this recommendation, the following specific definitions apply:
  - 5.1. RECORD: A collection of fields, including a record label, a directory and data referring to one and the same patent document and being treated as one entity.
  - 5.2. SUBRECORD: A group of fields within a record which may be treated as an entity.
  - 5.3. STRUCTURE: An arrangement of the parts constituting a bibliographic record.
  - 5.4. DATAFIELD: A variable length portion of the record containing a particular category of data, following the directory and associated with one entry of the directory.  
*Note:* A datafield may contain one or more subfields.
  - 5.5. (field) TAG: Three characters associated with a field and used to identify it.
  - 5.6. SUBFIELD: A part of a field containing a defined unit of information.
  - 5.7. RECORD LABEL: A field occurring at the beginning of each bibliographic record providing parameters for the processing of the record.
  - 5.8. DIRECTORY: An index to the location of the datafields within a record (See paragraphs 19 to 24, below.)
  - 5.9. DIRECTORY MAP: A set of parameters specifying the structure of the entries in the directory.
  - 5.10. INDICATOR: The first data element, if present, associated with a datafield supplying further information about the contents of the field, about the relationship between the field and other fields in the record, or about the action required in certain data manipulation processes. (See footnote 4 to paragraph 27, below.)
  - 5.11. (subfield) IDENTIFIER: A data element, one or more characters in length, immediately preceding and identifying a subfield. (See footnote 4 to paragraph 28, below.)
  - 5.12. FIELD SEPARATOR: A control character used to separate and qualify units of data logically, and in some cases hierarchically.

STRUCTURE OF THE EXCHANGE FORMAT

6. The general structure of a record is shown schematically in figure 1. A more detailed structure is shown schematically in figure 2.




Figure 1 – General structure

7. A record includes the items defined in paragraph 5 and contains the following fixed and variable length fields in the sequence shown in figure 2:

- a record label fixed length
- a directory variable length
- record identifier variable length
- reserved fields variable length
- patent datafields variable length
- field separator(s) character IS<sub>2</sub> of ISO 646
- a record separator character IS<sub>3</sub> of ISO 646.



## HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION

Ref.: Archives

page: 3.30.3

---

8. The directory, record identifier, reserved fields and patent datafields are each terminated by a field separator. The record is terminated by the record separator.

### *Record Label*

9. The record label shown in figure 2 is fixed in length and defined as follows:

#### Record length<sup>(\*)</sup> (character positions 0 to 4)

10. The number of character positions in the record including the record label and record separator. The length is a 5-digit decimal number right adjusted with zero fill if necessary.

#### Record status (character position 5)

11. A single character describing the status of a record, i.e., new, amended or deleted record. It should be defined by the originator of the record.

#### Reserved positions (character position 6 to 9)

12. Character positions 6 to 9 are reserved for the internal use of the sender or the recipient of the tape.

#### Indicator length (character position 10)

13. One decimal digit giving the number of character positions of the indicators.

#### Identifier length (character position 11)

14. One decimal digit giving the number of character positions of the identifier. The first or only character of this identifier shall always be IS<sub>1</sub> of ISO 646.

#### Base address of data (character positions 12 to 16)

15. Five decimal digits justified right with zero fill if necessary, and equal to the combined length in characters of the record label and the directory including the field separator at the end of the directory.

---

<sup>(\*)</sup> The record length described here is a logical record length. For practical reasons relating to machine processing of data, the information may have to be divided into blocks; a standardized technique therefor is specified in ISO Standard 1001. It should be noted that the maximum theoretical record length is 99,999 characters. For recording documents exceeding this length, trailer records have to be created and reference is made to paragraph 16 in this connection.



HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION




Figure 2 – Detailed record structure



## HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION

Ref.: Archives

page: 3.30.5

---

### Trailer records and numbering of trailer records (character positions 17 & 18)

16. Character positions 17 and 18 are used to indicate trailer records and the numbering of trailer records. The total number of trailer records in a set is indicated in character position 18, whilst character position 17 identifies successive trailer records in the set.

### Reserved position (character position 19)

17. Character position 19 is reserved for the internal use of the sender or recipient of the tape.

### Directory map (characters positions 20 to 23)

18. These character positions are used as follows:

(a) Character position 20: One decimal digit equal to the length in characters of the "length of datafield" part of each entry in the directory;

(b) Character position 21: One decimal digit equal to the length in characters of the "starting character position" part of each entry in the directory;

(c) Character position 22: One decimal digit equal to the length in characters of the "implementation-defined part" of each entry in the directory;

(d) Character position 23: Reserved for future use.

### *Directory*

19. The directory consists of a variable number of entries each corresponding to its respective datafield (record identifier, reserved and patent datafields). The directory ends with a field separator (fs).

### Directory entry

20. An entry consists of a "tag", a "length of datafield", "starting character position", and "implementation-defined part", in that sequence.

21. The length of the "tag" is three characters. All entries in a directory have the same structure.

### Tag

22. A tag consists of three characters, which, according to the definitions given in the Annex to this recommendation, specify the name of any associated datafield.

### Length of datafield

23. This length is either:

(a) the total number of characters (including indicator(s) and field separator) in the datafield indicated by the preceding tag;

(b) zero, implying that the directory entry refers to a datafield whose total length is greater than the largest decimal number (n) which can be stored in the "length" of a directory entry. In this case, the datafield is regarded as being divided into a number of parts of which all but the last are of equal length (n). Each part has a corresponding directory entry containing the tag for the datafield and the starting character position of the part to which the directory entry refers. A length "zero" indicates that the directory entry refers to a part of the datafield which is not the final part and that the length of this part is to be taken as (n);

(c) the number of characters (including field separator) in the final part of a datafield which has been treated as described in (b).

In the cases described in (b) and (c), all directory entries which refer to parts of the same datafield shall be adjacent and in sequence.



## HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION

Ref.: Archives

page: 3.30.6

---

### Starting character position

24. A decimal number giving the position of the first character of the datafield identified by the preceding tag, relative to the base address of data [i.e., the starting character position of the first datafield following the directory is 0 (zero)].

### Implementation-defined part

25. [To be specified later.]

### *Datafields*

26. All datafields shall end with a field separator. There are three types of fields:

- record identifier field: tag 001<sup>(1)</sup>;
- reserved fields: tags 002 to 009 and 00A to 00Z<sup>(2)</sup> as required;
- patent datafields: tags 010 to 999 and 0AA to ZZZ as required<sup>(3)</sup>.

### Record identifier field<sup>(4)</sup>

27. Characters identifying the record and assigned by the office creating the record.

### Reserved fields<sup>(4)</sup>

28. A reserved datafield supplies data which may be required for the processing of the record.

### Patent datafields

29. Each datafield consists of an indicator, identifier(s), data and a field separator. The lengths of the indicator(s) and identifier(s) are determined by the indicator length and identifier length as defined in the record label which shall be used consistently within each field of the record.

[Annex follows]

---

<sup>(1)</sup> 0 has the meaning of zero in all these cases.

<sup>(2)</sup> For alphabetic character use either capital or small letters.

<sup>(3)</sup> Any combination of numeric and alphabetic characters is allowed; numerals only, alphabetic characters only, or a mixture of both. For alphabetic characters use either capital or small letters. When alpha-numeric tags are used they should never start with 00 since only reserved fields start with two zeros.

<sup>(4)</sup> Record identifier fields and reserved datafields do not contain indicators or identifiers.



## HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION

Ref.: Archives

page: 3.30.7

### ANNEX

#### DEFINITIONS OF TAGS USED AND DESCRIPTION OF THE DATAFIELDS IDENTIFIED BY THESE TAGS

##### INTRODUCTION

1. The TAGs defined in this Annex refer to bibliographic and textual elements which are considered typical for records on patent documents. These TAGs should always be used as defined.
2. For defining bibliographic, textual or other information elements which are different from those dealt with in this annex and which the Office creating the respective record considers to be suitable, all three-digit combinations of numeric and alphanumeric characters can be used which are not defined in this annex and do not start with "00" (double zero). The content of the fields identified by such non-standardized TAGs should, however, be interpreted by other offices only with the consent and under guidance of the office which created the record. In order to facilitate updating of this annex, the use of non-standardized TAGs starting with two numerals should be avoided (see also following paragraph).
3. For reasons of convenience, the standardized TAGs have been chosen in a way that whenever there is an INID code (according to WIPO Standard [ST.9](#)) characterizing the given data element, this INID code coincides with the first two characters of the TAG.
4. If there are specific provisions on how the content of the field identified by a given standardized TAG should be recorded a specific reference is made to the relevant WIPO or ISO Standard.
5. For fields for which no such specific provision exists, the corresponding datafield will be considered as being of variable length.
6. It is recalled that only such TAGs should be used in a record for which the length of the corresponding datafield is different from zero, i.e., for which real data exist. There may *not* be two or more identical TAGs in one and the same record, an exception being in the case of trailer fields used when the specified length is not sufficient.

##### LINKED INFORMATION

7. There are fields which, if occurring together in the same record, will have subfields whose information content is cross-linked in a well defined way. For instance, in the case of multiple priorities the respective priority dates, priority countries and numbers of priority application may not be combined arbitrarily. Such interlinked fields are identified by "linked tags" which have been marked in the following paragraphs by a numerical index which is the same for all TAGs belonging to one group.
8. For the subfields of all fields identified by TAGs out of such an interlinked group, the following conventions apply:
  - (i) if there are two or more sequences of reoccurring subfields (i.e., subfields characterized by the same identifier) in fields belonging to a group of interlinked fields, the number of repetitions *n* must be the same for all reoccurring subfields;
  - (ii) if *m* is the ordering number of a reoccurring subfield in the sequence of repetitions, those and only those subfields having the same ordering number *m* are considered as linked.

##### SURVEY OF STANDARDIZED TAGS

9. The following TAGs are used for identifying the recorded information:

TAG	DEFINITION	REMARKS
110	Number of document	
120	Plain language designation of kind of document	
131	WIPO Kind-of-Documents Code <a href="#">ST.16</a>	
132	Information further specifying <a href="#">ST.16</a>	
151	Identification of source furnishing the record and owning the copyright	
190	Code of publishing country or organization	WIPO Standard <a href="#">ST.3</a>



**HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION**

Ref.: Archives

page: 3.30.8

Annex, page 2

10. The following TAGs identify domestic filing data of the industrial property right concerned:

TAG	DEFINITION	REMARKS
210 <sup>1</sup>	Number assigned to the (domestic) application	
220 <sup>1</sup>	Filing date of the (domestic) application	ISO 8601
221 <sup>1</sup>	Kind-of-Application Code	no corresponding WIPO Standard exists so far
231	Exhibition filing date	(same format as 220)
232 <sup>1</sup>	Filing date of a complete specification	(same format as 220)
240	Date from which industrial property rights may have effect	(same format as 220)
250 <sup>1</sup>	Language of original filing of (domestic) application	ISO R 639
260 <sup>1</sup>	Language in which the (domestic) application was published	ISO R 639

11. The following TAGs identify priority data and patent family information:

TAG	DEFINITION	REMARKS
310 <sup>2</sup>	Number(s) assigned to the priority application	(same format as 220)
320 <sup>2</sup>	Date(s) of filing of priority application	WIPO Standard <a href="#">ST.3</a>
330 <sup>2</sup>	Code(s) of country(-ies) or organization(s) in which the priority application(s) was(were) filed	
350	Patent family information	

12. The following TAGs identify dates concerned with making available to the public the Industrial Property Right concerned:

TAG	DEFINITION	REMARKS
410	Date of making available to the public by viewing, or copying on request, an <i>unexamined</i> document, on which no grant has taken place on or before the said date	(same format as 220)
420	Date of making available to the public by viewing, or copying on request, an <i>examined</i> document, on which no grant has taken place on or before the said date	(same format as 220)
430	Date of publication by printing or similar process of an <i>unexamined</i> document, on which no grant has taken place on or before the said date	(same format as 220)
440	Date of publication by printing or similar process of an <i>examined</i> document, on which no grant has taken place on or before the said date	(same format as 220)
450	Date of publication by printing or similar process of a document on which grant has taken place on or before the said date	(same format as 220)
460	Date of publication by printing or similar process of the claim(s) only of a document	(same format as 220)
470	Date of making available to the public by viewing, or copying on request, a document on which grant has taken place on or before the said date	(same format as 220)

13. The following TAGs identify technical subject matter information:

TAG	DEFINITION	REMARKS
510	International Patent Classification, unspecified	For all TAGs on IPC a subfield giving the IPC version has to be foreseen
511	International Patent Classification, main (first) invention symbol	
512	International Patent Classification, further invention symbol(s)	
513	International Patent Classification, classification symbol(s) representing additional information	

[1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19](#) Linked TAGs (see paragraphs 7 and 8, above).



**HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION**

Ref.: Archives

page: 3.30.9

Annex, page 3

TAG	DEFINITION	REMARKS
514	International Patent Classification, linked indexing codes	
515	International Patent Classification, unlinked indexing code(s)	
520	Symbol(s) of domestic or national classification, unspecified	All TAGs on national or domestic classifications should also contain a subfield giving the country code of the originator of the respective classification
522	Main (first) symbol of national or domestic classification	
523	Further symbol(s) of national or domestic classification	
524	Linked indexing symbols of national or domestic classification	
525	Unlinked indexing symbols of national or domestic classification	
530	Universal Decimal Classification	
540 <sup>3</sup>	Language of title of the invention	ISO R 639
541 <sup>3</sup>	Title of the invention	
550 <sup>4</sup>	Specification of keyword or descriptor language	
551 <sup>4</sup>	Keywords, descriptors	
560	List of prior art documents, unstandardized	
561	Prior art patent document cited, standardized	
562	Prior art non-patent document cited	
570 <sup>5</sup>	Language of abstract	ISO R 639
571 <sup>5</sup>	Text of abstract	
572 <sup>6</sup>	Language of claim(s)	
573 <sup>6</sup>	Text of claim(s)	
580	Field of search, unstandardized	
581	Field of search in terms of IPC	
590 <sup>7</sup>	Language of full text of patent document	ISO R 639
591 <sup>7</sup>	Full text of patent document	
592 <sup>7</sup>	Number of pages of patent document	

14. The following TAGs identify references to other legally related domestic patent documents including unpublished applications therefor:

TAG	DEFINITION	REMARKS
610 <sup>8</sup>	Number of the earlier application to which the present document is an addition	
611 <sup>8</sup>	Filing date of the earlier application to which the present document is an addition	(same format as 220)
612 <sup>8</sup>	Kind-of-Application code of the earlier application to which the present document is an addition	(see TAG 221)
613 <sup>9</sup>	Number of the earlier publication to which the present document is an addition	
614 <sup>9</sup>	Date of the earlier publication to which the present document is an addition	(same format as 220)
615 <sup>9</sup>	Kind-of-Documents code of the earlier publication to which the present document is an addition	(see TAG 131)
620 <sup>10</sup>	Number of the earlier application from which the present document has been divided out	
621 <sup>10</sup>	Filing date of the earlier application from which the present document has been divided out	(same format as 220)

[1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19](#) Linked TAGs (see paragraphs 7 and 8, above).



HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION

Ref.: Archives

page: 3.30.10

Annex, page 4

TAG	DEFINITION	REMARKS
622 <sup>10</sup>	Kind-of-Application code of the earlier application from which the present document has been divided out	(see TAG 221)
630 <sup>11</sup>	Number of the earlier application of which the present document is a continuation	
631 <sup>11</sup>	Filing date of the earlier application of which the present document is a continuation	(same format as 220)
632 <sup>11</sup>	Kind-of-Application code of the earlier application of which the present document is a continuation	(see TAG 221)
640	Number of the earlier publication which is "reissued" by the document concerned	
641	Kind-of-Document code of the earlier publication which is "reissued" by the document concerned	(see TAG 131)
650 <sup>12</sup>	Number of a previously published patent document concerning the same application	
651 <sup>12</sup>	Kind-of-Document code of the previously published patent document concerning the same application	(see TAG 131)

15. The following TAGs identify parties concerned with the patent document described by the record:

TAG	DEFINITION	REMARKS
710 <sup>13</sup>	Name of applicant, unspecified	
711 <sup>13</sup>	Name of individual applicant	
712 <sup>13</sup>	Name of collective applicant	
713 <sup>13</sup>	Residence (address) of applicant	
714 <sup>13</sup>	WIPO Country code <a href="#">ST.3</a> of residence of applicant	
715 <sup>13</sup>	WIPO Country Code <a href="#">ST.3</a> of nationality of applicant (if natural person)	
720 <sup>14</sup>	Name of inventor	
721 <sup>14</sup>	Residence (address) of inventor	
722 <sup>14</sup>	WIPO Country Code <a href="#">ST.3</a> of residence of inventor	
723 <sup>14</sup>	WIPO Country Code <a href="#">ST.3</a> of nationality of inventor	
730 <sup>15</sup>	Name of grantee	
731 <sup>15</sup>	Address of grantee	
732 <sup>15</sup>	WIPO Country Code <a href="#">ST.3</a> of residence of grantee	
740 <sup>16</sup>	Name of attorney or agent	
741 <sup>16</sup>	Address of attorney or agent	
742 <sup>16</sup>	WIPO Country Code <a href="#">ST.3</a> of residence of attorney or agent	
750 <sup>17</sup>	Name of inventor who is also applicant	To be used preferably for countries where this identity is required by the law
751 <sup>17</sup>	Address of inventor who is also applicant	
752 <sup>17</sup>	WIPO Country Code <a href="#">ST.3</a> of nationality of inventor who is also applicant	
760 <sup>18</sup>	Name of inventor who is also applicant and grantee	(see TAG 750)
761 <sup>18</sup>	Address of inventor who is also applicant and grantee	
762 <sup>18</sup>	WIPO Country Code <a href="#">ST.3</a> of nationality of inventor who is also applicant and grantee	

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

Linked TAGs (see paragraphs 7 and 8, above).



## HANDBOOK ON INDUSTRIAL PROPERTY INFORMATION AND DOCUMENTATION

Ref.: Archives

page: 3.30.11

Annex, page 5

16. The following TAGs identify data related to international conventions other than the Paris Convention:

TAG	DEFINITION	REMARKS
810	List of designated States according to the PCT, Chapter 1	WIPO Country Code <a href="#">ST.3</a> to be used, together with kind-of-application code
820	List of elected States according to the PCT, Chapter 2	(see TAG 810)
840	List of designated Contracting States under regional patent treaties	(see TAG 810)
850 <sup>19</sup>	Date of fulfillment of the requirements of Article 22 and/or 39 of the PCT for introducing the national procedure according to the PCT	(same format as 220)
860 <sup>19</sup>	Number of the international or regional application	
861 <sup>19</sup>	Filing date of the international or regional application	(same format as 220)
862 <sup>19</sup>	Language in which the international or regional application was originally filed	ISO R 639
870	Number of the international or regional publication	
871	Publication date of the international or regional publication	(same format as 220)
872	Language(s) of the international or regional publication	ISO R 639
880	Date of deferred publication of the search report	(same format as 220)
890	Document number of the original document according to the Havana Agreement	
891	WIPO Kind-of-Document Code <a href="#">ST.16</a> of the original document according to the Havana Agreement	
892	Country of origin of the original document according to the Havana Agreement	(see TAG 810)
893	Date of recognition of the Industrial Property Right according to the Havana Agreement	(same format as 220)

[End of Annex and of Standard]

[1](#), [2](#), [3](#), [4](#), [5](#), [6](#), [7](#), [8](#), [9](#), [10](#), [11](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#)

Linked TAGs (see paragraphs 7 and 8, above).