

SECTION B — PERFORMING OPERATIONS; TRANSPORTING

B29 WORKING OF PLASTICS; WORKING OF SUBSTANCES IN A PLASTIC STATE IN GENERAL

B29K INDEXING SCHEME ASSOCIATED WITH SUBCLASSES B29B, B29C OR B29D, RELATING TO MOULDING MATERIALS OR TO MATERIALS FOR REINFORCEMENTS, FILLERS OR PREFORMED PARTS, e.g. INSERTS [4]

Note(s)

1. This subclass constitutes an indexing scheme associated with subclasses B29B, B29C or B29D.
2. In this subclass, the following term is used with the meaning indicated:
 - "rubber" covers:
 - a. natural or conjugated diene rubbers;
 - b. rubber in general (for a specific rubber, other than a natural rubber or a conjugated diene rubber, see the group provided for such macromolecular compounds).

Subclass index

| | |
|--|---------------|
| COMPOSITIONS FOR MOULDING MATERIALS; CONDITION, FORM OR STATE OF MOULDED MATERIAL..... | 1/00-105/00 |
| COMPOSITIONS FOR REINFORCEMENTS..... | 201/00-311/00 |
| COMPOSITIONS FOR FILLERS..... | 401/00-511/00 |
| COMPOSITIONS FOR PREFORMED PARTS..... | 601/00-711/00 |

Compositions for moulding materials; Condition, form or state of moulded material [6]

| | | | |
|-------|---|-------|--|
| 1/00 | Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as moulding material [4] | 33/00 | Use of polymers of unsaturated acids or derivatives thereof, as moulding material (B29K 35/00 takes precedence) [4] |
| 7/00 | Use of natural rubber as moulding material [4] | 33/04 | • Polymers of esters [4] |
| 9/00 | Use of rubber derived from conjugated dienes, as moulding material [4] | 33/18 | • Polymers of nitriles [4] |
| 9/06 | • SB polymers, i.e. butadiene-styrene polymers [4] | 33/20 | • • PAN, i.e. polyacrylonitrile [4] |
| 19/00 | Use of rubber not provided for in a single one of main groups B29K 7/00-B29K 9/00, as moulding material [4] | 35/00 | Use of polymers of unsaturated polycarboxylic acids as moulding material [4] |
| 21/00 | Use of unspecified rubbers as moulding material [4] | 45/00 | Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins, as moulding material [4] |
| 23/00 | Use of polyalkenes as moulding material [4] | 55/00 | Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups B29K 23/00-B29K 45/00, as moulding material [4] |
| 25/00 | Use of polymers of vinyl-aromatic compounds as moulding material [4] | 55/02 | • ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers [4] |
| 27/00 | Use of polyvinylhalogenides as moulding material [4] | 59/00 | Use of polyacetals as moulding material [4] |
| 27/06 | • PVC, i.e. polyvinylchloride [4] | 61/00 | Use of condensation polymers of aldehydes or ketones, as moulding material [4] |
| 27/12 | • containing fluorine [4] | 61/04 | • Phenoplasts [4] |
| 27/18 | • • PTFE, i.e. polytetrafluorethene [4] | 61/20 | • Aminoplasts [4] |
| 29/00 | Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals as moulding material [4] | 63/00 | Use of epoxy resins as moulding material [4] |
| 31/00 | Use of polyvinylesters as moulding material [4] | 67/00 | Use of polyesters as moulding material [4] |
| | | 69/00 | Use of polycarbonates as moulding material [4] |

| | |
|--------|--|
| 71/00 | Use of polyethers as moulding material [4] |
| 73/00 | Use of other polymers having oxygen as the only hetero atom in the main chain, as moulding material [4] |
| 75/00 | Use of polyureas or polyurethanes as moulding material [4] |
| 77/00 | Use of polyamides, e.g. polyesteramides, as moulding material [4] |
| 79/00 | Use of other polymers having nitrogen, with or without oxygen or carbon only, in the main chain, as moulding material [4] |
| 81/00 | Use of polymers having sulfur, with or without nitrogen, oxygen or carbon only, in the main chain, as moulding material [4] |
| 83/00 | Use of polymers having silicon, with or without sulfur, nitrogen, oxygen or carbon only, in the main chain, as moulding material [4] |
| 85/00 | Use of polymers having elements other than silicon, nitrogen, oxygen or carbon only, in the main chain, as moulding material [4] |
| 86/00 | Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K 59/00-B29K 85/00, as moulding material [4] |
| 91/00 | Use of waxes as moulding material [4] |
| 95/00 | Use of bituminous materials as moulding material [4] |
| 96/00 | Use of specified macromolecular materials not provided for in a single one of main groups B29K 1/00-B29K 95/00, as moulding material [4] |
| 96/02 | • Graft polymers (B29K 55/02 takes precedence) [4] |
| 96/04 | • Block polymers (B29K 55/02 takes precedence) [4] |
| 101/00 | Use of unspecified macromolecular compounds as moulding material (use of unspecified rubbers B29K 21/00) [4] |
| 101/10 | • Thermosetting resins [4] |
| 101/12 | • Thermoplastic materials [6] |
| 103/00 | Use of resin-bonded materials as moulding material [4] |
| 103/04 | • Inorganic materials [4] |
| 103/06 | • • Metal powders, metal carbides or the like [4] |
| 103/08 | • • Mineral aggregates, e.g. sand, clay or the like [4] |
| 105/00 | Condition, form or state of moulded material [4] |
| 105/02 | • heat-shrinkable [4] |
| 105/04 | • cellular or porous [4] |
| 105/06 | • containing reinforcements, fillers or inserts [4] |
| 105/08 | • • of continuous length, e.g. cords, rovings, mats, fabrics, strands, yarns [4] |
| 105/10 | • • • oriented [4] |
| 105/12 | • • of short lengths, e.g. chopped filaments, staple fibres, bristles [4] |
| 105/14 | • • • oriented [4] |
| 105/16 | • • Fillers [4] |
| 105/18 | • • • oriented [4] |
| 105/20 | • • Inserts [4] |
| 105/22 | • • • metallic [4] |
| 105/24 | • cross-linked or vulcanised [4] |

| | |
|--------|-------------------|
| 105/26 | • Scrap [4] |
| 105/28 | • opaque [4] |
| 105/30 | • reflecting [4] |
| 105/32 | • transparent [4] |
| 105/34 | • insulating [4] |

Compositions for reinforcements [6]

| | |
|--------|--|
| 201/00 | Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as reinforcement [6] |
| 207/00 | Use of natural rubber as reinforcement [6] |
| 209/00 | Use of rubber derived from conjugated dienes, as reinforcement [6] |
| 209/06 | • SB polymers, i.e. butadiene-styrene polymers [6] |
| 219/00 | Use of rubber not provided for in a single one of main groups B29K 207/00-B29K 209/00, as reinforcement [6] |
| 221/00 | Use of unspecified rubbers as reinforcement [6] |
| 223/00 | Use of polyalkenes as reinforcement [6] |
| 225/00 | Use of polymers of vinyl-aromatic compounds as reinforcement [6] |
| 227/00 | Use of polyvinylhalogenides as reinforcement [6] |
| 227/06 | • PVC, i.e. polyvinylchloride [6] |
| 227/12 | • containing fluorine [6] |
| 227/18 | • • PTFE, i.e. polytetrafluoroethene [6] |
| 229/00 | Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals as reinforcement [6] |
| 231/00 | Use of polyvinylesters as reinforcement [6] |
| 233/00 | Use of polymers of unsaturated acids or derivatives thereof, as reinforcement (B29K 235/00 takes precedence) [6] |
| 233/04 | • Polymers of esters [6] |
| 233/18 | • Polymers of nitriles [6] |
| 233/20 | • • PAN, i.e. polyacrylonitrile [6] |
| 235/00 | Use of polymers of unsaturated polycarboxylic acids as reinforcement [6] |
| 245/00 | Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins, as reinforcement [6] |
| 255/00 | Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups B29K 223/00-B29K 245/00, as reinforcement [6] |
| 255/02 | • ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers [6] |
| 259/00 | Use of polyacetals as reinforcement [6] |
| 261/00 | Use of condensation polymers of aldehydes or ketones, as reinforcement [6] |
| 261/04 | • Phenoplasts [6] |
| 261/20 | • Aminoplasts [6] |
| 263/00 | Use of epoxy resins as reinforcement [6] |

| | | | |
|---|--|-------------------------------------|---|
| 267/00 | Use of polyesters as reinforcement [6] | 307/04 | • Carbon [6] |
| 269/00 | Use of polycarbonates as reinforcement [6] | 309/00 | Use of inorganic materials not provided for in groups B29K 303/00-B29K 307/00, as reinforcement [6] |
| 271/00 | Use of polyethers as reinforcement [6] | 309/02 | • Ceramics [6] |
| 273/00 | Use of other polymers having oxygen as the only hetero atom in the main chain, as reinforcement [6] | 309/04 | • • Carbides; Nitrides [6] |
| 275/00 | Use of polyureas or polyurethanes as reinforcement [6] | 309/06 | • Concrete [6] |
| 277/00 | Use of polyamides, e.g. polyesteramides, as reinforcement [6] | 309/08 | • Glass [6] |
| 279/00 | Use of other polymers having nitrogen, with or without oxygen or carbon only, in the main chain, as reinforcement [6] | 309/10 | • Mica [6] |
| 281/00 | Use of polymers having sulfur, with or without nitrogen, oxygen or carbon only, in the main chain, as reinforcement [6] | 309/12 | • Asbestos [6] |
| 283/00 | Use of polymers having silicon, with or without sulfur, nitrogen, oxygen or carbon only, in the main chain, as reinforcement [6] | 311/00 | Use of natural products or their composites, not provided for in groups B29K 201/00-B29K 309/00, as reinforcement [6] |
| 285/00 | Use of polymers having elements other than silicon, nitrogen, oxygen or carbon only, in the main chain, as reinforcement [6] | 311/02 | • Cork [6] |
| 286/00 | Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K 259/00-B29K 285/00, as reinforcement [6] | 311/04 | • Linoleum [6] |
| 295/00 | Use of bituminous materials as reinforcement [6] | 311/06 | • Bone, horn, ivory [6] |
| 296/00 | Use of specific macromolecular materials not provided for in a single one of main groups B29K 201/00-B29K 295/00, as reinforcement [6] | 311/08 | • Leather [6] |
| 296/02 | • Graft polymers (B29K 255/02 takes precedence) [6] | 311/10 | • Natural fibres, e.g. wool, cotton [6] |
| 296/04 | • Block polymers (B29K 255/02 takes precedence) [6] | 311/12 | • Paper, e.g. cardboard [6] |
| 301/00 | Use of unspecified macromolecular compounds as reinforcement (use of unspecified rubbers B29K 221/00) [6] | 311/14 | • Wood, e.g. woodboard, fibreboard [6] |
| 301/10 | • Thermosetting resins [6] | <u>Compositions for fillers [6]</u> | |
| 301/12 | • Thermoplastic materials [6] | 401/00 | Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as filler [6] |
| 303/00 | Use of resin-bonded materials as reinforcement [6] | 407/00 | Use of natural rubber as filler [6] |
| 303/04 | • Inorganic materials [6] | 409/00 | Use of rubber derived from conjugated dienes, as filler [6] |
| 303/06 | • • Metal powders, metal carbides or the like [6] | 409/06 | • SB polymers, i.e. butadiene-styrene polymers [6] |
| 303/08 | • • Mineral aggregates, e.g. sand, clay or the like [6] | 419/00 | Use of rubber not provided for in a single one of main groups B29K 407/00-B29K 409/00, as filler [6] |
| 305/00 | Use of metals, their alloys or their compounds, as reinforcement [6] | 421/00 | Use of unspecified rubbers as filler [6] |
| <u>Note(s)</u> | | 423/00 | Use of polyalkenes as filler [6] |
| Alloys or compounds of specified metals are indexed with the same code as the specified metals. | | 425/00 | Use of polymers of vinyl-aromatic compounds as filler [6] |
| 305/02 | • Aluminium [6] | 427/00 | Use of polyvinylhalogenides as filler [6] |
| 305/04 | • Lead [6] | 427/06 | • PVC, i.e. polyvinylchloride [6] |
| 305/06 | • Tin [6] | 427/12 | • containing fluorine [6] |
| 305/08 | • Transition metals [6] | 427/18 | • • PTFE, i.e. polytetrafluoroethene [6] |
| 305/10 | • • Copper [6] | 429/00 | Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals as filler [6] |
| 305/12 | • • Iron [6] | 431/00 | Use of polyvinylesters as filler [6] |
| 307/00 | Use of elements other than metals as reinforcement [6] | 433/00 | Use of polymers of unsaturated acids or derivatives thereof, as filler (B29K 435/00 takes precedence) [6] |
| 307/02 | • Boron [6] | 433/04 | • Polymers of esters [6] |
| | | 433/18 | • Polymers of nitriles [6] |
| | | 433/20 | • • PAN, i.e. polyacrylonitrile [6] |
| | | 435/00 | Use of polymers of unsaturated polycarboxylic acids as filler [6] |
| | | 445/00 | Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins, as filler [6] |

B29K

| | |
|--------|--|
| 455/00 | Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups B29K 423/00-B29K 445/00, as filler [6] |
| 455/02 | • ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers [6] |
| 459/00 | Use of polyacetals as filler [6] |
| 461/00 | Use of condensation polymers of aldehydes or ketones, as filler [6] |
| 461/04 | • Phenoplasts [6] |
| 461/20 | • Aminoplasts [6] |
| 463/00 | Use of epoxy resins as filler [6] |
| 467/00 | Use of polyesters as filler [6] |
| 469/00 | Use of polycarbonates as filler [6] |
| 471/00 | Use of polyethers as filler [6] |
| 473/00 | Use of other polymers having oxygen as the only hetero atom in the main chain, as filler [6] |
| 475/00 | Use of polyureas or polyurethanes as filler [6] |
| 477/00 | Use of polyamides, e.g. polyesteramides, as filler [6] |
| 479/00 | Use of other polymers having nitrogen, with or without oxygen or carbon only, in the main chain, as filler [6] |
| 481/00 | Use of polymers having sulfur, with or without nitrogen, oxygen or carbon only, in the main chain, as filler [6] |
| 483/00 | Use of polymers having silicon, with or without sulfur, nitrogen, oxygen or carbon only, in the main chain, as filler [6] |
| 485/00 | Use of polymers having elements other than silicon, nitrogen, oxygen or carbon only, in the main chain, as filler [6] |
| 486/00 | Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K 459/00-B29K 485/00, as filler [6] |
| 491/00 | Use of waxes as filler [6] |
| 495/00 | Use of bituminous materials as filler [6] |
| 496/00 | Use of specific macromolecular materials not provided for in a single one of main groups B29K 401/00-B29K 495/00, as filler [6] |
| 496/02 | • Graft polymers (B29K 455/02 takes precedence) [6] |
| 496/04 | • Block polymers (B29K 455/02 takes precedence) [6] |
| 501/00 | Use of unspecified macromolecular compounds as filler (use of unspecified rubbers B29K 421/00) [6] |
| 501/10 | • Thermosetting resins [6] |
| 501/12 | • Thermoplastic materials [6] |
| 503/00 | Use of resin-bonded materials as filler [6] |
| 503/04 | • Inorganic materials [6] |
| 503/06 | • • Metal powders, metal carbides or the like [6] |
| 503/08 | • • Mineral aggregates, e.g. sand, clay or the like [6] |

| | |
|--------|---|
| 505/00 | Use of metals, their alloys or their compounds, as filler [6] |
| | Note(s) |
| | Alloys or compounds of specified metals are indexed with the same code as the specified metals. |
| 505/02 | • Aluminium [6] |
| 505/04 | • Lead [6] |
| 505/06 | • Tin [6] |
| 505/08 | • Transition metals [6] |
| 505/10 | • • Copper [6] |
| 505/12 | • • Iron [6] |
| 505/14 | • • Noble metals, e.g. silver, gold, platinum [6] |
| 507/00 | Use of elements other than metals as filler [6] |
| 507/02 | • Boron [6] |
| 507/04 | • Carbon [6] |
| 509/00 | Use of inorganic materials not provided for in groups B29K 503/00-B29K 507/00, as filler [6] |
| 509/02 | • Ceramics [6] |
| 509/04 | • • Carbides; Nitrides [6] |
| 509/06 | • Concrete [6] |
| 509/08 | • Glass [6] |
| 509/10 | • Mica [6] |
| 509/12 | • Asbestos [6] |
| 511/00 | Use of natural products or their composites, not provided for in groups B29K 401/00-B29K 509/00, as filler [6] |
| 511/02 | • Cork [6] |
| 511/04 | • Linoleum [6] |
| 511/06 | • Bone, horn, ivory [6] |
| 511/08 | • Leather [6] |
| 511/10 | • Natural fibres, e.g. wool, cotton [6] |
| 511/12 | • Paper, e.g. cardboard [6] |
| 511/14 | • Wood, e.g. woodboard, fibreboard [6] |

Compositions for preformed parts, e.g. inserts [6]

| | |
|--------|---|
| 601/00 | Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, for preformed parts, e.g. for inserts [6] |
| 607/00 | Use of natural rubber for preformed parts, e.g. for inserts [6] |
| 609/00 | Use of rubber derived from conjugated dienes, for preformed parts, e.g. for inserts [6] |
| 609/06 | • SB polymers, i.e. butadiene-styrene polymers [6] |
| 619/00 | Use of rubber not provided for in a single one of main groups B29K 607/00-B29K 609/00, for preformed parts, e.g. for inserts [6] |
| 621/00 | Use of unspecified rubbers for preformed parts, e.g. for inserts [6] |
| 623/00 | Use of polyalkenes for preformed parts, e.g. for inserts [6] |
| 625/00 | Use of polymers of vinyl-aromatic compounds for preformed parts, e.g. for inserts [6] |
| 627/00 | Use of polyvinylhalogenides for preformed parts, e.g. for inserts [6] |
| 627/06 | • PVC, i.e. polyvinylchloride [6] |
| 627/12 | • containing fluorine [6] |

| | | | |
|--------|---|---|---|
| 627/18 | • • PTFE, i.e. polytetrafluoroethene [6] | 683/00 | Use of polymers having silicon, with or without sulfur, nitrogen, oxygen or carbon only, in the main chain, for preformed parts, e.g. for inserts [6] |
| 629/00 | Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals for preformed parts, e.g. for inserts [6] | 685/00 | Use of polymers having elements other than silicon, nitrogen, oxygen or carbon only, in the main chain, for preformed parts, e.g. for inserts [6] |
| 631/00 | Use of polyvinylesters for preformed parts, e.g. for inserts [6] | 686/00 | Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K 659/00-B29K 685/00, for preformed parts, e.g. for inserts [6] |
| 633/00 | Use of polymers of unsaturated acids or derivatives thereof, for preformed parts, e.g. for inserts (B29K 635/00 takes precedence) [6] | 691/00 | Use of waxes for preformed parts, e.g. for inserts [6] |
| 633/04 | • Polymers of esters [6] | 695/00 | Use of bituminous materials for preformed parts, e.g. for inserts [6] |
| 633/18 | • Polymers of nitriles [6] | 696/00 | Use of specific macromolecular materials not provided for in a single one of main groups B29K 601/00-B29K 695/00, for preformed parts, e.g. for inserts [6] |
| 633/20 | • • PAN, i.e. polyacrylonitrile [6] | 696/02 | • Graft polymers (B29K 655/02 takes precedence) [6] |
| 635/00 | Use of polymers of unsaturated polycarboxylic acids for preformed parts, e.g. for inserts [6] | 696/04 | • Block polymers (B29K 655/02 takes precedence) [6] |
| 645/00 | Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins, for preformed parts, e.g. for inserts [6] | 701/00 | Use of unspecified macromolecular compounds for preformed parts, e.g. for inserts (use of unspecified rubbers B29K 621/00) [6] |
| 655/00 | Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups B29K 623/00-B29K 645/00, for preformed parts, e.g. for inserts [6] | 701/10 | • Thermosetting resins [6] |
| 655/02 | • ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers [6] | 701/12 | • Thermoplastic materials [6] |
| 659/00 | Use of polyacetals for preformed parts, e.g. for inserts [6] | 703/00 | Use of resin-bonded materials for preformed parts, e.g. for inserts [6] |
| 661/00 | Use of condensation polymers of aldehydes or ketones, for preformed parts, e.g. for inserts [6] | 703/04 | • Inorganic materials [6] |
| 661/04 | • Phenoplasts [6] | 703/06 | • • Metal powders, metal carbides or the like [6] |
| 661/20 | • Aminoplasts [6] | 703/08 | • • Mineral aggregates, e.g. sand, clay or the like [6] |
| 663/00 | Use of epoxy resins for preformed parts, e.g. for inserts [6] | 705/00 | Use of metals, their alloys or their compounds, for preformed parts, e.g. for inserts [6] |
| 667/00 | Use of polyesters for preformed parts, e.g. for inserts [6] | Note(s) Alloys or compounds of specified metals are indexed with the same code as the specified metals. | |
| 669/00 | Use of polycarbonates for preformed parts, e.g. for inserts [6] | 705/02 | • Aluminium [6] |
| 671/00 | Use of polyethers for preformed parts, e.g. for inserts [6] | 705/04 | • Lead [6] |
| 673/00 | Use of other polymers having oxygen as the only hetero atom in the main chain, for preformed parts, e.g. for inserts [6] | 705/06 | • Tin [6] |
| 675/00 | Use of polyureas or polyurethanes for preformed parts, e.g. for inserts [6] | 705/08 | • Transition metals [6] |
| 677/00 | Use of polyamides, e.g. polyesteramides, for preformed parts, e.g. for inserts [6] | 705/10 | • • Copper [6] |
| 679/00 | Use of other polymers having nitrogen, with or without oxygen or carbon only, in the main chain, for preformed parts, e.g. for inserts [6] | 705/12 | • • Iron [6] |
| 681/00 | Use of polymers having sulfur, with or without nitrogen, oxygen or carbon only, in the main chain, for preformed parts, e.g. for inserts [6] | 705/14 | • • Noble metals, e.g. silver, gold, platinum [6] |
| | | 707/00 | Use of elements other than metals for preformed parts, e.g. for inserts [6] |
| | | 707/02 | • Boron [6] |
| | | 707/04 | • Carbon [6] |
| | | 709/00 | Use of inorganic materials not provided for in groups B29K 703/00-B29K 707/00, for preformed parts, e.g. for inserts [6] |
| | | 709/02 | • Ceramics [6] |
| | | 709/04 | • • Carbides; Nitrides [6] |
| | | 709/06 | • Concrete [6] |
| | | 709/08 | • Glass [6] |
| | | 709/10 | • Mica [6] |
| | | 709/12 | • Asbestos [6] |
| | | 711/00 | Use of natural products or their composites, not provided for in groups B29K 601/00-B29K 709/00, for preformed parts, e.g. for inserts [6] |

B29K

- | | | | |
|--------|-------------------------|--------|---|
| 711/02 | • Cork [6] | 711/10 | • Natural fibres, e.g. wool, cotton [6] |
| 711/04 | • Linoleum [6] | 711/12 | • Paper, e.g. cardboard [6] |
| 711/06 | • Bone, horn, ivory [6] | 711/14 | • Wood, e.g. woodboard, fibreboard [6] |
| 711/08 | • Leather [6] | | |